



3M EMEA

# Pricelist 2022

Automotive Aftermarket

Valid from 01.06.2022

Products availability and list prices may be amended by 3M from time to time by giving customer prior notice



# ■ Table of Contents

## **Abrasives and Abrasive Accessories**

Net Discs	13
Paper Discs	15
Film Discs	22
Foam Discs	26
Non-woven Discs	27
Fibre Grinding Discs	29
Flap Discs	30
Quick Change Discs	30
Bristle Brushes & Discs	30
Cut-off & Grinding Wheels	31
Sanding Sponges	33
Net Sheets & Rolls	33
Sandpaper Sheets & Rolls	35
Film Sheets & Rolls	46
Non-woven Sheets & Rolls	47
Cloth Sheets & Rolls	48
Hand Pads	48
Cloth Belts	50
Blocks	50
HOLDERS & Back-up Pads	52
Mandrels & Adapters	57
Power Tools	59
Dust Extraction Systems	62

## **Adhesives, Sealants & Applicators**

Structural Adhesives	70
Flexible Adhesives	71
Sealants	71

# ■ Table of Contents

Adhesion Promoters	75
Adhesive Applicators	76
Sealing Tapes	80
Repair Adhesives & Patches	81
Nozzles & Accessories	84
Windshield Adhesives	86
Two Part Structural Adhesives	87
Instant Adhesives	88
Solvent-based Adhesives	88

## **Coatings & Fillers**

Automotive Fillers & Repair	90
Foam Fillers	94
Corrosion Protection Coatings	94
Primers & Undercoats	95
Insulation	95
Automotive Coatings	96
Accessories and Organisation	100

## **Cleaning Supplies**

Cleaners	102
Cloths & Wipes	103
Cleaning Chemicals	105
Industrial Hand Cleansers	105

## **Paint Application Systems**

Sprayer Systems	112
Color Match Lightning	120
Spray Cup Systems	122



# ■ Table of Contents

## Finishing Products

Polishing Compounds	134
Fine Polishing Compounds	135
Bonnets & Buffing Pads	139
Dry Guide Coats & Inspection Sprays	143

## Masking Films and accessories

Masking Films	147
Film Installation Tools	148
Surface Protection Materials	149

## Tapes

Masking & Paper Tapes	154
Vinyl Tapes	160
Bonding, Mounting & Transfer Tapes	161

## Respiratory Protection

Disposable Respirators	164
Full Face Respirators	165
Half Mask Respirators	165
Reusable Respirator Parts & Accessories	166
Hoods & Headgear	167
Powered Air Respirator Systems	167
Powered Air Cartridges & Filters	168
Supplied Air Respirator Systems	168
Powered & Supplied Air Parts & Accessories	168

## Eye Protection

Safety Glasses	170
----------------	-----

# ■ Table of Contents

Safety Goggles	172
----------------	-----

---

## Hearing Protection

Earplugs	176
Earmuffs	177
Over-ear Headsets	181

---

## Head & Face Protection

Hard Hats	184
-----------	-----

---

## Welding Safety

Welding Helmets	186
-----------------	-----

---

## Apparel & Workwear

Coveralls	188
-----------	-----

---



# Abrasives and Abrasive Accessories



# Go for performance. Leave the dust behind.

Introducing

## 3M™ Cubitron™ II Net Abrasives

For Automotive Repair

Get the job done sooner with 3M™ Cubitron™ II Net Abrasives, our fastest-cutting and longest lasting net abrasive discs and sheets. This family of net abrasives delivers the exceptional cut rate and extended life of a Cubitron II abrasive, whilst letting dust extractors perform their best by leaving virtually no dust on the work surface and in the environment.

### Benefits



#### Performance:

Faster cutting and longer lasting than leading net abrasives in the market.



#### Efficient:

Helps shops productivity and efficiency by helping to reduce rework and cleanup time.



#### Dust Extraction:

Designed to help reduce dust in the air from sanding for a cleaner workspace.



#### Versatile:

Compatible with pneumatic and/or electric sanders with or without dust extraction capabilities.



#### Construction:

Open net structure is designed to provide a virtually dust-free environment for a cleaner, healthier shop.

### Features



Net construction for 95% + highly efficient dust extraction performance.



Precision Shaped Grain and engineered Ceramic mineral blend technology for faster cut and longer life.



Able to use multi-hole back-up pads and blocks for easy disc hole alignment and dust extraction.



3M™ Cubitron™ II Net Abrasives are compatible with your existing dust extraction equipment.



Center hole for easy disc alignment and storage.

[3M.com/auto-abrasives](https://www.3m.com/auto-abrasives)





# Standard Operating Procedures

## Recommended Net Sanding Process

# CUBITRON™ II

### PERSONAL SAFETY

• Comfort Particle Mask P3



• Hearing Protection



• Comfort Goggles



• Reusable Overall



• Safety Gloves




**1** Sanding down the job area



- ▶ 3M™ Cubitron™ II Net Abrasive Disc 120+ - 150+.
- ▶ To prolong the life of the backup pad when sanding with net abrasive discs (150 mm), it is recommended that Festool Automotive Systems Protection Pad is used (PN 30089, Protection Pad PP-STF D150).
- ▶ Festool Automotive Systems electric sander ETS EC 150/5 or Festool Automotive Systems pneumatic sander LEX 3 150/5 or 150/7.



3M™ Cubitron™ II Net Abrasive Disc



Festool Protective Pad



Festool ETS EC 150/5 EQ



Festool LEX 3 150/5, Festool LEX 3 150/7

**2** Fine sanding of the surface & feather edges



- ▶ 3M™ Cubitron™ II Net Abrasive Disc 220+ - 240+.
- ▶ Refine previous sanding scratches which reduces the possibility of solvents from the body filler penetrating into the OEM paint layers. If this happens it can lead to surface swelling around the repair.



3M™ Cubitron™ II Net Abrasive Disc



3M™ Dry Guide Coat

**3** Sanding the body filler



- ▶ 3M™ Cubitron™ II Net Abrasive Disc 150+ - 240+.
- ▶ Initial shaping of the body filler.
- ▶ Ensure that you use dust extraction.
- ▶ Identify and highlight sanding scratches through the application of dry guide coat.



3M™ Cubitron™ II Net Abrasive Disc



3M™ Cubitron™ II Net Abrasive Sheets



3M™ Hookit™ Purple Hand Block

**4** Pre-sanding of edges and borders



- ▶ 3M™ Grippy Sanding Cloth, P800 - P1000.
- Note: This product is recommended for maximum process safety.



3M™ Grippy Sanding Cloth, P800



3M™ Grippy Sanding Cloth, P1000

**5** Fine sanding of the surface & feather edges



- ▶ 3M™ Cubitron™ II Net Abrasive Disc 320+.
  - ▶ It is advisable to work with a soft interface pad when sanding curved areas.
- Tip: The choice of the fine grit has to be adjusted to the solvent sensitivity of the original paint. The higher the solvent sensitivity of the original paint, the finer the sanding before primer application.



3M™ Cubitron™ II Net Abrasive Disc



Festool Interface-Pad

**6** Flat sanding of the primer above the body filler area



- ▶ 3M Hookit™ Hand Block and 3M Abrasives 320+ - 400+.
- ▶ Highlight the texture and structure of the primer using dry guide coat.
- ▶ For best result and the most efficient process always use dust extraction.



3M™ Cubitron™ II Net Abrasive Sheets



3M™ Cubitron™ II 737U Abrasive Sheets



3M™ Hookit™ Purple Hand Block



3M™ Dry Guide Coat

**7** Pre-sanding of edges and borders



- ▶ 3M™ Grippy Sanding Cloth, P800 - P1000.
- Note: This product is recommended for maximum process safety.
- ▶ Identify and highlight sanding scratches through the application of dry guide coat.



3M™ Grippy Sanding Cloth, P800



3M™ Grippy Sanding Cloth, P1000

**8** Large area primer sanding



- ▶ Eccentric sanding with 3M Abrasives 400+ - P500.
  - ▶ For critical colours use a 3M™ Hookit™ Flexible Foam Disc P600 as a last sanding step after 400+.
  - ▶ Dedusting of the surface with 3M™ Scotch-Brite™ Abrasives Discs.
- Tip: It is advisable to work with a soft interface pad sanding curved areas.



3M™ Cubitron™ II 737U Disc



3M™ Scotch-Brite™ Abrasive Discs



Festool ETS EC 150/3



Festool LEX 3 150/3

**9** Blending in to adjacent parts



- ▶ 3M™ Hookit™ Flexible Foam Disc P800 - P1000
  - ▶ Prepare adjacent areas of the OEM clearcoat.
- Note: This product is recommended for maximum process safety.



3M™ Hookit™ Flexible Foam Disc

### PERSONAL SAFETY

• Comfort Particle Mask P3



• Hearing Protection



• Comfort Goggles



• Reusable Overall



• Nitrile Gloves



#### Basic requirements



- ▶ Always use suitable dust extraction and select the correct tools for aluminum sanding: Festool Cleantec CTM 48 EC/B22 is certified under ATEX directive 94/9/EG for Zone 22 areas.
  - ▶ Separate tools and abrasives to avoid cross contamination.
- Note: If aluminum and steel dust are mixed together, it could create a thermal reaction, which can produce a much more powerful explosion than one with just aluminum dust.



Festool LEX 3 150/5  
Festool LEX 3 150/7

Festool Cleantec  
CTM 48 E LE EC/B22

Festool IAS 3-3500 AS - correspond  
DIN IEC 312, Antistatic, bleeder  
resistance (DIN IEC 312) < 1 MΩ/m

#### 1 Sanding down the job area



- ▶ 3M™ Hookit™ Cubitron™ II Abrasive Discs, 120+ - 150+.
  - ▶ Identify and highlight sanding scratches through the application of dry guide coat.
- Note: Aluminum is a very soft metal! Pay special attention as using excessively coarse abrasives can badly damage the surface of the substrate.



3M™ Hookit™ Cubitron™ II  
Abrasive Discs

3M™ Dry Guide Coat

#### 2 Fine sanding of the surface & feather edges



- ▶ 3M™ Hookit™ Cubitron™ II Abrasive Discs 220+ - 240+.
- ▶ Refine previous sanding scratches which reduces the possibility of solvents from the body filler penetrating into the OEM paint layers. If this happens it can lead to surface swelling around the repair.



3M™ Hookit™ Cubitron™ II  
Abrasive Discs

Festool Interface-Pad

#### 3 Sanding body filler



- ▶ 3M™ Hookit™ Cubitron™ II Abrasive Discs 150+ - 240+.
  - ▶ Flat sanding of the body filler area.
  - ▶ Identify and highlight sanding scratches through the application of dry guide coat.
- Note: Excessive heat build up during the sanding process should be avoided as this can damage the aluminum substrate.



3M™ Hookit™ Cubitron™ II  
Abrasive Discs


3M™ Hookit™ Purple  
Hand Block

3M™ Hookit™ Purple+  
Abrasive Sheets

#### 4 Pre-sanding of edges and borders



- ▶ 3M™ Hookit™ Flexible Abrasive Sheet P800-P1000.
- Note: For maximum process safety.



3M™ Hookit™ Flexible  
Abrasive Sheets

3M™ Hookit™ Flexible  
Abrasive Sheets

#### 5 Fine sanding of the surface & feather edges



- ▶ 3M™ Hookit™ Cubitron™ II Abrasive Discs 320+
  - ▶ It is advisable to work with a soft interface pad when sanding curved areas.
- Tip: The choice of the fine grit has to be adjusted to the solvent sensitivity of the original paint. The higher the solvent sensitivity of the original paint, as finer the sanding before primer application.



3M™ Hookit™ Cubitron™ II  
Abrasive Discs

Festool Interface-Pad

#### 6 Flat sanding of the primer above the body filler area



- ▶ 3M™ Hookit™ Hand Block and 3M Abrasives 320+ - 400+.
- ▶ Highlight the texture and structure of the primer using dry guide coat.
- ▶ For best results and the most efficient process always use dust extraction.



3M™ Hookit™ Cubitron™ II  
Abrasive Sheets


3M™ Hookit™ Purple  
Hand Block

3M™ Dry Guide Coat

#### 7 Pre-sanding of edges and borders



- ▶ 3M™ Hookit™ Flexible Abrasive Sheets P800-P1000.
  - ▶ Identify and highlight sanding scratches through the application of dry guide coat.
- Note: For maximum process safety.



3M™ Hookit™ Flexible  
Abrasive Sheets

3M™ Hookit™ Flexible  
Abrasive Sheets

#### 8 Large Area Final Primer Sanding Before Painting



- ▶ Eccentric sanding with 3M Abrasives 400+ - P500.
  - ▶ For critical colors use a 3M™ Hookit™ Flexible Foam Disc P600 as a last sanding step after 400+.
  - ▶ Dusting of the surface with 3M™ Scotch-Brite™ Abrasive Discs.
- Tip: It is advisable to work with a soft interface pad when sanding curved areas.



3M™ Hookit™ Cubitron™ II  
Abrasive Discs

3M™ Hookit™  
Flexible Foam Disc


3M™ Scotch-Brite™  
Abrasive Discs

Festool LEX 3 150/3

#### 9 Blending in to adjacent parts



- ▶ 3M™ Hookit™ Flexible Foam Disc P800 - P1000.
  - ▶ Prepare adjacent areas of the OEM clearcoat.
- Note: For maximum process safety.



3M™ Hookit™  
Flexible Foam Disc



### PERSONAL SAFETY

• Comfort Particle Mask P2



• Hearing Protection



• Comfort Goggles



• Reusable Workwear




• Safety Gloves



### 1 Sanding down the job area



- ▶ Sand down the area to be repaired to the bare metal substrate
  - ▶ To remove coatings quicker, use the ROTEX motion setting
  - ▶ To refine previous sanding scratches, switch to ROTEX orbital random motion, keeping the previous abrasive disc on the machine
- Note: For aluminium substrates and workplaces, always use a pneumatic sanding tool such as Festool Automotive Systems LEX 3 150/7 and follow instructions of ATEX directive 94/9/EG for Zone 22 areas



3M™ Hookit™ Cubitron™ II 80+ - 120+ - 125mm



Festool RO 125



3M™ Hookit™ Cubitron™ II 80+ - 120+ - 150mm



Festool LEX 3 150/7

### 2 Cleaning of the surface



- ▶ Degrease the surface



3M™ General Purpose Adhesive Cleaner



3M™ Professional Panel Wipes

### 3 Calibration of a new cartridge



- ▶ Insert the cartridge into a suitable application gun
  - ▶ Before attaching the mixer to the cartridge, equalize cartridge by squeezing out a small amount of material until both components are equally extruded
  - ▶ Attach the mixing nozzle and discard the first 2-4 cm of extruded material, to remove any improperly mixed material
- Note: The previous step is only necessary when using a new cartridge.



3M™ FC Epoxy Metal Filler



3M™ Static Mixing Nozzle



3M™ High Power Manual Gun

### 3 Application



- ▶ First apply a "tight" coat of material onto the welded area, in order to ensure that the material completely covers any pinholes from the previous welding steps. Additional layers of the product can be applied immediately onto the first layer in a "wet on wet" process, in order to build up the repair to the required level
- ▶ Working time and mixing nozzle open time 15 -20 min @ 22 °C
- ▶ Recommended settings for applicators: pneumatic max. inlet pressure 5.5 bar / battery driven 3kN, max speed 180mm/min



3M™ Plastic Spreader

### 4 Drying



- ▶ The curing of 3M™ FC Epoxy Metal Filler can be accelerated using IR drying after the initial gelling period. Wait 10 minutes before using an IR dryer to heat for 10-20 minutes with a panel temperature of 70 °C
  - ▶ Airdrying: sandable ~ after 4h @ 22 °C ambient temperatures
- Tip for use: warming up the material & surface to ~30°C before material application will help to accelerate curing, particularly at cold ambient temperatures

### 5 Pre-sanding of the filler area




- ▶ Pre-sanding step can also be done by using traditional body files

### 6 Sanding of the filler area




- ▶ Flat sanding of the filler area
- ▶ To remove coatings quicker, use the ROTEX motion setting
- ▶ To refine previous sanding scratches, switch to ROTEX orbital random motion, keeping the previous abrasive disc on the machine



3M™ Hookit™ Cubitron™ II 80+ - 120+ - 125mm



Festool RO 125



3M™ Hookit™ Cubitron™ II 80+ - 120+ - 150mm



Festool LEX 3 150/7

### 7 Cleaning of the surface



- ▶ Thoroughly degrease the surface



3M™ General Purpose Adhesive Cleaner



3M™ Professional Panel Wipes

### Optional - second layer application



- ▶ Apply a further layer of 3M™ FC Epoxy Metal Filler if necessary and repeat drying and sanding steps as recommended in the previous steps
- ▶ Maximum finished thickness should not exceed 4-6 mm, maximum layer thickness should not exceed 2-3 mm
- ▶ Follow car manufacturer and paint company recommendations for subsequent steps



3M™ FC Epoxy Metal Filler



3M™ Static Mixing Nozzle



3M™ High Power Manual Gun

## PERSONAL SAFETY

• Comfort Particle Mask P2



• Hearing Protection



• Face Protection



• Reusable Workwear



• Safety Gloves



### 1 Replacement Panel Cutting



- ▶ Identify car manufacturer recommended sectioning location, scribe or mark with tape on the vehicle and replacement panel
- ▶ Trim repair area using preferred cut-off wheel



3M™ Cut-Off Wheel Tool  
ø 75 mm , ø 100 mm




3M™ Cubitron™ II  
Cut-Off Wheels

### 2 Replacement Panel Preparation



- ▶ Clean and prep remaining mating flanges on replacement panel with a Scotch-Brite™ Belt or Disc where necessary
- ▶ Clean and apply weld-thru primer to all areas requiring welding methods for corrosion protection



3M™ Scotch-Brite™  
File Belts



3M™ Scotch-Brite™  
Roloc™ Disc



3M™ File Belt Tool



3M™ Pistol Grip  
Disc Sander

### 3 Sealer/Coating Removal



- ▶ Use Scotch-Brite™ Belt to remove coatings and seam sealers in hard to reach areas and along pinch weld flanges to expose spot weld locations



3M™ Scotch-Brite™  
File Belts



3M™ File Belt Tool

### 4 Spot Weld Removal



- ▶ Grind spot weld to remove weld from top panel. Note top panel thickness
- ▶ Use caution when grinding to only grind top panel and limit cutting into host/interior panel
- ▶ Separate exterior panel from the host panel after additional pre cut



3M™ Cubitron™ II  
File Belts 60+ - 80+



3M™ File Belt Tool

### 5 Final Cut



- ▶ Identify final cut line at the overlapping area of the pre cutted host and replacement panel
- ▶ Trim repair area using preferred cut-off



3M™ Cut-Off Wheel Tool  
ø 75 mm , ø 100 mm



3M™ Cubitron™ II  
Cut-Off Wheels

### 6 Weld Surface Preparation



- ▶ Clean and prep remaining mating flanges on replacement panel with a Scotch-Brite™ Belt or Disc where necessary
- ▶ Use caution to limit amount of grinding done to adjacent areas in terms of substrate thickness
- ▶ Clean surface and apply weld-thru primer to all areas requiring welding methods for corrosion protection



3M™ Scotch-Brite™  
File Belts



3M™ Scotch-Brite™  
Roloc™ Disc



3M™ File Belt Tool



3M™ Pistol Grip  
Disc Sander

### 7 Panel Bonding



- ▶ Apply adhesive to mating flange areas on host panel and replacement panel as recommended from car manufacturer by covering all bare metal areas
- ▶ Apply an additional bead of adhesive at mating flange areas to ensure proper bond line thickness
- ▶ Note: A new cartridge needs to be calibrated as recommended before the first application, to allow initial equalisation! Any further material from there is good to use



3M™ Panel Bonding  
Adhesive



3M™ Pneumatic  
Applicator for 200ml  
Duopak Cartridge



3M™ Manual Applicator  
for 200ml Duopak  
Cartridge

### 8 Welding



- ▶ Using car manufacturer recommended welding methods at the different areas of the car body lines

### 9 Weld Cleaning



- ▶ Use 80+ grit to equalize WPS welding spots and MIG brazing joints
- ▶ Fine sanding of weld site in preparation for subsequent operations
- ▶ Use caution to limit amount of grinding done to adjacent areas in terms of substrate thickness



3M™ Cubitron™ II  
File Belts



3M™ Cubitron™ II  
Roloc™ Discs



3M™ File Belt Tool



3M™ Pistol Grip  
Disc Sander

# Abrasives and Abrasive Accessories

## Net Discs

### 3M™ Cubitron™ II Net Disc

3M™ Cubitron™ II Net Discs are fast-cutting and long-lasting family of net discs which delivers the exceptional cut rate and extended life of a Cubitron II abrasive. They're designed to help dust extractors perform their best, leaving virtually no dust on the work surface or in the environment.



Pair with a 3M recommended sanding and dust extraction system to create your shop's ideal dust capture system.

- Fast-cutting, long-lasting net discs are built with patented 3M™ Cubitron™ II precision-shaped grains.
- They help dust extractors achieve their best-possible performance – whether it is a self-generating-vacuum sander, a central vacuum system or a portable dust extractor
- The patented triangular-shaped mineral grains on the discs slice through substrates rather than gouging or “plowing” like conventional abrasive grains, helping the disc run cooler, cut faster, and last longer

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100249788	31641	3M™ Cubitron™ II Net Disc, 203 mm, 80+ Grade, 31641						
7100249802	31642	3M™ Cubitron™ II Net Disc, 203 mm, 120+ Grade, 31642						
7100249793	31643	3M™ Cubitron™ II Net Disc, 203 mm, 150+ Grade, 31643						
7100249792	31644	3M™ Cubitron™ II Net Disc, 203 mm, 180+ Grade, 31644						
7100249805	31645	3M™ Cubitron™ II Net Disc, 203 mm, 220+ Grade, 31645						
7100249791	31646	3M™ Cubitron™ II Net Disc, 203 mm, 240+ Grade, 31646						
7100249806	31647	3M™ Cubitron™ II Net Disc, 203 mm, 320+ Grade, 31647						

### 3M™ Cubitron™ II Net Disc Roll

3M™ Cubitron™ II Net Discs are a family of fast-cutting and long-lasting net discs that deliver the exceptional cut rate and extended life of a Cubitron II abrasive. They're designed to help dust extractors perform their best, leaving virtually no dust on the work surface or in the environment.



Pair with a 3M recommended sanding and dust extraction system to create your shop's ideal dust capture system.

- Fast-cutting, long-lasting net discs are built with patented 3M™ Cubitron™ II precision-shaped grains.
- They help dust extractors achieve their best-possible performance – whether it's a self-generating-vacuum sander, a central vacuum system or a portable dust extractor
- The patented triangular-shaped mineral grains on the discs slice through substrates rather than gouging or “plowing” like conventional abrasive grains, helping the disc run cooler, cut faster, and last longer

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100249797	31679	3M™ Cubitron™ II Net Disc Roll, 75 mm, 80+ Grade, 31679						
7100249796	31680	3M™ Cubitron™ II Net Disc Roll, 75 mm, 120+ Grade, 31680						
7100249556	31681	3M™ Cubitron™ II Net Disc Roll, 75 mm, 150+ Grade, 31681						
7100249544	31682	3M™ Cubitron™ II Net Disc Roll, 75 mm, 180+ Grade, 31682						
7100249795	31683	3M™ Cubitron™ II Net Disc Roll, 75 mm, 220+ Grade, 31683						
7100249794	31684	3M™ Cubitron™ II Net Disc Roll, 75 mm, 240+ Grade, 31684						
7100249555	31685	3M™ Cubitron™ II Net Disc Roll, 75 mm, 320+ Grade, 31685						
7100249539	31665	3M™ Cubitron™ II Net Disc Roll, 125 mm, 80+ Grade, 31665						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Abrasives and Abrasive Accessories

## 3M™ Cubitron™ II Net Disc Roll

3M™ Cubitron™ II Net Discs are a family of fast-cutting and long-lasting net discs that deliver the exceptional cut rate and extended life of a Cubitron II abrasive. They're designed to help dust extractors perform their best, leaving virtually no dust on the work surface or in the environment.



Pair with a 3M recommended sanding and dust extraction system to create your shop's ideal dust capture system.

- Fast-cutting, long-lasting net discs are built with patented 3M™ Cubitron™ II precision-shaped grains.
- They help dust extractors achieve their best-possible performance – whether it's a self-generating-vacuum sander, a central vacuum system or a portable dust extractor
- The patented triangular-shaped mineral grains on the discs slice through substrates rather than gouging or “plowing” like conventional abrasive grains, helping the disc run cooler, cut faster, and last longer

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100249540	31666	3M™ Cubitron™ II Net Disc Roll, 125 mm, 120+ Grade, 31666						
7100249541	31667	3M™ Cubitron™ II Net Disc Roll, 125 mm, 150+ Grade, 31667						
7100249557	31668	3M™ Cubitron™ II Net Disc Roll, 125 mm, 180+ Grade, 31668						
7100249531	31669	3M™ Cubitron™ II Net Disc Roll, 125 mm, 220+ Grade, 31669						
7100249532	31670	3M™ Cubitron™ II Net Disc Roll, 125 mm, 240+ Grade, 31670						
7100249545	31671	3M™ Cubitron™ II Net Disc Roll, 125 mm, 320+ Grade, 31671						
7100249800	31650	3M™ Cubitron™ II Net Disc Roll, 150 mm, 80+ Grade, 31650						
7100249799	31651	3M™ Cubitron™ II Net Disc Roll, 150 mm, 120+ Grade, 31651						
7100249535	31652	3M™ Cubitron™ II Net Disc Roll, 150 mm, 150+ Grade, 31652						
7100249536	31653	3M™ Cubitron™ II Net Disc Roll, 150 mm, 180+ Grade, 31653						
7100249537	31654	3M™ Cubitron™ II Net Disc Roll, 150 mm, 220+ Grade, 31654						
7100249538	31655	3M™ Cubitron™ II Net Disc Roll, 150 mm, 240+ Grade, 31655						
7100249560	31656	3M™ Cubitron™ II Net Disc Roll, 150 mm, 320+ Grade, 31656						

## 3M™ Blue Net Disc Roll

3M™ Blue Net Discs are net abrasive sanding discs that offer outstanding performance. They're built with an engineered ceramic-mineral blend of abrasives that deliver a fast cut rate and long disc life. They also offer excellent dust removal when used with a dust extraction system.



- Sanding discs that offer outstanding performance at a competitive price
- Built with an engineered ceramic-mineral blend they deliver an excellent cut rate and life
- Balanced for outstanding abrasive performance for cut, life and dust extraction

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100250649	36454	3M™ Blue Net Disc Roll, 75 mm, 240 Grade, 36454						
7100250652	36449	3M™ Blue Net Disc Roll, 75 mm, 80 Grade, 36449						
7100250655	36450	3M™ Blue Net Disc Roll, 75 mm, 120 Grade, 36450						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Blue Net Disc Roll

3M™ Blue Net Discs are net abrasive sanding discs that offer outstanding performance. They're built with an engineered ceramic-mineral blend of abrasives that deliver a fast cut rate and long disc life. They also offer excellent dust removal when used with a dust extraction system.



- Sanding discs that offer outstanding performance at a competitive price
- Built with an engineered ceramic-mineral blend they deliver an excellent cut rate and life
- Balanced for outstanding abrasive performance for cut, life and dust extraction

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100250656	36451	3M™ Blue Net Disc Roll, 75 mm, 150 Grade, 36451						
7100251055	36452	3M™ Blue Net Disc Roll, 75 mm, 180 Grade, 36452						
7100250648	36453	3M™ Blue Net Disc Roll, 75 mm, 220 Grade, 36453						
7100250650	36455	3M™ Blue Net Disc Roll, 75 mm, 320 Grade, 36455						
7100250638	36435	3M™ Blue Net Disc Roll, 125 mm, 80 Grade, 36435						
7100250639	36436	3M™ Blue Net Disc Roll, 125 mm, 120 Grade, 36436						
7100250657	36437	3M™ Blue Net Disc Roll, 125 mm, 150 Grade, 36437						
7100250654	36438	3M™ Blue Net Disc Roll, 125 mm, 180 Grade, 36438						
7100250640	36439	3M™ Blue Net Disc Roll, 125 mm, 220 Grade, 36439						
7100250641	36440	3M™ Blue Net Disc Roll, 125 mm, 240 Grade, 36440						
7100250642	36441	3M™ Blue Net Disc Roll, 125 mm, 320 Grade, 36441						
7100250643	36420	3M™ Blue Net Disc Roll, 150 mm, 80 Grade, 36420						
7100250644	36421	3M™ Blue Net Disc Roll, 150 mm, 120 Grade, 36421						
7100250645	36422	3M™ Blue Net Disc Roll, 150 mm, 150 Grade, 36422						
7100250646	36423	3M™ Blue Net Disc Roll, 150 mm, 180 Grade, 36423						
7100250647	36424	3M™ Blue Net Disc Roll, 150 mm, 220 Grade, 36424						
7100250653	36425	3M™ Blue Net Disc Roll, 150 mm, 240 Grade, 36425						
7100250651	36426	3M™ Blue Net Disc Roll, 150 mm, 320 Grade, 36426						

## Paper Discs

### 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U

Get a superior cut and durability during key stages of automotive repair with 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U. Our triangular shaped grain and multi-hole pattern abrasive disc is ideal for paint removal, rough body filler shaping, fine feather-edging and final prep before blending or priming.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100272288	51626	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 80+, 51626						
7100272289	51627	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 120+, 51627						
7100272290	51629	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 150+, 51629						
7100272291	51630	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 180+, 51630						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U

Get a superior cut and durability during key stages of automotive repair with 3M™ Cubitron™ II Hookit™ Purple+ Multihole Abrasive Disc 737U. Our triangular shaped grain and multi-hole pattern abrasive disc is ideal for paint removal, rough body filler shaping, fine feather-edging and final prep before blending or priming.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100272294	51631	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 220+, 51631						
7100272293	52026	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 240+, 52026						
7100272292	52027	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 320+, 52027						
7100229088	52028	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multi Hole, 400+, 52028						
7100273450	51610	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 80+, 51610						
7100273615	51611	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 120+, 51611						
7100273614	51612	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 150+, 51612						
7100273628	51613	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 180+, 51613						
7100273627	51614	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 220+, 51614						
7100273629	51615	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 240+, 51615						
7100273449	51616	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 320+, 51616						
7100229086	51617	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multi Hole, 400+, 51617						
7100147540	31366	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 80+, 31366						
7100155356	31367	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 120+, 31367						
7100155302	31368	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 150+, 31368						
7100155358	31369	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 180+, 31369						
7100155365	31471	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 220+, 31471						
7100138560	31472	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 240+, 31472						
7100141498	31473	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 320+, 31473						
7100141501	31474	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multi Hole, 400+, 31474						
7100273602	51369	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 80+, 51369						
7100273932	51370	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 120+, 51370						
7100273963	51421	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 150+, 51421						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Abrasives and Abrasive Accessories

## 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U

Get a superior cut and durability during key stages of automotive repair with 3M™ Cubitron™ II Hookit™ Purple+ Multihole Abrasive Disc 737U. Our triangular shaped grain and multi-hole pattern abrasive disc is ideal for paint removal, rough body filler shaping, fine feather-edging and final prep before blending or priming.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100273957	51422	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 180+, 51422						
7100273613	51423	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 220+, 51423						
7100265969	51424	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 240+, 51424						
7100173181	51426	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 320+, 51426						
7100225245	51428	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multi Hole, 400+, 51428						

## 3M™ Hookit™ Abrasive Disc 245

Achieve a consistent finish with 3M™ Hookit™ Abrasive Disc 245. Coated in aluminium oxide with resin bonding to prevent premature burning, our tough disc offers excellent durability and are available in a variety of hole configurations, sizes and grades.



- Get high performance from a tough and durable disc
- Use for panel shop sanding
- Choose discs from a variety of hole configurations, sizes and grades

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034271	80350	3M™ Hookit™ Abrasive Disc 245, 150 mm, 7 Hole, P40, 80350						
7000034270	80351	3M™ Hookit™ Abrasive Disc 245, 150 mm, 7 Hole, P60, 80351						
7000034269	80352	3M™ Hookit™ Abrasive Disc 245, 150 mm, 7 Hole, P80, 80352						
7000083859	80353	3M™ Hookit™ Abrasive Disc 245, 150 mm, 7 Hole, P100, 80353						
7000083858	80354	3M™ Hookit™ Abrasive Disc 245, 150 mm, 7 Hole, P120, 80354						
7000082216	01649	3M™ Hookit™ Abrasive Disc 245, 150 mm, No Hole, P40, 01649						
7000082218	01647	3M™ Hookit™ Abrasive Disc 245, 150 mm, No Hole, P80, 01647						
7000082406	00696	3M™ Hookit™ Abrasive Disc 245, 203 mm, 8 Hole, P40, 00696						
7000082407	00694	3M™ Hookit™ Abrasive Disc 245, 203 mm, 8 Hole, P80, 00694						
7000082247	00692	3M™ Hookit™ Abrasive Disc 245, 203 mm, 8 Hole, P120, 00692						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Disc 255P

3M™ Hookit™ Disc 255P Gold is a C-weight abrasive disc for general purpose lightweight sanding. The popular 255P Gold abrasive offers superior performance.



- General Purpose
- Available in a range of grades from P80 to P600. Applications include paint removal,
- 255P discs and pads achieve better cut, less loading and a reduction in airborne dust

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000084816	50726	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P80, 50726						
7000084815	50725	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P120, 50725						
7000084813	50723	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P180, 50723						
7000084812	50721	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P240, 50721						
7000084810	50719	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P320, 50719						
7000084808	50717	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P400, 50717						
7000084807	50716	3M™ Hookit™ Abrasive Disc 255P, 75 mm, 3 Hole, P500, 50716						
7000083430	50088	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, 80, 50088						
7000083429	50087	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, 120, 50087						
7000083428	50086	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, P180, 50086						
7000083427	50085	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, P240, 50085						
7000083425	50083	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, P320, 50083						
7000083423	50081	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, P400, 50081						
7000083422	50080	3M™ Hookit™ Abrasive Disc 255P, 75 mm, No Hole, P500, 50080						
7000083133	60487	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P80, 60487						
7000083131	60485	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P120, 60485						
7000083129	60483	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P180, 60483						
7000083127	60481	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P240, 60481						
7000083264	60479	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P320, 60479						
7000083262	60477	3M™ Hookit™ Abrasive Disc 255P, 125 mm, 9 Hole, P400, 60477						
7000083831	80355	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, 80, 80355						
7000083829	80357	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, 120, 80357						
7000083828	80358	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P150, 80358						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Disc 255P

3M™ Hookit™ Disc 255P Gold is a C-weight abrasive disc for general purpose lightweight sanding. The popular 255P Gold abrasive offers superior performance.



- General Purpose
- Available in a range of grades from P80 to P600. Applications include paint removal,
- 255P discs and pads achieve better cut, less loading and a reduction in airborne dust

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000083827	80359	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P180, 80359						
7000083826	80360	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P220, 80360						
7000083825	80361	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P240, 80361						
7000083823	80363	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P320, 80363						
7000083822	80364	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P360, 80364						
7000083821	80365	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P400, 80365						
7000083820	80366	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 7 Hole, P500, 80366						
7100253066	50443	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P80, 50443						
7100253067	50445	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P120, 50445						
7100253068	50446	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P150, 50446						
7100253069	50447	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P180, 50447						
7100253070	50448	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P220, 50448						
7100253071	50449	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P240, 50449						
7100253073	50451	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P320, 50451						
7100253075	50453	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P400, 50453						
7100253076	50454	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P500, 50454						
7100253077	50455	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P600, 50455						
7100106425	51654	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P80, 51654						
7100106426	51656	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P120, 51656						
7100106427	51657	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P150, 51657						
7100106428	51658	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P180, 51658						
7100106429	51659	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P220, 51659						
7100106430	51660	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P240, 51660						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
 SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Disc 255P

3M™ Hookit™ Disc 255P Gold is a C-weight abrasive disc for general purpose lightweight sanding. The popular 255P Gold abrasive offers superior performance.



- General Purpose
- Available in a range of grades from P80 to P600. Applications include paint removal,
- 255P discs and pads achieve better cut, less loading and a reduction in airborne dust

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100106431	51661	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P280, 51661						
7100106432	51662	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P320, 51662						
7100106433	51663	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P360, 51663						
7100106434	51664	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P400, 51664						
7100106435	51665	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P500, 51665						
7100106436	51666	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P600, 51666						
7000082547	00174	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P80, 00174						
7000082544	00171	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P150, 00171						
7000082542	00169	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P220, 00169						
7000082556	00168	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P240, 00168						
7000082553	00165	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P360, 00165						
7000082552	00164	3M™ Hookit™ Abrasive Disc 255P, 203 mm, 8 Hole, P400, 00164						

## 3M™ Hookit™ Abrasive Disc 325U

3M™ Hookit™ Abrasive Disc 325U Blue is an Engineered Ceramic Mineral Blend product designed to offer excellent cut performance with superior dust extraction based on multihole technology.



- Engineered Ceramic Mineral Blend Hookit™ abrasive disc
- Hookit™ attachment system
- Grades P80 to 600

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100248530	51371	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 80 Grade, 51371						
7100248531	51373	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 120 Grade, 51373						
7100248532	51374	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 150 Grade, 51374						
7100248583	51375	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 180 Grade, 51375						
7100248584	51376	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 220 Grade, 51376						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Disc 325U

3M™ Hookit™ Abrasive Disc 325U Blue is an Engineered Ceramic Mineral Blend product designed to offer excellent cut performance with superior dust extraction based on multihole technology.



- Engineered Ceramic Mineral Blend Hookit™ abrasive disc
- Hookit™ attachment system
- Grades P80 to 600

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100248585	51377	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 240 Grade, 51377						
7100248586	51379	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 320 Grade, 51379						
7100249344	51381	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 400 Grade, 51381						
7100249345	51382	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 500 Grade, 51382						
7100249346	51383	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 600 Grade, 51383						

## 3M™ Hookit™ Abrasive Disc 337U

Get a consistent matt finish on E-Coat primers with 3M™ Hookit™ Abrasive Disc 337U. This disc has been specially designed to sand very tough automotive e-coat primers.



- Finish equivalent to P320
- Use to sand extremely tough automotive e-coat primers
- Get a consistent matt finish

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100181554	50535	3M™ Hookit™ Abrasive Disc 337U, 150 mm, Multihole, P320, 50535						

## 3M™ Hookit™ Easy Abrasive Disc 216U

3M™ Hookit™ Easy Abrasive Disc 216U Soft is a lightweight aluminium oxide product range offering advanced performance of a conformable product.



- Aluminium oxide Hookit™ abrasive disc
- Soft foam backed for flexibility
- Grades P180 to P800

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000091908	51095	3M™ Hookit™ Easy Abrasive Disc 216U, 150 mm, 15 Hole, P320, 51095						
7000091910	51097	3M™ Hookit™ Easy Abrasive Disc 216U, 150 mm, 15 Hole, P400, 51097						
7000091911	51098	3M™ Hookit™ Easy Abrasive Disc 216U, 150 mm, 15 Hole, P500, 51098						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U

Save on labour costs and improve quality with 3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U – our disc that’s designed for a fast cut and consistent finish. Use for fine featheredging or the final sanding step before priming.



- High performance abrasive disc with Hookit™ attachment
- Rough featheredging or final sanding step before priming
- Use for fine featheredging or final sanding step before priming

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000085181	51020	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 75 mm, Multihole, P500, 51020						
7000085180	51019	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 75 mm, Multihole, P600, 51019						
7000085197	51041	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 125 mm, Multihole, P500, 51041						
7000085196	51040	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 125 mm, Multihole, P600, 51040						
7100040483	50534	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 150 mm, Multihole, P500, 50534						
7000084828	50913	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 150 mm, Multihole, P600, 50913						

## Film Discs

### 3M™ Hookit™ Finishing Film Abrasive Disc 260L

3M™ Hookit™ Film Disc 260L is ideal for auto body applications including blending, scuffing, paint prep and removing paint defects. Choose aluminum oxide mineral cutting surfaces from P600 to P2000, all on durable film backing.



- Film-backed abrasive discs for high-finish auto body sanding applications
- Aluminum oxide abrasive offers a fast cut and long disc life
- Change and reuse discs easily with 3M’s Hookit™ attachment system

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045653	01053	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 125 mm, 5 Hole, P1000, 01053						
7000000564	00953	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 125 mm, Plain, P1000, 00953						
7100113428	51057	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P600, 51057						
7100113151	51099	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P800, 51099						
7100113365	51055	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1000, 51055						
7100113150	51054	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1200, 51054						
7100113147	51053	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1500, 51053						
7100123049	51304	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P2000, 51304						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Flexible Abrasive Disc 270J

3M™ Hookit™ Flexible Abrasive Discs are precision coated with high quality minerals and resins to deliver longer-lasting performance for primer sanding, blend preparation and paint finishing. Our versatile discs provide excellent cut and finish performance with high flexibility, anti-loading technology, and conformability.



- Get high flexibility and conformability
- Premium quality delivers uniform, consistent finishes every time
- Reduce burn through when sanding thin coated surfaces

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100018328	34417	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P400, 34417						
7100018798	34419	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P600, 34419						
7100018796	34420	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P800, 34420						
7100018799	34421	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P1000, 34421						
7100018810	34422	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P1200, 34422						
7100018327	34423	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, P1500, 34423						
7100104547	34800	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P400, 34800						
7100104516	34801	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P600, 34801						
7100104515	34802	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P800, 34802						
7100104330	34803	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P1000, 34803						
7100104331	34804	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P1200, 34804						
7100104332	34805	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, P1500, 34805						

## 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L

3M™ Purple Finishing Film Hookit™ Disc is used for scuffing the blend area before painting and removing dust nibs and excess orange peel from topcoats.



- Level orange peel, dust nibs or paint runs in all types of automotive paints
- Get a fast cut and long disc life with aluminium oxide abrasive
- Use for scuffing the blend area prior to painting

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100126984	51263	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 3 Hole, P600, 51263						
7100126991	51264	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 3 Hole, P800, 51264						
7100126990	51265	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 3 Hole, P1000, 51265						
7100126231	51266	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 3 Hole, P1200, 51266						
7100123054	51257	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 3 Hole, P1500, 51257						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L

3M™ Purple Finishing Film Hookit™ Disc is used for scuffing the blend area before painting and removing dust nibs and excess orange peel from topcoats.



- Level orange peel, dust nibs or paint runs in all types of automotive paints
- Get a fast cut and long disc life with aluminium oxide abrasive
- Use for scuffing the blend area prior to painting

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100122790	30371	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P600, 30371						
7100122788	30370	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P800, 30370						
7100122803	30369	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P1000, 30369						
7100123056	30368	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P1200, 30368						
7100123055	30367	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P1500, 30367						
7100113146	51583	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 90 mm, 7 Hole, P600, 51583						
7100113081	51585	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 90 mm, 7 Hole, P1000, 51585						
7100123053	51156	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P600, 51156						
7100123753	51155	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P800, 51155						
7100123051	51157	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1000, 51157						
7100123052	51158	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1200, 51158						
7100123050	51154	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1500, 51154						
7100122781	34780	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P600, 34780						
7100122797	34781	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P800, 34781						
7100122800	34782	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1000, 34782						
7100122787	34783	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1200, 34783						
7100122776	34784	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1500, 34784						
7100123057	34785	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P2000, 34785						
7100122789	30671	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, No Hole, P600, 30671						
7100122792	30670	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, No Hole, P800, 30670						
7100122780	30668	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, No Hole, P1200, 30668						
7100122795	30667	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, No Hole, P1500, 30667						
7100122798	30666	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, No Hole, P2000, 30666						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Soft Abrasive Disc 216U

3M™ Hookit™ Soft Abrasive Disc 216U is a lightweight disc, based on aluminium oxide as abrasive in combination with a flexible foam backing.

- Aluminium oxide Hookit™ abrasive disc
- Foam backed for flexibility
- Grades P320 to P800



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000091918	51087	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, 15 Hole, P320, 51087						
7000091920	51089	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, 15 Hole, P400, 51089						
7000091921	51090	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, 15 Hole, P500, 51090						
7000091922	51091	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, 15 Hole, P600, 51091						
7000091923	51092	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, 15 Hole, P800, 51092						
7100140377	51137	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P320, 51137						
7100140507	51138	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P360, 51138						
7100140508	51139	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P400, 51139						
7100140509	51140	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P500, 51140						
7100139945	51141	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P600, 51141						
7100139946	51142	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P800, 51142						
7100139944	51150	3M™ Hookit™ Soft Abrasive Disc 216U, 150 mm, Multihole, P1000, 51150						

## 3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA

Get a uniform and consistent finish when sanding with 3M™ Trizact™ Hookit™ P1500 Clear Coat Sanding Abrasive Disc 471LA. Our disc incorporates our Trizact technology which gives a fast cut and consistent finish every time.

- High Performance abrasive disc with Hookit™ attachment
- Removing dust nibs and texture matching orange peel
- Can be used with 3M™ Random Orbital Sanders



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100041423	05601	3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA, 75 mm, P1500, 05601						
7100041081	05600	3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA, 150 mm, P1500, 05600						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## Foam Discs

### 3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA

3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA is a foam disc used for removing and refining sanding scratches prior to using 3M™ Perfect-It™ Polishing System.



- Refine paint rectification sand scratches prior to polishing
- Follow up with appropriate compounds from the 3M Perfect-it colour coded range
- Eliminate the need for using wool compounding pads and reduce polishing time increasing productivity

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034391	50415	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 75 mm, Plain, P3000, 50415						
7000043154	51131	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 75 mm, Plain, P6000, 51131						
7100193763	30804	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 75 mm, Plain, P8000, 30804						
7000034390	50414	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 150 mm, Plain, P3000, 50414						
7000034489	51130	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 150 mm, Plain, P6000, 51130						
7100193783	30806	3M™ Trizact™ Hookit™ Foam Abrasive Disc 443SA, 150 mm, Plain, P8000, 30806						

### 3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA

Get a consistent finish during the sanding operation with 3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA. Our disc ensures even wear and durability by utilising its unique pyramid construction of multiple layers of fine grade abrasives mineral particles.



- Ideal for keying panels prior to the application of clearcoat or before blending
- Suitable for both machine and hand application
- Flexible construction ensures conformability and achieves a uniform, quality matt finish

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034389	50413	3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA, 75 mm, P1000, 50413						
7000034388	50341	3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA, 150 mm, P1000, 50341						

### 3M™ Hookit™ Flexible Abrasive Foam Disc

3M™ Hookit™ Flexible Abrasive Foam Discs combine flexible aluminium oxide abrasives with a soft foam backing to create a high performing, versatile blending abrasive for wet or dry use by hand or machine.



- Extremely versatile blending abrasive
- Can be used wet or dry
- Suitable for use by hand or machine

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100100149	33550	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P800, 33550						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Flexible Abrasive Foam Disc

3M™ Hookit™ Flexible Abrasive Foam Discs combine flexible aluminium oxide abrasives with a soft foam backing to create a high performing, versatile blending abrasive for wet or dry use by hand or machine.



- Extremely versatile blending abrasive
- Can be used wet or dry
- Suitable for use by hand or machine

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100100148	33551	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P1000, 33551						
7100100158	33552	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P1200, 33552						
7100100159	33553	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P1500, 33553						
7100100160	33554	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P2000, 33554						
7100100157	33545	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P800, 33545						
7100100155	33546	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P1000, 33546						
7100100154	33547	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P1200, 33547						
7100100153	33548	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P1500, 33548						
7100100150	33549	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P2000, 33549						
7100224822	33538	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P400, 33538						
7100224821	33539	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P600, 33539						
7100100036	33540	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P800, 33540						
7100100147	33541	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P1000, 33541						
7100100151	33542	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P1200, 33542						
7100100152	33543	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P1500, 33543						
7100100156	33544	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P2000, 33544						

## Non-woven Discs

### Scotch-Brite™ Clean and Strip XT Pro Disc

Scotch-Brite™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## Scotch-Brite™ Clean and Strip XT Pro Disc

Scotch-Brite™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100192708		Scotch-Brite™ Clean and Strip XT Pro Disc XA-ZS, 75 mm x 25 mm x 6mm, S XCRS, Purple	230	EA				
7100192711		Scotch-Brite™ Clean and Strip XT Pro Disc XA-ZS, 100 mm x 25 mm x 6 mm, S XCRS, Purple	240	EA				
7100192333		Scotch-Brite™ Clean and Strip XT Pro Disc XO-DB, 115 mm x 22 mm, S XCRS, Purple	380	EA				
7100192334		Scotch-Brite™ Clean and Strip XT Pro Disc XO-DB, 178 mm x 22 mm, S XCRS, Purple	120	EA				
7100176374		Scotch-Brite™ Clean and Strip XT Pro Disc XO-DC, 100 mm x 13 mm, S XCRS, Purple	2880	EA				
7100176347		Scotch-Brite™ Clean and Strip XT Pro Disc XO-DC, 150 mm x 13 mm, S XCRS, Purple	1440	EA				
7100176348		Scotch-Brite™ Clean and Strip XT Pro Disc XO-DC, 200 mm x 13 mm, S XCRS, Purple	720	EA				
7100192330		Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 115 mm x 22 mm, S XCRS, Purple	300	EA				
7100192331		Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 125 mm x 22 mm, S XCRS, Purple	200	EA				
7100192335		Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 125 mm x M14, S XCRS, Purple	200	EA				
7100192332		Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 178 mm x 22 mm, S XCRS, Purple	120	EA				
7100192707		Scotch-Brite™ Clean and Strip XT Pro Disc XO-ZS, 75 mm x 13 mm x 6mm, S XCRS, Purple	230	EA				
7100192709		Scotch-Brite™ Clean and Strip XT Pro Disc XO-ZS, 100 mm x 13 mm x 6 mm, S XCRS, Purple	120	EA				
7100192710		Scotch-Brite™ Clean and Strip XT Pro Disc XO-ZS, 150 mm x 13 mm x 8 mm, S XCRS, Purple	84	EA				

## Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100173795		Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc XO-DR, 76 mm, S XCRS, Purple	10	EA				

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Abrasives and Abrasive Accessories

## Fibre Grinding Discs

### 3M™ Cubitron™ II Abrasive Fibre Disc 786C

Remove welds and paint with 3M™ Cubitron™ II Abrasive Fibre Discs. Our Cubitron™ II fibre discs last up to twice as long as conventional abrasives, cutting faster and leaving a finer more uniform finish.

- Cut 30% faster than premium abrasives
- Long lasting with consistent cut quality
- Deliver a finer, more uniform finish



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100035480	33395	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 100 mm x 16 mm, Slotted, 36+, 33395						
7100035471	33407	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 115 mm x 22 mm, Slotted, 36+, 33407						
7100035472	33409	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 115 mm x 22 mm, Slotted, 60+, 33409						
7100035473	33410	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 115 mm x 22 mm, Slotted, 80+, 33410						
7100035477	33431	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 180 mm x 22 mm, Slotted, 36+, 33431						

### 3M™ Cubitron™ II Roloc™ Fibre Disc 786C

3M™ Cubitron™ II Roloc™ Fibre Disc is a premium abrasive fibre disc for weld mark removal and other grinding / sanding applications.

- High cut rate
- Improve productivity and efficiency in the workshop
- Get long-lasting performance



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100033187	33377	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 50 mm, 36+, 33377						
7100033188	33379	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 50 mm, 60+, 33379						
7100033189	33380	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 50 mm, 80+, 33380						
7100033190	33389	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 75 mm, 36+, 33389						
7100033191	33391	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 75 mm, 60+, 33391						
7100033192	33392	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 75 mm, 80+, 33392						

# Abrasives and Abrasive Accessories

## Flap Discs

### 3M™ Cubitron™ II Flap Disc

The 3M™ Cubitron™ II Flap Discs is engineered for a faster cut, longer disc life and a more uniform finish vs. conventional ceramic abrasives, which allows easy and smooth removal of paint and rust. Flexible flaps feature our Precision Shaped Grain (PSG) technology – super-sharp triangular grains, electrostatically oriented on a flexible backing for an extremely fast, even cut. Overlapping flaps provide cushion for grinding and blending with one disc.



- Cuts 30% faster and lasts 2x longer than other conventional ceramic abrasives for increased productivity and a consistent repair finish
- Runs cooler and requires less pressure than other conventional ceramic abrasives
- Precision Shaped Grain (PSG) technology results in a more uniform finish, less rework, less refining of deep scratches

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100101808	33471	3M™ Cubitron™ II Flap Disc, T29, 115 mm x 22 mm, 60+, 33471						
7100101807	33472	3M™ Cubitron™ II Flap Disc, T29, 115 mm x 22 mm, 80+, 33472						
7100101776	33470	3M™ Cubitron™ II Flap Disc, T29, 115 mm x 22mm, 40+, 33470						

## Quick Change Discs

### Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR

Scotch-Brite™ Roloc™ Surface Conditioning Disc combines our durable, non-woven disc with the efficient Roloc quick-change attachment system, for effective cleaning, finishing, blending and deburring. These discs use non-woven fibre which conforms well to irregular surfaces.



- Tough non-woven disc aggressively deburrs and finishes
- Conformable, non-woven disc with Roloc™ backing for aggressive cutting
- Achieve consistent finishes with open-web construction that resists loading and runs cool

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000028507		Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A CRS, Brown	100	EA				

## Bristle Brushes & Discs

### Scotch-Brite™ Roloc™ Bristle Disc RD-ZB

Scotch-Brite™ Roloc™ Bristle Disc comprises of our Ceramic Abrasive Grain, blended with aluminium oxide and moulded, flexible bristles which provide more surface contact than wire brushes and keep their abrasive properties throughout the life of the disc.



- Moulded abrasive filled bristles surpass wire brushes in stripping, deburring, blending, finishing, polishing, cleaning
- Ceramic Abrasive Grain blend provides high degree of finish quality throughout the life of the disc
- Bristle spacing is ideal for coating removal and other high-loading substances

# Abrasives and Abrasive Accessories

## Scotch-Brite™ Roloc™ Bristle Disc RD-ZB

Scotch-Brite™ Roloc™ Bristle Disc comprises of our Ceramic Abrasive Grain, blended with aluminium oxide and moulded, flexible bristles which provide more surface contact than wire brushes and keep their abrasive properties throughout the life of the disc.



- Moulded abrasive filled bristles surpass wire brushes in stripping, deburring, blending, finishing, polishing, cleaning
- Ceramic Abrasive Grain blend provides high degree of finish quality throughout the life of the disc
- Bristle spacing is ideal for coating removal and other high-loading substances

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100138285	07524	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, Green, 50 mm x 15.8 mm, P50, 07524	40	EA				

## Cut-off & Grinding Wheels

### 3M™ Cubitron™ II Cut-Off Wheel

3M™ Cubitron™ II Cut-Off Wheel is a cutting wheel for cutting straight lines ie. autobody sheet metal, frame rails, exhausts pipes, clamps and rusted bolts.



- High cut rate
- Improve productivity and efficiency in the workshop
- Get long-lasting performance

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100032406	33456	3M™ Cubitron™ II Cut-Off Wheel, 75 mm x 1 mm x 9.53 mm, 33456						
7100032583	33455	3M™ Cubitron™ II Cut-Off Wheel, 75 mm x 1.6 mm x 9.53 mm, 33455						
7100101771	33460	3M™ Cubitron™ II Cut-Off Wheel, 100 mm x 1 mm x 9.53 mm, 33460						
7100032407	33467	3M™ Cubitron™ II Cut-Off Wheel, 115 mm x 1 mm x 22.23 mm, 33467						

### 3M™ Cubitron™ II Flexible Grinding Wheels

The 3M™ Cubitron™ II Flexible Grinding Wheel is designed to help you grind, shape and sand as fast as possible on a variety of metal materials. Utilising 3M Precision Shaped Grain that cuts fast and cool, while still offering enhanced flexibility.



- Designed to grind, shape and sand on a variety of metal materials
- 3M™ Precision Shaped Grain offer excellent cut rate and enhanced flexibility vs standard depressed center grinding wheels
- Resin bond helps retain strength and performance under grinding operations

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100140055		3M™ Cubitron™ II Flexible Grinding Wheels, T27, 100mm x 3mm x 16mm	1000	EA				
7100140056		3M™ Cubitron™ II Flexible Grinding Wheels, T27, 115 mm x 3 mm x 22.2 mm	1000	EA				
7100140059		3M™ Cubitron™ II Flexible Grinding Wheels, T27, 115 mm x 3 mm x 22.2 mm	1000	EA				

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Cubitron™ II Flexible Grinding Wheels

The 3M™ Cubitron™ II Flexible Grinding Wheel is designed to help you grind, shape and sand as fast as possible on a variety of metal materials. Utilising 3M Precision Shaped Grain that cuts fast and cool, while still offering enhanced flexibility.



- Designed to grind, shape and sand on a variety of metal materials
- 3M™ Precision Shaped Grain offer excellent cut rate and enhanced flexibility vs standard depressed center grinding wheels
- Resin bond helps retain strength and performance under grinding operations

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100140060		3M™ Cubitron™ II Flexible Grinding Wheels, T27, 125 mm x 3 mm x 22.2 mm	1000	EA				
7100140057		3M™ Cubitron™ II Flexible Grinding Wheels, T27, 125 mm x 3 mm x 22.2 mm	1000	EA				
7100140058		3M™ Cubitron™ II Flexible Grinding Wheels, T27, 178 mm x 4 mm x 22.2 mm	1000	EA				

## 3M™ Green Corps™ Reinforced Weld Grinding Wheel

3M™ Green Corps™ Reinforced Weld Grinding Wheel features extra-durable reinforcement for added strength and longer life during weld grinding operations. A tough fiberglass cloth screen scrim adds reinforced performance and longer wheel life, and supports aluminum oxide mineral abrasive. These 3" resin-bonded wheels are great for cutting spot welds and grinding hard-to-reach areas. DO NOT USE TOOLS WITHOUT GUARDS.



- Built for tough weld grinding
- Fiberglass cloth screen scrim reinforcement adds strength and wheel life
- Aluminum oxide mineral abrasive is durable, cuts fast, and performs well on many surfaces

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100229883	01991	3M™ Green Corps™ Reinforced Weld Grinding Wheel, 76.2 x 5.6 x 9.5 mm, 01991						

## 3M™ Cubitron™ II Cut-off Wheel Tool Kit

3M™ Cubitron™ II Cut-off Wheel Tool Kit is a starter kit to equip bodyshops with the basic requirements for a cut-off wheel tool with a selection of cut-off wheels based on the innovative Cubitron™ II technology. The set also contains appropriate personal protection equipment.

- Cutting made easy. Independent if you deal with flat surfaces or difficult to access areas, the 3M™ Cubitron™ II Cut-off Wheel Set is versatile and flexible in its application uses. Ideally used in combination with 3M™ Cubitron™ II Cut-off wheels size 75 mm and 100 mm.
- Flexible use - compatible with 75 mm and 100 mm Cut-Off Wheels. Use 75 mm for difficult to access areas, 100 mm wheels for flat surfaces.
- Reliable quality - robust built for intensive use.

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100173179	51420	3M™ Cubitron™ II Cut-off Wheel Tool Kit, 51420						



# Abrasives and Abrasive Accessories

## Sanding Sponges

### 3M™ Softback Sanding Sponge

3M™ Softback Sanding Sponge is a flexible foam pad that reaches tricky areas including headlight openings, around door handles and door jambs. Our sponge can be used wet or dry and helps to eliminate finger marks.



- Flexible foam pad to sand or key edges, rims and hard-to-reach areas by hand
- Soft Sanding Sponge constructions reduces the risk of burn-through on edge / rim areas
- Helps to eliminate finger marks

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000043358	03809	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Fine, 03809						
7000043357	03808	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Medium, 03808						
7000033200	02600	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Microfine, 02600						
7000060273	50884	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Microfine, 50884						
7000043359	03810	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Super Fine, 03810						
7000033201	02601	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Ultrafine, 02601						
7000060276	50887	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Ultrafine, 50887						

## Net Sheets & Rolls

### 3M™ Cubitron™ II Net Sheet Roll

3M™ Cubitron™ II Net Sheet Rolls are a fast-cutting and long-lasting family of net sheet rolls that deliver the exceptional cut rate and extended life of a Cubitron II abrasive. They're designed to help dust extractors perform their best, leaving virtually no dust on the work surface or in the environment.



Pair with a 3M recommended sanding and dust extraction system to create your shop's ideal dust capture system.

- Fast-cutting, long-lasting net sheets are built with patented 3M™ Cubitron™ II precision-shaped grains.
- They help dust extractors achieve their best-possible performance – whether it's a self-generating-vacuum sander, a central vacuum system or a portable dust extractor
- The patented triangular-shaped mineral grains on the sheets slice through substrates rather than gouging or "plowing" like conventional abrasive grains, helping the sheet run cooler, cut faster, and last longer

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100249546	34561	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 80+ Grade, 34561						
7100249547	34562	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 120+ Grade, 34562						
7100249548	34563	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 150+ Grade, 34563						
7100249549	34564	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 180+ Grade, 34564						
7100249550	34565	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 220+ Grade, 34565						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Cubitron™ II Net Sheet Roll

3M™ Cubitron™ II Net Sheet Rolls are a fast-cutting and long-lasting family of net sheet rolls that deliver the exceptional cut rate and extended life of a Cubitron II abrasive. They're designed to help dust extractors perform their best, leaving virtually no dust on the work surface or in the environment.



Pair with a 3M recommended sanding and dust extraction system to create your shop's ideal dust capture system.

- Fast-cutting, long-lasting net sheets are built with patented 3M™ Cubitron™ II precision-shaped grains.
- They help dust extractors achieve their best-possible performance – whether it's a self-generating-vacuum sander, a central vacuum system or a portable dust extractor
- The patented triangular-shaped mineral grains on the sheets slice through substrates rather than gouging or “plowing” like conventional abrasive grains, helping the sheet run cooler, cut faster, and last longer

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100249809	34566	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 240+ Grade, 34566						
7100249523	34560	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 320+ Grade, 34560						
7100249807	34550	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 80+ Grade, 34550						
7100249559	34551	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 120+ Grade, 34551						
7100249551	34552	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 150+ Grade, 34552						
7100249552	34553	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 180+ Grade, 34553						
7100249563	34554	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 220+ Grade, 34554						
7100249564	34555	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 240+ Grade, 34555						
7100249803	34556	3M™ Cubitron™ II Net Sheet Roll, 80 mm x 10 m, 320+ Grade, 34556						
7100249524	34572	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 80+ Grade, 34572						
7100249525	34573	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 120+ Grade, 34573						
7100249542	34574	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 150+ Grade, 34574						
7100249553	34575	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 180+ Grade, 34575						
7100249554	34576	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 220+ Grade, 34576						
7100249526	34577	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 240+ Grade, 34577						
7100249527	34578	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 320+ Grade, 34578						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Blue Net Sheet Roll

3M™ Blue Net Sheet Rolls are built with an engineered ceramic-mineral blend of abrasives that deliver a fast cut rate and long sheet life. They also offer excellent dust removal when used with a dust extraction system.



- Sanding discs that offer outstanding performance at a competitive price
- Built with an engineered ceramic-mineral blend that delivers an excellent cut rate and life
- Balanced for outstanding abrasive performance for cut, life and dust extraction

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100251056	36462	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 80 Grade, 36462						
7100250932	36463	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 120 Grade, 36463						
7100251054	36464	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 150 Grade, 36464						
7100250930	36465	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 180 Grade, 36465						
7100251057	36466	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 220 Grade, 36466						
7100251026	36467	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 240 Grade, 36467						
7100251027	36468	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 320 Grade, 36468						
7100250928	36470	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 80 Grade, 36470						
7100251024	36471	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 120 Grade, 36471						
7100251025	36472	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 150 Grade, 36472						
7100250929	36473	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 180 Grade, 36473						
7100250931	36474	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 220 Grade, 36474						
7100252504	36475	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 240 Grade, 36475						
7100251023	36476	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 320 Grade, 36476						

## Sandpaper Sheets & Rolls

### 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U

3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheets 737U are premium long lasting sanding sheets with self-sharpening grains, which also provide a faster cut whilst the multi-hole pattern delivers excellent dust extraction.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100273792	51386	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 80+, 51386						
7100273960	51387	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 120+, 51387						
7100273791	51388	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 150+, 51388						
7100273611	51389	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 180+, 51389						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U

3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheets 737U are premium long lasting sanding sheets with self-sharpening grains, which also provide a faster cut whilst the multi-hole pattern delivers excellent dust extraction.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100273601	51390	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 220+, 51390						
7100273612	51391	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 240+, 51391						
7100273623	51393	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 320+, 51393						
7100229089	51395	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 127 mm, Multi Hole, 400+, 51395						
7100273962	51411	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 80+, 51411						
7100273995	51412	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 120+, 51412						
7100273973	51413	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 150+, 51413						
7100273994	51414	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 180+, 51414						
7100273983	51415	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 220+, 51415						
7100273958	51416	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 240+, 51416						
7100273959	51418	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 320+, 51418						
7100225046	52022	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 70 mm x 396 mm, Multi Hole, 400+, 52022						
7100273210	51588	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 133 mm, Multi Hole, 80+, 51588						
7100273211	51589	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 133 mm, Multi Hole, 120+, 51589						
7100273543	51590	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 133 mm, Multi Hole, 150+, 51590						
7100273485	51591	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 133 mm, Multi Hole, 180+, 51591						
7100273486	51592	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 133 mm, Multi Hole, 220+, 51592						
7100273625	51599	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 80+, 51599						
7100273626	51600	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 120+, 51600						
7100273544	51601	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 150+, 51601						
7100273451	51602	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 180+, 51602						
7100273212	51603	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 220+, 51603						
7100273452	52023	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 240+, 52023						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U

3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheets 737U are premium long lasting sanding sheets with self-sharpening grains, which also provide a faster cut whilst the multi-hole pattern delivers excellent dust extraction.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100273553	53024	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 320+, 52024						
7100228470	52025	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 80 mm x 400 mm, Multi Hole, 400+, 52025						
7100273624	51399	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 80+, 51399						
7100273966	51400	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 120+, 51400						
7100273965	51401	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 150+, 51401						
7100273961	51402	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 180+, 51402						
7100273967	51403	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 220+, 51403						
7100273968	51404	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 240+, 51404						
7100273969	51406	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 320+, 51406						
7100225045	51408	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Sheet 737U, 115 mm x 225 mm, Multi Hole, 400+, 51408						

## 3M™ Abrasive Roll 255P

For panel shop sanding, use 3M™ Abrasive Roll 255P. Our abrasive roll uses an aluminium oxide mineral with heavy paper backing and is available in multiple grades in various widths.



- Aluminium oxide paper abrasive roll
- Wide range of grades
- Choose from two width sizes 75 mm and 115 mm

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000082806	61007	3M™ Abrasive Roll 255P, 95 mm x 23 m, P80, 61007						
7000082804	61005	3M™ Abrasive Roll 255P, 95 mm x 23 m, P120, 61005						
7000082803	61004	3M™ Abrasive Roll 255P, 95 mm x 23 m, P150, 61004						
7000082802	61003	3M™ Abrasive Roll 255P, 95 mm x 23 m, P180, 61003						
7000082801	61002	3M™ Abrasive Roll 255P, 95 mm x 23 m, P220, 61002						
7000082800	61001	3M™ Abrasive Roll 255P, 95 mm x 23 m, P240, 61001						
7000083071	61036	3M™ Abrasive Roll 255P, 115 mm x 23 m, P40, 61036						
7000083072	61035	3M™ Abrasive Roll 255P, 115 mm x 23 m, P60, 61035						
7000083073	61034	3M™ Abrasive Roll 255P, 115 mm x 23 m, P80, 61034						
7000082816	61032	3M™ Abrasive Roll 255P, 115 mm x 23 m, P120, 61032						
7000083075	61031	3M™ Abrasive Roll 255P, 115 mm x 23 m, P150, 61031						
7000082815	61030	3M™ Abrasive Roll 255P, 115 mm x 23 m, P180, 61030						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Abrasives and Abrasive Accessories

## 3M™ Abrasive Roll 255P

For panel shop sanding, use 3M™ Abrasive Roll 255P. Our abrasive roll uses an aluminium oxide mineral with heavy paper backing and is available in multiple grades in various widths.




- Aluminium oxide paper abrasive roll
- Wide range of grades
- Choose from two width sizes 75 mm and 115 mm

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000082814	61029	3M™ Abrasive Roll 255P, 115 mm x 23 m, P220, 61029						
7000082813	61028	3M™ Abrasive Roll 255P, 115 mm x 23 m, P240, 61028						
7000083044	04494	3M™ Abrasive Roll 255P, 115 mm x 50 m, P40, 04494						
7000083043	04493	3M™ Abrasive Roll 255P, 115 mm x 50 m, P60, 04493						
7000082755	04400	3M™ Abrasive Roll 255P, 115 mm x 50 m, P80, 04400						
7000083041	04398	3M™ Abrasive Roll 255P, 115 mm x 50 m, P120, 04398						
7000083040	04397	3M™ Abrasive Roll 255P, 115 mm x 50 m, P150, 04397						
7000083039	04396	3M™ Abrasive Roll 255P, 115 mm x 50 m, P180, 04396						
7000083038	04395	3M™ Abrasive Roll 255P, 115 mm x 50 m, P220, 04395						
7000083037	04394	3M™ Abrasive Roll 255P, 115 mm x 50 m, P240, 04394						
7000083046	04533	3M™ Abrasive Roll 255P, 115 mm x 50 m, P320, 04533						
7000083048	04545	3M™ Abrasive Roll 255P, 115 mm x 50 m, P400, 04545						

## 3M™ Abrasive Sheet 255P

3M™ Abrasive Paper Sheet 255P uses an aluminium oxide mineral with a heavy paper backing. Multiple grade plain sheets can be used by hand or used on machine.



- Use to remove tough e-coats and reach into small areas
- Grades P40 to P500
- Available sizes 115 mm x 280 mm or 230 mm x 280 mm

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034194	05283	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P40, 05283						
7000034195	05282	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P60, 05282						
7000034176	05281	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P80, 05281						
7000034201	05279	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P120, 05279						
7000034200	05278	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P150, 05278						
7000034199	05277	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P180, 05277						
7000034198	05276	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P220, 05276						
7000034197	05275	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P240, 05275						
7000034190	05187	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P320, 05187						
7000034192	05731	3M™ Abrasive Sheet 255P, 230 mm x 280 mm, No Hole, P400, 05731						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Abrasive Sheet 618

Use our silicon carbide mineral 3M™ Abrasive Sheet 618 for superior performance, anti-loading and consistent finish. Often used as a dry sanding alternative to Wetordry™ paper, our abrasive sheet is available in 230mm x 280mm sheets and grades ranging from P80 to P500.



- Silicon carbide abrasive paper sheet
- Choose multiple grades ranging from P80 to P500
- Get superior performance, anti-loading and consistent finish

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000082117	02631	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P80, 02631						
7000082116	02565	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P100, 02565						
7000082115	02564	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P120, 02564						
7000082114	02563	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P150, 02563						
7000082113	02562	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P180, 02562						
7000082112	02561	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P220, 02561						
7000082111	02560	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P240, 02560						
7000082110	02559	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P280, 02559						
7000082109	02558	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P320, 02558						
7000082108	02556	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P400, 02556						
7000082118	02636	3M™ Abrasive Sheet 618, 230 mm x 280 mm, P500, 02636						

## 3M™ Hookit™ Abrasive Roll 245

Get an abrasive that can be used on machine or hand blocks with 3M™ Hookit™ Abrasive Roll 245. Our abrasive rolls 245 are a heavy weight, aluminium oxide abrasives. They are available in a variety of widths and grades for use on machine or hand blocks.



- Aluminium oxide Hookit™ abrasive roll
- Hookit™ attachment system
- Choose from a number of grades, from P40 to P120

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000082980	61125	3M™ Hookit™ Abrasive Roll 245, 75 mm x 25 m, P40, 61125						
7000082979	61124	3M™ Hookit™ Abrasive Roll 245, 75 mm x 25 m, P60, 61124						
7000082981	61123	3M™ Hookit™ Abrasive Roll 245, 75 mm x 25 m, P80, 61123						
7000082780	61083	3M™ Hookit™ Abrasive Roll 245, 115 mm x 25 m, P40, 61083						
7000082732	61082	3M™ Hookit™ Abrasive Roll 245, 115 mm x 25 m, P60, 61082						
7000082757	61081	3M™ Hookit™ Abrasive Roll 245, 115 mm x 25 m, P80, 61081						
7000082762	61080	3M™ Hookit™ Abrasive Roll 245, 115 mm x 25 m, P100, 61080						
7000082386	61072	3M™ Hookit™ Abrasive Roll 245, 115 mm x 25 m, P120, 61072						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Roll 255P

Get an abrasive that's easy to cut and attach to automotive aftermarket machines with 3M™ Hookit™ Abrasive Roll 255P. Our abrasive rolls 255P have an aluminium oxide mineral with heavy paper backing.



- Use as a part of the Hookit™ attachment system
- Available in two widths - 75 mm and 115 mm
- Choose from a number of grades, from P80 to P600

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000083770	61118	3M™ Hookit™ Abrasive Roll 255P, 75 mm x 25 m, P120, 61118						
7000083768	61116	3M™ Hookit™ Abrasive Roll 255P, 75 mm x 25 m, P180, 61116						
7000083767	61114	3M™ Hookit™ Abrasive Roll 255P, 75 mm x 25 m, P240, 61114						
7000083766	61112	3M™ Hookit™ Abrasive Roll 255P, 75 mm x 25 m, P320, 61112						
7000083775	61079	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P120, 61079						
7000083774	61078	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P150, 61078						
7000083773	61077	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P180, 61077						
7000083776	61076	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P220, 61076						
7000084186	50432	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P240, 50432						
7000083772	61075	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P240, 61075						
7000083777	61074	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P280, 61074						
7000083771	61073	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P320, 61073						
7000083873	61072	3M™ Hookit™ Abrasive Roll 255P, 115 mm x 25 m, P400, 61072						

## 3M™ Hookit™ Abrasive Sheet 245

3M™ Hookit™ Abrasive Sheet 245 are a heavy weight, aluminium oxide abrasive available in a variety of hole configurations and grades for use on machines or handblocks..



- Aluminium oxide paper abrasive sheet
- Hookit™ attachment system
- Grades P40 to P120

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034081	03418	3M™ Hookit™ Abrasive Sheet 245, 70 mm x 425 mm, P40, 03418						
7000034082	03417	3M™ Hookit™ Abrasive Sheet 245, 70 mm x 425 mm, P60, 03417						
7000034083	03416	3M™ Hookit™ Abrasive Sheet 245, 70 mm x 425 mm, P80, 03416						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Abrasive Sheet 255P

Get an abrasive sheet that fits securely to machines common to the aftermarket with 3M™ Hookit™ Abrasive Sheet 255P. Our abrasive sheets 255P have an aluminium oxide mineral with heavy paper backing. They are available in plain and holed configurations, and multiple grades.



- Aluminium oxide paper abrasive sheet
- Hookit™ attachment system
- Grades P40 to P600

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000082429	03555	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P80, 03555						
7000082428	03553	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P120, 03553						
7000082610	03552	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P150, 03552						
7000082609	03551	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P180, 03551						
7000082608	03549	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P240, 03549						
7000082607	03574	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P320, 03547						
7000082606	03545	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 127 mm, No Hole, P400, 03545						
7000082915	03579	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 419 mm, 14 Hole, P80, 03579						
7000082913	03577	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 419 mm, 14 Hole, P120, 03577						
7000034101	03591	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 425 mm, No Hole, P80, 03591						
7000034100	03589	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 425 mm, No Hole, P120, 03589						
7000034126	03587	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 425 mm, No Hole, P180, 03587						
7000034125	03585	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 425 mm, No Hole, P240, 03585						
7000034124	03583	3M™ Hookit™ Abrasive Sheet 255P, 70 mm x 425 mm, No Hole, P320, 03583						
7000082922	03639	3M™ Hookit™ Abrasive Sheet 255P, 115 mm x 225 mm, 10 Hole, P80, 03639						
7000082920	03637	3M™ Hookit™ Abrasive Sheet 255P, 115 mm x 225 mm, 10 Hole, P120, 03637						
7000082919	03636	3M™ Hookit™ Abrasive Sheet 255P, 115 mm x 225 mm, 10 Hole, P150, 03636						
7000082580	03633	3M™ Hookit™ Abrasive Sheet 255P, 115 mm x 225 mm, 10 Hole, P240, 03633						
7000082581	03631	3M™ Hookit™ Abrasive Sheet 255P, 115 mm x 225 mm, 10 Hole, P320, 03631						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Purple Clean Sanding Abrasive Sheet 334U

3M™ Hookit™ Purple Clean Sanding Abrasive Sheet 334U is recommended for featheredging and final sanding. Our best of class 3M abrasive delivers uniform, professional-quality results for superior automotive work. 3M™ Hookit™ attachment system allows for easy reuse.



- High performance abrasive sheet with Hookit™ attachment
- Premium quality delivers uniform, consistent finishes every time
- Long-lasting abrasives reduce material consumption

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034452	30639	3M™ Hookit™ Purple Clean Sanding Abrasive Sheet 334U, 70 mm x 127 mm, Multihole, P500, 30639						
7100106374	51596	3M™ Hookit™ Purple Clean Sanding Abrasive Sheet 334U, 80 mm x 133 mm, Multihole, P240, 51596						

## 3M™ Soft Hand Abrasive Roll 216U

Get good flexibility and anti-loading properties with 3M™ Soft Hand Abrasive Roll 216U. Our foam backed abrasive rolls can be cut or torn in sheets and have been designed for use on paint, primers and fillers by hand.



- Foam backed abrasive for flexibility
- Apply pressure more uniformly and with more conformability during the sanding process
- Get even sanding

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100140381	51218	3M™ Soft Hand Abrasive Roll 216U, P320, 114 mm x 25 m, 51218						
7100140380	51241	3M™ Soft Hand Abrasive Roll 216U, P360, 114 mm x 25 m, 51241						
7100140379	51242	3M™ Soft Hand Abrasive Roll 216U, P400, 114 mm x 25 m, 51242						
7100140378	51243	3M™ Soft Hand Abrasive Roll 216U, P500, 114 mm x 25 m, 51243						
7100139694	51244	3M™ Soft Hand Abrasive Roll 216U, P600, 114 mm x 25 m, 51244						
7100139696	51245	3M™ Soft Hand Abrasive Roll 216U, P800, 114 mm x 25 m, 51245						
7100139695	51246	3M™ Soft Hand Abrasive Roll 216U, P1000, 114 mm x 25 m, 51246						
7000084118	50330	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P150, 50330						
7000084119	50331	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P180, 50331						
7000084121	50333	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P240, 50333						
7000084125	50337	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P400, 50337						
7000084126	50338	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P500, 50338						
7000084127	50339	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P600, 50339						
7000084128	50340	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P800, 50340						
7000084666	50743	3M™ Soft Hand Abrasive Roll 216U, Precut 114 mm x 25 m, P1000, 50743						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Abrasives and Abrasive Accessories

## 3M™ Soft Hand Abrasive Roll 216U

Get good flexibility and anti-loading properties with 3M™ Soft Hand Abrasive Roll 216U. Our foam backed abrasive rolls can be cut or torn in sheets and have been designed for use on paint, primers and fillers by hand.

- Foam backed abrasive for flexibility
- Apply pressure more uniformly and with more conformability during the sanding process
- Get even sanding



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000084123	50335	3M™ Soft Hand Abrasive Roll 216U, Precut, 114 mm x 25 m, P320, 50335						

## 3M™ Wetordry™ Abrasive Paper Sheet 734

Sand all types of surface with 3M™ Wetordry™ Abrasive Paper Sheet 734. Our abrasive sheet features silicon carbide mineral for a sharp and consistent cut. Waterproof and long lasting, it gives a consistent finish. Available in grades from P60 to P1200. Each sheet measures 230 mm x 280 mm.

- Silicon carbide abrasive Wet or Dry paper sheet
- Use as wet or dry paper sanding sheet
- Grades P60 to P1200



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034056	01989	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P60, 01989						
7000034118	01988	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P80, 01988						
7000082520	01987	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P100, 01987						
7000034117	01986	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P120, 01986						
7000082676	01982	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P150, 01982						
7000034141	01981	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P180, 01981						
7000082677	01980	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P220, 01980						
7000034142	01979	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P240, 01979						
7000034143	01978	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P280, 01978						
7100248927	01977	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P320, 01977						
7000034145	01976	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P360, 01976						
7100249095	01975	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P400, 01975						
7000082678	01974	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P500, 01974						
7100248809	01973	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P600, 01973						
7100249099	01972	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P800, 01972						
7100249098	01971	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P1000, 01971						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Wetordry™ Abrasive Paper Sheet 734

Sand all types of surface with 3M™ Wetordry™ Abrasive Paper Sheet 734. Our abrasive sheet features silicon carbide mineral for a sharp and consistent cut. Waterproof and long lasting, it gives a consistent finish. Available in grades from P60 to P1200. Each sheet measures 230 mm x 280 mm.



- Silicon carbide abrasive Wet or Dry paper sheet
- Use as wet or dry paper sanding sheet
- Grades P60 to P1200

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100249094	01970	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 280 mm, P1200, 01970						

## 3M™ Wetordry™ Abrasive Sheet 314

3M™ Wetordry™ Abrasive Sheet 314 is an abrasive WOD paper that utilises Aluminium Oxide mineral for a superior finish. Paint imperfections in refinish coatings can be removed using our high quality WOD papers.



- Aluminium oxide abrasive Wet or Dry paper sheet
- Use a sandpaper that sharpens with continued use
- Grades P60 to P1200

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000082679	01967	3M™ Wetordry™ Abrasive Sheet 314, 138 mm x 230 mm, P1200, 01967						
7000082971	60063	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P220, 60063						
7000082968	60060	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P320, 60060						
7000082966	60058	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P400, 60058						
7000082965	60057	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P500, 60057						
7000082964	60056	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P600, 60056						
7000082963	60055	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P800, 60055						
7000082962	60054	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P1000, 60054						
7000082961	60053	3M™ Wetordry™ Abrasive Sheet 314, 230 mm x 280 mm, P1200, 60053						

## 3M™ Wetordry™ Abrasive Sheet 401Q

Use 3M™ Wetordry™ Abrasive Sheet 401Q for sanding applications needing a fine grit and light touch, such as auto body wet sanding and paint finishing. We've combined our durable waterproof A-weight paper backing and fast-cutting silicon carbide mineral for consistent scratch patterns and easier buffing.



- Convenient sheet can be used wet or dry on paint, primer, gel coat and metal
- Waterproof backing supports wet applications for decreased loading and a faster cut
- Sand every type of area

# Abrasives and Abrasive Accessories

## 3M™ Wetordry™ Abrasive Sheet 401Q

Use 3M™ Wetordry™ Abrasive Sheet 401Q for sanding applications needing a fine grit and light touch, such as auto body wet sanding and paint finishing. We've combined our durable waterproof A-weight paper backing and fast-cutting silicon carbide mineral for consistent scratch patterns and easier buffing.



- Convenient sheet can be used wet or dry on paint, primer, gel coat and metal
- Waterproof backing supports wet applications for decreased loading and a faster cut
- Sand every type of area

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000028117	02045	3M™ Wetordry™ Abrasive Sheet 401Q, 138 mm x 230 mm, 2500A, 02045						
7100050365	02048	3M™ Wetordry™ Abrasive Sheet 401Q, 138 mm x 230 mm, P1500, 02048						
7100050366	02049	3M™ Wetordry™ Abrasive Sheet 401Q, 138 mm x 230 mm, P2000, 02049						
7100003726	02034	3M™ Wetordry™ Abrasive Sheet 401Q, 230 mm x 279 mm, 1000A, 02034						

## 3M™ Easy Hand Abrasive Sheet 216U

3M™ 216U Easy Hand abrasive sheets are soft conformable sandings sheets with a latex backing for manual sanding.



- Latex backing
- Manual sanding
- Allows even pressure applied

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000091899	60713	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P240, 60713						
7000091900	60715	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P320, 60715						
7000091902	60717	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P400, 60717						
7000091903	60718	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P500, 60718						
7000091904	60719	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P600, 60719						
7000091905	60720	3M™ Easy Hand Abrasive Sheet 216U, 114 mm x 135 mm, P800, 60720						

# Abrasives and Abrasive Accessories

## Film Sheets & Rolls

### 3M™ Hookit™ Flexible Abrasive Hand Sheet 270J

Achieve more refined finishes with 3M™ Hookit™ Flexible Abrasive Hand Sheet 270J. Designed for wet or dry sanding, our sheets feature a very thin, extremely flexible film backing that conforms effortlessly to tools and contoured surfaces.



- Get a thin film backed sheet that is extremely flexible for fine sanding, wet or dry
- Provides better 'feel' for surfaces to minimise burn through
- Conformable – perfect for sanding hard-to-reach spaces such as door pockets

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100010553	34337	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P400, 34337						
7100010566	34339	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P600, 34339						
7100010567	34340	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P800, 34340						
7100010569	34341	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P1000, 34341						
7100010568	34342	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P1200, 34342						
7100010565	34343	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, P1500, 34343						

### 3M™ Paint Defect Removal Abrasive Circle Sheet

Remove dirt nibs and paint defects before buffing, to reduce scratches and produce a finer finish with the 3M™ Paint Defect Removal Abrasive Circle Sheet. Our sheet can be used wet or dry, for better results on even the smallest, hard-to-reach jobs.



- Remove dirt nibs and paint defects quickly and effectively
- Minimise time and labour spent on repairs
- Use wet or dry for great results on all areas

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100054235	33889	3M™ Paint Defect Removal Abrasive Circle Sheet, 32 mm, P1000, 33889						
7100054369	33892	3M™ Paint Defect Removal Abrasive Circle Sheet, 32 mm, P1500, 33892						
7100054390	33895	3M™ Paint Defect Removal Abrasive Circle Sheet, 32 mm, P2000, 33895						
7100054391	33898	3M™ Paint Defect Removal Abrasive Circle Sheet, 32 mm, P2500, 33898						

### 3M™ Soft Hand Abrasive Sheet 216U

3M™ Soft Hand Abrasive Sheet 216U gives good flexibility and anti-loading properties. Our sheets have been designed for use on paint, primers and fillers by hand.

- Gives good flexibility
- Abrasive laminated to foam backing
- Comfortable manual sanding on primers, paint and fillers



MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Soft Hand Abrasive Sheet 216U

3M™ Soft Hand Abrasive Sheet 216U gives good flexibility and anti-loading properties. Our sheets have been designed for use on paint, primers and fillers by hand.



- Gives good flexibility
- Abrasive laminated to foam backing
- Comfortable manual sanding on primers, paint and fillers

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000084129	60539	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P150, 60539						
7000084130	60540	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P180, 60540						
7000084132	60542	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P240, 60542						
7000084134	60544	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P320, 60544						
7000084136	60546	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P400, 60546						
7000084137	60547	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P500, 60547						
7000084138	60548	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P600, 60547						
7000084139	60549	3M™ Soft Hand Abrasive Sheet 216U, 114 mm x 135 mm, P800, 60549						

## Non-woven Sheets & Rolls

### Scotch-Brite™ Clean and Finish Roll CF-RL

Scotch-Brite™ Clean and Finish Roll provides consistent surface conditioning for the life of the product. Our clean and finish roll stock can be cut into any length.



- Roll stock can be cut into any length
- Conformable pad gets into hard-to-reach areas
- Suitable for hand use or on oscillating and dual pad rubbing machines

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100182457		Scotch-Brite™ Clean and Finish Roll CF-RL, 150 mm x 115 mm, A VFN	588	ROL				




# Abrasives and Abrasive Accessories

## Cloth Sheets & Rolls

### 3M™ Grippy Sanding Cloth

The 3M™ Grippy Sanding Cloths are designed for hand sanding application in paint preparation and paint finishing processes.



- Excellent abrasive performance in both wet and dry sanding
- Gripping material provides ease-of-use and eliminates the need for an accessory.
- New and unique feel to the product.

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100230957	35124	3M™ Grippy Sanding Cloth Trial Kit, 35124						
7100142931	35109	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P320, 35109						
7100142932	35110	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P400, 35110						
7100142933	35111	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P600, 35111						
7100142850	35112	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P800, 35112						
7100142935	35113	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P1000, 35113						
7100142936	35114	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P1200, 35114						
7100142957	25115	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P1500, 35115						
7100142883	35116	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P2000, 35116						

## Hand Pads

### Scotch-Brite™ Hand Pad 7448 PRO

Scotch-Brite™ Hand Pad 7448 PRO is durable and flexible. It's designed to last and provide easy reach into tight spots. Use our pad instead of steel wool for faster conditioning of metal surfaces and paint preparation compared with conventional non-woven abrasive products.



- Very fine finishing action outperforms steel wool for cleaning, blending, prepping and finishing on metal, wood, plastics and composites
- Performs like steel wool grade 00 with no shredding, rusting, or splintering
- Scotch-Brite™ Hand Pad 7448 PRO cuts faster and produces a more consistent finish than conventional non-woven abrasive products

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100023340		Scotch-Brite™ Hand Pad 7448 PRO, 152 mm x 228 mm, ULF, Grey	1	EA				

# Abrasives and Abrasive Accessories

## Scotch-Brite™ Hand Pad 7447 PRO

Scotch-Brite™ Hand Pad 7447 PRO combines flexibility with effective cutting action and precise hand control. Our pad with tightly graded aluminium oxide abrasive particles provides a consistent, uniform scratch for the life of the product. Use it for many different materials and tasks.



- Get a superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Features very fine grade aluminium oxide abrasive for cleaning, finishing, graining, denibbing and defuzzing
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber and composites

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
710023339		Scotch-Brite™ Hand Pad 7447 PRO, 152 mm x 228 mm, VFN	60	EA				

## Scotch-Brite™ Durable Flex Hand Pad MX-HP

Scotch-Brite™ Durable Flex Hand Pad combines excellent flexibility with effective cutting action and precise hand control. Our hand pads allow you to accomplish tough cleaning jobs or produce fine finishing results.



- Superior alternative to steel wool and other nonwoven products for cleaning or finishing tasks
- Can be folded, stacked, or rolled for effective cleaning or conditioning on flat, irregular and contoured surfaces
- Non-woven web is load resistant

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100209618		Scotch-Brite™ Durable Flex Hand Pad MX-HP, 114 mm x 225 mm, S ULF	3000	EA				
7100209414		Scotch-Brite™ Durable Flex Hand Pad MX-HP, 114 mm x 228 mm, A VFN	3000	EA				

## Scotch-Brite™ Hand Pad Pre-Cut on a Roll CF-SR

Scotch-Brite™ Hand Pad Pre-Cut on a Roll is made of a very fine grade aluminium oxide abrasive that cuts fast and fine, leaving a smooth, finished surface. Our rolls combine flexibility with an effective cutting action and precise hand control on tough cleaning jobs, or to produce fine finishing results after each use.



- Good alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Cleans, finishes, grains, denibs, and defuzzes
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber, or composites

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100182225		Scotch-Brite™ Hand Pad Pre-Cut on a Roll CF-SR, 150 mm x 115 mm, S UFN, Grey	4	ROL				

# Abrasives and Abrasive Accessories

## Cloth Belts

### 3M™ Cubitron™ II File Belt 786F

3M™ Cubitron™ II File Belt is a premium abrasive file belt for spot weld removal and other grinding / sanding applications. This file belt can be used with various types of file belt sanding machines available in the market.



- Get long-lasting performance
- Improve productivity and efficiency in the workshop
- Get a high cut rate

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100033193	33437	3M™ Cubitron™ II File Belt 786F, 10 mm x 330 mm, 36+, 33437						
7100033194	33439	3M™ Cubitron™ II File Belt 786F, 10 mm x 330 mm, 60+, 33439						
7100033195	33440	3M™ Cubitron™ II File Belt 786F, 10 mm x 330 mm, 80+, 33440						
7100033184	33443	3M™ Cubitron™ II File Belt 786F, 12.7 mm x 457.2 mm, 36+, 33443						
7100033185	33445	3M™ Cubitron™ II File Belt 786F, 12.7 mm x 457.2 mm, 60+, 33445						
7100033186	33446	3M™ Cubitron™ II File Belt 786F, 12.7 mm x 457.2 mm, 80+, 33446						
7100035467	33449	3M™ Cubitron™ II File Belt 786F, 20 mm x 520 mm, 36+, 33449						
7100035468	33451	3M™ Cubitron™ II File Belt 786F, 20 mm x 520 mm, 60+, 33451						
7100035469	33452	3M™ Cubitron™ II File Belt 786F, 20 mm x 520 mm, 80+, 33452						

## Blocks

### 3M™ Hookit™ Sanding Block

Use 3M™ Hookit™ Sanding Block to achieve more consistent, uniform sanding results. This sanding block used in combination with Hookit™ abrasives is ideal for sanding filler, primer and other substrates.



- Sanding blocks deliver more consistent sanding results
- Makes sanding challenging locations easier
- Boosts the efficiency of sanding by hand

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045510	05684	3M™ Hookit™ Sanding Block Kit, 05684						

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Hand Block

Get better results when sanding by hand with 3M™ Hookit™ Hand Block – our ergonomic sanding block that fits comfortably in the hand to reduce instances of hand fatigue. The block allows for a more even and consistent application of pressure, which delivers more uniform results.



- Get more consistent sanding results
- Achieve a true flat surface easily
- Boost the efficiency of sanding by hand

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000038368	05742	3M™ Hookit™ Hand Block, 70 mm x 125 mm, Soft, 05742						
7000045715	05740	3M™ Hookit™ Hand Block, 70 mm x 127 mm, Hard, 05740						
7000045716	05741	3M™ Hookit™ Hand Block, 70 mm x 197 mm, Firm, 05741						
7000045717	05744	3M™ Hookit™ Hand Block, 70 mm x 406 mm, Firm, 05744						

## 3M™ Paint Defect Removal Hand Sanding Cylinder

Use the 3M™ Paint Defect Removal Hand Sanding Cylinder with 32mm circular abrasives to remove paint defects while minimising the size of the repair area, for better workshop efficiency. Our sanding cylinder is part of the 3M™ Paint Defect Removal Hand System.



- Remove dirt nibs and paint defects quickly and effectively
- Minimise defective areas for faster repairs
- Save time on unnecessary sanding, compounding and polishing

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100054229	33909	3M™ Paint Defect Removal Hand Sanding Cylinder, 30 mm x 29 mm, 33909						

## 3M™ Grippy Sanding Block

3M™ Grippy Sanding Block is designed specifically to work with our 3M™ Grippy Sanding Cloth. This sanding block is excellent for adding conformable support when hand sanding. Its 2 cm thickness facilitates smooth sanding in narrow and hard-to-reach spaces. The block and the cloth can be used for wet or dry sanding.



- 6.8 cm x 11 cm block is designed for hand sanding with 3M™ Grippy Sanding Cloth when added support is needed
- 2 cm thickness is excellent for stability in hard-to-reach areas such as grooves and channels
- Can be used for wet or dry sanding

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100158721	35123	3M™ Grippy Sanding Block, 68 mm x 111 mm x 20 mm, 35123						

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Marine Fairing Board



Make your marine fairing, finishing and sanding easier and more efficient with 3M™ Hookit™ Marine Fairing Board. Our lightweight board has a two level design that lets you grasp and handle it securely and effortlessly. It works with our Hookit™ abrasive sheets, saving you time and money when sanding marine surfaces.

- Lightweight two-level construction makes the fairing board easy to handle
- Raised handle provides extra control and comfort
- 4-1/2" x 30" size and balanced design is ideal for fairing, sanding and finishing

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045684	83497	3M™ Hookit™ Marine Fairing Board, 114 mm x 762 mm, Rigid, 83497						

## 3M™ Hookit™ Marine Fairing Board Flexible



Get 3M™ Hookit™ Marine Fairing Board Flexible for a lightweight yet robust tool used in fine marine fairing and sanding. Our marine board has a flexible facing which works smoothly across concaves, convexes and curves.

- Lightweight design with double handle gives easy and secure handling
- Flexible facing moves effortlessly across irregular surfaces
- 4-1/2" x 30" size is ideal for fairing, sanding and finishing

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045685	83978	3M™ Hookit™ Marine Fairing Board, 114 mm x 762 mm, Flexible, 83978						

## Holders & Back-up Pads

### 3M™ Clean Sanding Abrasive Disc Pad Kit

Our Hookit™ Clean Sanding Disc Pad Kit contains a durable foam Hookit™ disc back-up pad with 5/16-24 internal threads, and includes five adapters to attach to different tools. The disc pad also features our multi-hole Clean Sanding pattern for superior dust extraction, ready for use with Clean Sanding discs.



- Hookit™ disc pad enables easy sanding disc change-out, maximizing disc life
- Five adapters range from 1/4-20 INT x 5/16-24 EXT to 5/16-24 EXT x 6mm-1.0 EXT
- Firm foam design provides yield for consistent grit application

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045008	20427	3M™ Clean Sanding Abrasive Disc Pad Kit, 76.2 mm x 12.7 mm x 5/16, 20427						

### 3M™ Hookit™ Back-up Pad

Get optimum dust extraction with 3M™ Hookit™ Back-up Pad. Our highly dense foam, flat rigid centre and soft edge Back-up Pads offer greater edge flexibility with the centre hole configuration and the best dust extraction with direct flow channelling.



- Equalise air flow with different hole sizes to provide best extraction
- Get excellent extraction from spiral hole pattern
- Choose from soft or standard firmness

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Back-up Pad

Get optimum dust extraction with 3M™ Hookit™ Back-up Pad. Our highly dense foam, flat rigid centre and soft edge Back-up Pads offer greater edge flexibility with the centre hole configuration and the best dust extraction with direct flow channelling.



- Equalise air flow with different hole sizes to provide best extraction
- Get excellent extraction from spiral hole pattern
- Choose from soft or standard firmness

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000083877	50193	3M™ Hookit™ Back-up Pad, 150 mm, 8 mm, 7 Hole, Hard, 50193						
7000060160	50474	3M™ Hookit™ Back-up Pad, 150 mm, 8 mm, 15 Hole, Hard, 50474						
7000032141	50391	3M™ Hookit™ Back-up Pad, 150 mm, 8 mm, 15 Hole, Soft, 50391						
7000032142	50392	3M™ Hookit™ Back-up Pad, 150 mm, 8 mm, 15 Hole, Standard, 50392						
7000060161	50475	3M™ Hookit™ Back-up Pad, 150 mm, 15 Hole, M8, Hard, 50475						
7000032140	50393	3M™ Hookit™ Back-up Pad, 150 mm, M8, 15 Hole, Soft, 50393						
7000032143	50394	3M™ Hookit™ Back-up Pad, 150 mm, M8, 15 Hole, Standard, 50394						
7000042720	05717	3M™ Hookit™ Back-up Pad, 178 mm x 20 mm, 5/8-11, 05717						
7000045726	05717M	3M™ Hookit™ Back-up Pad, 178 mm, M14-2.01, 05717M						

## 3M™ Hookit™ Back-up Pad Multihole

3M™ Hookit™ Back-up Pad Multihole are abrasive back-up pads for 3M™ abrasive multihole discs.



- Optimised dust extraction
- Cleaner workplace environment
- Rigid surface and soft edges

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000060210	50539	3M™ Hookit™ Back-up Pad Multihole, 150 mm, 8 mm, 50539						
7000032172	50541	3M™ Hookit™ Back-up Pad Multihole, 150 mm, 8 mm, Soft, 50541						
7100010603	51124	3M™ Hookit™ Back-up Pad Multihole, 150 mm, 8 mm, Soft, 51124						
7000032173	50540	3M™ Hookit™ Back-up Pad Multihole, 150 mm, 8 mm, Standard, 50540						
7100010600	51122	3M™ Hookit™ Back-up Pad Multihole, 150 mm, 8 mm, Standard, 51122						
7000032171	50543	3M™ Hookit™ Back-up Pad Multihole, 150 mm, M8, Soft, 50543						
7100037008	51125	3M™ Hookit™ Back-up Pad Multihole, 150 mm, M8, Soft, 51125						
7000032174	50542	3M™ Hookit™ Back-up Pad Multihole, 150 mm, M8, Standard, 50542						
7100037007	51123	3M™ Hookit™ Back-up Pad Multihole, 150 mm, M8, Standard, 51123						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Trizact™ Hookit™ Abrasive Hand Pad

Use 3M™ Trizact™ Hookit™ Abrasive Hand Pad comfortably thanks to a wide strap for holding the pad to the operator's hand. Our abrasive hand pad is made with soft foam rubber for conformability and spreading out finger pressure.



- Designed for 3M™ Hookit™ Discs
- Strap holds pad on hand
- Soft foam rubber spreads out sanding pressure

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034317	05791	3M™ Trizact™ Hookit™ Abrasive Hand Pad, 150 mm, 05791						
7000084116	05792	3M™ Trizact™ Hookit™ Abrasive Hand Pad, 150 mm, Halfround, 05792						

## 3M™ Hookit™ Interface Pad

Use 3M™ Hookit™ Interface Pad with 260L, 260L + and other Hookit abrasives to add flexibility during the sanding process. Our pads give conformability with an outstanding finish.



- Gives conformability and an outstanding finish
- Adds flexibility when sanding
- Laminate foam construction

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000032193	05175	3M™ Hookit™ Interface Pad Purple+, 70 mm x 198 mm, Multihole, Soft, 05175						

## 3M™ Hookit™ Low Profile Abrasive Disc Back-up Pad

3M™ Hookit™ Low Profile Abrasive Disc Back-up Pad is specially designed for use with 6 inch Hookit discs. Our back-up pad has a low profile design for better levelling and faster removal rates when flat sanding.



- Low profile design provides better levelling and faster removal rates when flat sanding
- Made with a medium density foam
- Features a blunt edge for improved durability

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100058086	28729	3M™ Hookit™ Low Profile Abrasive Disc Back-up Pad Red, 150 mm x 9.5 mm x 15.6 mm, 5/16-24 in, 28729						

## 3M™ Hookit™ Purple+ Baseplate Multihole

Get optimised dust extraction with 3M™ Hookit™ Purple+ Baseplate Multihole. Our comprehensive range of Hookit™ Purple+ Baseplate Multihole products suitable for a wide selection of machines in the automotive aftermarket.



- Optimised dust extraction
- Cleaner workplace environment
- Use to allow 3M™ Abrasives to be applied on a wide range of tools

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000060242	50774	3M™ Hookit™ Purple+ Baseplate Multihole, 70 mm x 198 mm, 50774						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Purple+ Baseplate Multihole

Get optimised dust extraction with 3M™ Hookit™ Purple+ Baseplate Multihole. Our comprehensive range of Hookit™ Purple+ Baseplate Multihole products suitable for a wide selection of machines in the automotive aftermarket.



- Optimised dust extraction
- Cleaner workplace environment
- Use to allow 3M™ Abrasives to be applied on a wide range of tools

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000060249	50781	3M™ Hookit™ Purple+ Baseplate Multihole, 115 mm x 225 mm, 50781						

## 3M™ Hookit™ Purple+ Handblock Multi Hole

Sand filler easily and effectively with 3M™ Hookit™ Purple+ Handblock Multihole. Our range of hand blocks are optimised for manual sanding applications and dust extraction, to create a cleaner workplace environment.



- Optimised dust extraction
- Cleaner workplace environment
- Sand filler and primers easily and effectively

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000032188	05170	3M™ Hookit™ Purple+ Handblock Multihole, 70 mm x 127 mm, 05170						
7000032189	05171	3M™ Hookit™ Purple+ Handblock Multihole, 70 mm x 198 mm, 05171						
7000032190	05172	3M™ Hookit™ Purple+ Handblock Multihole, 70 mm x 396 mm, 05172						
7000032191	05173	3M™ Hookit™ Purple+ Handblock Multihole, 115 mm x 225 mm, 05173						

## 3M™ Hookit™ Soft Abrasive Disc Pad

3M™ Hookit™ Soft Abrasive Disc Pad is ideal for use with fine grade abrasives for sanding primer on conformable surfaces, best used with a slow speed polisher/grinder.



- Designed for 8 in. 3M™ Hookit™ II Discs
- Conformable
- Produces finer finishes

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045673	05768	3M™ Hookit™ Soft Abrasive Disc Pad, 203 mm, 05768						

## 3M™ Hookit™ Soft Interface Pad

Maximise cushion and conformability during the automotive sanding process with 3M™ Hookit™ Soft Interface Pad. Use our pads between Hookit™ discs and Hookit™ back up pads for quick change outs.



- Soft foam construction conforms to contours for a finer finish
- Adds support to disc pad for improved abrasive cut and closer edge sanding
- Applies effortlessly between Hookit™ discs and Hookit™ back-up pads for quick changeouts

# Abrasives and Abrasive Accessories

## 3M™ Hookit™ Soft Interface Pad

Maximise cushion and conformability during the automotive sanding process with 3M™ Hookit™ Soft Interface Pad. Use our pads between Hookit™ discs and Hookit™ back up pads for quick change outs.



- Soft foam construction conforms to contours for a finer finish
- Adds support to disc pad for improved abrasive cut and closer edge sanding
- Applies effortlessly between Hookit™ discs and Hookit™ back-up pads for quick changeouts

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
700000490	05771	3M™ Hookit™ Soft Interface Pad, 75 mm, 6 Hole, 05771						
7000032126	50397	3M™ Hookit™ Soft Interface Pad, 150 mm x 5 mm, 15 Hole, 50397						
7000032161	50545	3M™ Hookit™ Soft Interface Pad, 150 mm x 5 mm, Multihole, 50545						
7000060214	50548	3M™ Hookit™ Soft Interface Pad, 150 mm x 5 mm, Multihole, 50548						
7000032538	51126	3M™ Hookit™ Soft Interface Pad, 150 mm x 5 mm, Multihole, Soft, 51126						
7000038372	05774	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, 7 Hole, 05774						
7000032124	50396	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, 15 Hole, 50396						
7000032160	50544	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, Multihole, 50544						
7000060213	50547	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, Multihole, 50547						
7000032539	51127	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, Multihole, Soft, 51127						
7000028239	05777	3M™ Hookit™ Soft Interface Pad, 150 mm, 25 hole, 05777						
7000060252	50742	3M™ Hookit™ Soft Interface Pad, Purple+, 70 mm x 127 mm, Multihole, 50742						

## 3M™ Perfect-It™ Back-up Pad

3M™ Perfect-It™ Back-up Pad allows for easy attachment, quick removal and accurate centering of compounding or polishing pads. We used our 3M™ Hookit™ attachment system for these pads to enhance convenience and boost productivity with quick change of abrasive discs.



- Backup pad supports single-sided compounding or polishing pads
- Firmly attach and easily remove compounding or polishing pads
- Centre compounding or polishing pads accurately

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000038365	09553	3M™ Perfect-It™ Back-up Pad, 15.8 mm, 09553						
7000038364	09552	3M™ Perfect-It™ Back-up Pad, Polishing, M14, 09552						

# Abrasives and Abrasive Accessories

## 3M™ Roloc™ Bristle Disc Holder

3M™ Roloc™ Bristle disc holder is the back-up attachment for the unique 3M™ Roloc™ Bristle Discs. Available in sizes of 50 mm and 75 mm with a 6.4 mm shaft.

- Allows safe easy mounting of bristle disc product
- Maximises Bristle disc performance
- Durable plastic holder



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000028392	05539	3M™ Roloc™ Bristle Disc Holder, Disc Pad Assembly, 50.8 mm, Hard, 05539						
7000045705	05540	3M™ Roloc™ Bristle Disc Holder, Disc Pad Assembly, 76.2 mm, Hard, 05540						

## 3M™ Flexible Abrasive Hookit™ Foam Pad

3M™ Flexible Abrasive Hookit™ Foam Pad work well for sanding primer, blending and paint finishing.

- Boxes of 3M™ Hookit™ Abrasive Sheets include one foam pad
- Offers high flexibility to adapt to contours being sanded
- Provides support in hard-to-reach locations



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045570	34349	3M™ Flexible Abrasive Hookit™ Foam Pad, 34349						

## 3M™ Perfect-It™ Denibbing Back-up Pad

3M™ Perfect-It™ Denibbing Back-up Pad is designed for use as a back-up pad with the 3M™ Perfect-It™ Denib Polisher.

- Works with the colour code range of 3M foam pads
- Used with the 3M™ Perfect-It™ Denib Polisher
- High quality back-up pad



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000060283	07652	3M™ Perfect-It™ Denibbing Back-up Pad, 75 mm, 07652						
7100044595	51240	3M™ Perfect-It™ Denibbing Back-up Pad, 76 mm, 51240						

## Mandrels & Adapters

### 3M™ Adaptors for Polishers

Adaptor for 5/8" shaft polishers, for use with 3M™ Screw On Double Sided Buffing pads.

- For use with 5/8" shaft rotary polishers
- Eliminates the concern of exposed threads when using
- Eliminates the potential scratching of vehicles while using 3M screw on double side pads





# Abrasives and Abrasive Accessories

## 3M™ Adaptors for Polishers

Adaptor for 5/8" shaft polishers, for use with 3M™ Screw On Double Sided Buffing pads.

- For use with 5/8" shaft rotary polishers
- Eliminates the concern of exposed threads when using
- Eliminates the potential scratching of vehicles while using 3M screw on double side pads



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100017371	05710	3M™ Adaptors for Polishers, Buff Pad Adaptor, 05710						

## 3M™ Hookit™ Purple+ Curved Adapter Set Multi Hole

Shape curved panels easily and effectively with 3M™ Hookit™ Purple+ Curved Adapter Set Multihole. Our curved adapter set fits to a standard flat hand blocks to allow easier shaping of curved panels.

- Adaptor range with optimised dust extraction
- Shape curved panels easily and effectively
- Get a cleaner work environment



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000032209	50728	3M™ Hookit™ Purple+ Curved Adapter Set Multihole, 70 x 127 mm, 50728						
7000032210	50729	3M™ Hookit™ Purple+ Curved Adapter Set Multihole, 70 x 198 mm, 50729						

## 3M™ Perfect-It™ Quick Connect Adaptor

3M™ Perfect-It™ Quick Connect Adapter makes it easy to connect or disconnect double-sided buffing pads on rotary polishers. Our heavy-duty adaptor saves both time and effort in an automotive body shop by making pad changes so quick and simple. 5/8" thread.

- Allows quick changes of buffing pads
- Makes it easy to change between compound and polishing pads
- Provides a reliable connection between pad and polisher



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100141852	05752	3M™ Perfect-It™ Quick Connect Adaptor, 5/8 in, 05752						
7100086812	33271	3M™ Perfect-It™ Quick Connect Adaptor, 14 mm, 33271						

# Abrasives and Abrasive Accessories

## Power Tools

### 3M™ Cut-Off Wheel Tool

The 3M™ Cut-Off Wheel Tool for Body Repair is designed for cutting quickly and smoothly through aluminum, high strength steel and other tough substrates in collision repair. It features a 0.7 Horse Power (HP) motor in a tough composite housing that makes the tool very lightweight (less than 1 kg) and maneuverable. It is designed to optimize the performance of 3M™ Cubitron™ II Cut-Off Wheels.



- Lightweight, powerful tool is designed for use in body shop applications
- 0.7 HP motor delivers power for cutting through metals including high strength steel
- Lightweight tool, weighs less than 1 kg

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100110997	33579	3M™ Cut-Off Wheel Tool, 75 mm, 33579						
7100115350	33579	3M™ Cut-Off Wheel Tool, 75 mm, 33579						
7100115351	33579	3M™ Cut-Off Wheel Tool, 75 mm, 33579						
7100120759	33579	3M™ Cut-Off Wheel Tool, 75 mm, 33579						
7100110996	33581	3M™ Cut-Off Wheel Tool, 101 mm, 33581						
7100122375	33581	3M™ Cut-Off Wheel Tool, 101 mm, 33581						

### 3M™ File Belt Sanders

The 3M™ File Belt Sander for Body Repair features the technology and versatility of metalworking belt sanders in a size that's ideal for automotive collision repair. This narrow-profile tool is excellent for cutting in tight areas, including cutting, dressing and refining spot welds as well as blending and finishing. This file belt sander is designed for use with 3M™ Cubitron™ II abrasives.



- Lightweight file belt sander is ideal for cutting and finishing work in body repair
- Powerful 495W motor is excellent for collision repair applications
- Light weight makes for greater manoeuvrability and less operator fatigue

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100110952	33575	3M™ File Belt Sander, 457 mm, 33575						
7100115711	33575	3M™ File Belt Sander, 457 mm, 33575						
7100115710	33575	3M™ File Belt Sander, 457 mm, 33575						
7100120508	33575	3M™ File Belt Sander, 457 mm, 33575						
7100110995	33573	3M™ File Belt Sander, Mini File Belt Sander, 330 mm, 33573						
7100115377	33573	3M™ File Belt Sander, Mini File Belt Sander, 330 mm, 33573						
7100120505	33573	3M™ File Belt Sander, Mini File Belt Sander, 330 mm, 33573						
7100119080	33573	3M™ File Belt Sander, Mini File Belt Sander, 330 mm, 33573						
7100120507	33575	3M™ File Belt Sanders, 457 mm, 33575						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ File Belt Sander Contact Arm Assembly



The 3M™ File Belt Sander Contact Arm Assembly is an efficient way to maintain your sanding and grinding capabilities, without spending on additional sanders. Each contact arm assembly arrives ready to install onto your 3M™ File Belt Sander (PN 33573 and 33575).

- Assembled - ready to use
- Includes rubber contact wheels
- Change the length or belt width for your 3M™ File Belt Sander

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100132680	33585	3M™ File Belt Sander Contact Arm Assembly, 330 mm x 10 mm, 33585						
7100132820	33586	3M™ File Belt Sander Contact Arm Assembly, 330 mm x 13 mm, 33586						
7100132681	33588	3M™ File Belt Sander Contact Arm Assembly, 457 mm x 13 mm, 33588						

## 3M™ File Belt Sander Contact Wheel Replacement

3M™ File Belt Sander Contact Wheel Replacements contains everything you need to easily replace the contact wheel on your 3M™ File Belt Sander and help keep it operating at peak performance.



- Designed specifically for 3M™ File Belt Sanders (PN 33573 and 33575) and 3M™ Cubitron™ II Abrasive Belts
- Replace just the contact wheel, not the entire contact arm assembly
- Rubber contact wheel is flexible to help prolong abrasive belt life

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100132678	33583	3M™ File Belt Sander Contact Wheel Replacement, 10 mm, 33583						
7100132679	33584	3M™ File Belt Sander Contact Wheel Replacement, 13 mm, 33584						

## 3M™ Cubitron™ II File Belt Sander Kit

3M™ Cubitron™ II File Belt Sander Kit is a starter kit to equip bodyshops with the basic requirements for a file belt sander tool with a selection of abrasive filte belts based on the innovative Cubitron™ II technology.



- Starter Kit
- Contains File belt sander tool
- Including a variety of file belts

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100134736	51419	3M™ Cubitron™ II File Belt Sander Kit, 51419						

# Abrasives and Abrasive Accessories

## 3M™ Electric Random Orbital Sander

The 3M™ Electric Random Orbital Sander is designed to help deliver high-quality surface preparation and finishing results while helping to improve the performance of your 3M Abrasives.



With electric power you can help increase mobility without the need for compressed air.

A multihole back-up pad and shroud offer effective dust extraction, and the brushless motor requires less maintenance, no brushes to replace.

- Variable speed adjustment lets you choose the speed for your task
- Multihole back-up pad and shroud for effective dust extraction
- Helps to improve the performance of 3M Abrasives

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100251880	33766	3M™ Electric Random Orbital Sander, 150 mm, 5 mm Orbit, 230V, Plug Type C, Vacuum-Ready, 33766						

## 3M™ Random Orbital Sander

The 3M™ Random Orbital Sander is designed to help deliver high-quality surface preparation and finishing results while helping to improve the performance of your 3M Abrasives. With a multihole backup pad and shroud that provide effective dust extraction. Pneumatic sander includes variable speed adjustments to help give the technician more control.



- Variable speed adjustment lets you choose the speed for your task
- Multihole back-up pad and shroud for effective dust extraction
- Helps to improve the performance of 3M Abrasives

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100238397	33623	3M™ Random Orbital Sander, 75 mm, 5 mm Orbit, Vacuum-Ready, 33623						
7100238643	33627	3M™ Random Orbital Sander, 150 mm, 2.5 mm Orbit, Vacuum-Ready, 33627						
7100238399	33628	3M™ Random Orbital Sander, 150 mm, 5 mm Orbit, Vacuum-Ready, 33628						
7100238631	33629	3M™ Random Orbital Sander, 150 mm, 8 mm Orbit, Vacuum-Ready, 33629						

## 3M™ Body Repair Pistol Grip Disc Sander

3M™ Pistol Grip Disc Sander for Body Repair is designed specifically for grinding and surface preparation processes in collision repair, ideal for paint stripping and weld cleanup.



- Lightweight well balanced tool
- Powerful 336W motor (0.45 HP), up to 18.000 RPM
- Variable speed control trigger

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100110951	33577	3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577						
7100115714	33577	3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577						
7100115720	33577	3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Body Repair Pistol Grip Disc Sander

3M™ Pistol Grip Disc Sander for Body Repair is designed specifically for grinding and surface preparation processes in collision repair, ideal for paint stripping and weld cleanup.



- Lightweight well balanced tool
- Powerful 336W motor (0.45 HP), up to 18.000 RPM
- Variable speed control trigger

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100120658	33577	3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577						
7100122361	33577	3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577						

## 3M™ Perfect-It™ Denibbing Tool

Denibbing power tool that removes and finishes small dust nibs on newly painted vehicles. For use with 3M Denibbing Abrasives.



- Power tool for the 3M Denibbing System
- Removal of small dust nibs
- Unique system

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000145689	51215	3M™ Perfect-It™ Denibbing Tool, Sander 32 mm, 51215						

## 3M™ Roloc™ Pistol Grip Sander Kit

3M™ Roloc™ Pistol Grip Sander Kit includes a 3M™ Roloc™ Pistol Grip Sander with fitting 3M™ Cubitron™ II Roloc™ discs, Scotch-Brite™ products and 3M Eye protection



- Body repair kit including a 3M™ Roloc™ Pistol Grip Sander
- Higher productivity
- Optimized repair process

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100134737	51418K	3M™ Pistol Grip Disc Sander, 51418K						

## Dust Extraction Systems

### 3M™ Dust Extractor

The 3M™ Dust Extractor is a lightweight, compact dust extraction, ideal for body and paint repair shops. It features strong dust extraction power and is compatible with pneumatic and electric sanders.

- Lightweight, compact unit with strong dust extraction power
- Helps shops boost efficiency by helping to reduce rework and cleanup time
- Compatible with pneumatic or electric sanders

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100242524	33759	3M™ Dust Extractor, 45 L, 230V, Plug Type F, 33759						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Abrasives and Abrasive Accessories

## 3M™ Antistatic Electric Hose

The 3M™ Antistatic Electric Hose is designed for use with the 3M™ Clean Sanding System when using electric sanders or hand blocks. The built-in air regulator collar allows the operator easily to adjust suction. Its quick-connection couplings allow easy attachment to tools and the 3M dust extractor.



- Adjustable airflow collar at the tool end of the hose allows user to adjust suction
- Use with electric sanders or sanding blocks
- Quick connection between tools and the 3M dust extractor

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100247475	33646	3M™ Antistatic Electric Hose, 5 m, 33646						

## 3M™ Antistatic Pneumatic Hose

The 3M™ Antistatic Pneumatic Hose works with the 3M™ Clean Sanding System. The built-in air regulator collar allows the operator to adjust suction. The air hose is built into the vacuum hose to help reduce snagging, clutter and tangling.



- Adjustable airflow collar at tool end of hose allows user to adjust suction
- The combined air and vacuum hose helps reduce tangling and snagging
- Air supplied using standard 1/4-inch high-flow quick connection air couplings

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100247664	33645	3M™ Antistatic Pneumatic Hose, 5 m, 33645						

## 3M™ Multi Hole Block Hose

Extract dust and debris with 3M™ Multihole Block Hose. Our flexible and durable block hose takes dust and debris from sanding and blocking applications to Dust Extract systems.



- Extract dust and debris from sanding and blocking applications
- Get a flexible and durability with 3 or 6 metre hose
- Use to attach to the 3M™ Hookit™ Purple+ Multihole Handblock Multihole and other systems

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000032192	05174	3M™ Multihole Block Hose, 6 m, 05174						

## 3M™ Dust Extractor Filter Bag

3M™ Dust Extractor Filter Bag captures dirt and dust collected by the 3M™ Clean Sanding System. Designed to maximize the dust collection capacity of both 30-liter and 45-liter models of 3M™ Dust Extractors. The bags are built from a tough but flexible non-woven plastic material. The easy close plastic closure cap helps prevent leakage during disposal.



- Fits both 30-liter and 45-liter models of 3M™ Dust Extractors
- Durable non-woven material traps and holds dirt and dust.
- Plastic cap easily seals full bags to help prevent leaks during disposal

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100249076	33648	3M™ Dust Extractor Filter Bag, 33648						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Abrasives and Abrasive Accessories

## 3M™ Dust Extractor Handle Extension

The 3M™ Dust Extractor Handle Extension adds an extra level of convenience to the 3M™ Clean Sanding System 45-liter dust extractor. The handle is built from durable steel tubing and is coated with a tough black soft-grip material. The handle helps to facilitate easy transport of the extractor base from a standing position. Attaches easily to the extractor unit.



- Helps to facilitate easy transport of extractor
- Made from durable steel coated with black soft-grip material
- Easily attaches to 3M™ Clean Sanding System 45-liter dust extractors

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100247493	33765	3M™ Dust Extractor Handle Extension, 33765						

## 3M™ Clean Sanding System Workstation

3M™ Clean Sanding System Workstation adds storage, portability and organization to the 3M™ Clean Sanding System. The steel cart is built to hold one 45-liter 3M Dust Extractor base. The unit includes two repositionable tool hangers and two repositionable hose hangers; a two-shelf locking cabinet; waste compartment; large smooth-riding rubber wheels, and a rubberized work surface.



- Holds one 45-liter 3M™ Clean Sanding System Dust Extractor
- Four repositionable tool and hose holders (two of each) let technicians customize the cart for their needs
- The two-shelf locking storage cabinet can keep abrasives and materials in easy reach

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100247665	33653	3M™ Clean Sanding System Workstation, 33653						

## 3M™ Clean Sanding System Workstation Extension

3M™ Clean Sanding System Workstation Extension adds customizable storage and organization to the 3M™ Clean Sanding System Workstation. The extension's three panels allow customization of storage using 15 included hooks. The extension provides additional mounting locations for the Workstation's tool holder and hose hooks.



- The 3M™ Clean Sanding System Workstation Extension expands the storage and organization capabilities of the 3M™ Clean Sanding System
- The all-steel three-panel extension provides additional mounting positions for the Workstation's hose hooks and tool holders
- Kit includes: three-panel extension, 5 Long Double Hooks, 5 Long Single Straight Hooks and 5 Short hooks

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100247666	33654	3M™ Clean Sanding System Workstation Extension, 33654						

# Abrasives and Abrasive Accessories

## 3M™ Dust Extractor Filter

3M™ Dust Extractor Filter Pack contains polyester replacement filters for the 3M™ Clean Sanding System's 30-liter and 45-liter dust extractors. The filters help protect the motor unit of the extractor and filter the unit's exhaust air.



- Two pack of panel-style filters for 30-liter and 45-liter dust extractors
- Durable polyester filter material is accordion-folded to help maximize surface area in a small footprint.
- Flexible seal helps to prevent dust from returning to your work area and keep it away from the extractor's motor.

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100249077	33647	3M™ Dust Extractor Filter, 33647						

## 3M™ Dust Extractor Y-Connector

The 3M™ Dust Extractor Y-Connector allows a 3M™ Dust Extractor to support two vacuum tools at the same time. The user can connect two tools simultaneously. The connector's built in clapet valve provides a firm seal when only one hose is connected. Dual o-rings forms a seal between the Y-Connector and the dust extractor.



- Allows two hoses to be connected to 3M™ Dust Extractors, 45 ltr, allowing two tools to be used simultaneously
- Durable plastic connector with dual o-rings forms a seal when attached to the dust extractor
- Connector has spring-loaded clapet valve which seals an unused hose port.

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100247480	33652	3M™ Dust Extractor Y-Connector, 33652						





# Adhesives, Sealants & Applicators



### PERSONAL SAFETY

• Comfort Particle Mask P2



• Hearing Protection



• Comfort Goggles



• Reusable Workwear













• Safety Gloves



<b>1</b> Pre-Sanding of the damaged area		<ul style="list-style-type: none"> <li>▶ Perform initial sanding using a handblock in order to spot high and low spots on the repair area</li> <li>▶ Mark the deepest points in the damaged area in order to place welding points</li> </ul> <p>Tip: Don't remove the paint completely from the damaged area as this will allow you to better complete the dent pulling process and reduce the likelihood of causing holes in the substrate</p>	<p>3M™ Hookit™ Purple+ Abrasive Sheet Multihole 70 x 396mm</p> <p>3M™ Hookit™ Purple+ Multihole Handblock, 70 x 396mm</p>
<b>2</b> Preparation		<ul style="list-style-type: none"> <li>▶ Remove paint/coating in the low points of the repair area, in preparation for dent pulling</li> </ul>	<p>3M™ Scotch-Brite™ Roloc™ Disc</p> <p>3M™ Body Repair Pistol Grip Disc Sander</p>
<b>3</b> Spot Application		<ul style="list-style-type: none"> <li>▶ Spot weld onto the repair area using your preferred and recommended method and/or equipment</li> </ul> <p>Note: Always ensure that the equipment is properly calibrated depending on the materials being repaired</p>	
<b>4</b> Dent Pulling		<ul style="list-style-type: none"> <li>▶ Pull the spots of dent using preferred dent pulling method and equipment</li> </ul> <p>Tip: To avoid surface imperfections or pinholes in the substrate, aim to distribute the load across the repair area</p>	
<b>5</b> Spot Removal		<ul style="list-style-type: none"> <li>▶ Spot removal by rotating the welded spot manually</li> </ul> <p>Note: This modern method will reduce the likelihood of causing holes in the substrate and avoid the thin out of the substrate due to a coarse sanding step for the removal</p>	
<b>6</b> Sanding down the job area		<ul style="list-style-type: none"> <li>▶ Sanding down the job area to bare metal</li> <li>▶ Switch to ROTEX motion for high abrasion first</li> <li>▶ For fine sanding step switch to ROTEX orbital random motion, without changing the sanding disc or grit!</li> </ul> <p>Note: For aluminium substrates, always use a pneumatic sanding tool such as Festool Automotive Systems LEX 3 150/7 and follow instructions of ATEX directive 94/9/EG for Zone 22 areas</p>	<p>3M™ Hookit™ Cubitron™ II 80+ - 120+ - 125mm</p> <p>Festool RO 125</p> <p>3M™ Hookit™ Cubitron™ II 80+ - 120+ - 150mm</p> <p>Festool LEX 3 150/7</p>
<b>7</b> Cleaning of the surface		<ul style="list-style-type: none"> <li>▶ Degrease the surface</li> </ul>	<p>3M™ General Purpose Adhesive Cleaner</p> <p>3M™ Professional Panel Wipes</p>
<b>8</b> Application		<ul style="list-style-type: none"> <li>▶ Apply enough 3M™ FC Epoxy Metal Filler for dent filling</li> <li>▶ Recommended settings for applicators: pneumatic max. inlet pressure 5.5 bar / battery driven 3kN, max speed 180mm/min.</li> </ul> <p>Note: A new cartridge needs to be equalised before the first application to ensure thorough mixing of the product. After the first use, no further equalisation is necessary</p>	<p>3M™ FC Epoxy Metal Filler</p> <p>3M™ Static Mixing Nozzle</p> <p>3M™ Plastic Spreader</p> <p>3M™ High Power Manual Gun</p>
<b>9</b> Drying		<ul style="list-style-type: none"> <li>▶ The curing of 3M™ FC Epoxy Metal Filler can be accelerated using IR drying after the initial gelling period. Wait 10 minutes before using an IR dryer to heat for 10-20 minutes with a panel temperature of 70 °C</li> <li>▶ Airdrying: sandable ~ after 4 h @ 22 °C ambient temperatures</li> <li>▶ Tip for use: warming up the material &amp; surface to ~30°C before material application will help to accelerate curing, particularly at cold ambient temperatures</li> </ul>	
<b>10</b> Sanding of the filler area		<ul style="list-style-type: none"> <li>▶ 3M™ Cubitron™ II 80+ - 120+.</li> <li>▶ To remove coatings more quicker, use the ROTEX motion setting</li> <li>▶ To refine previous sanding scratches, switch to ROTEX orbital random motion, keeping the previous abrasive disc on the machine</li> </ul> <p>Tip: Pre-sanding step can also be done by using traditional body files if necessary</p>	<p>3M™ Hookit™ Cubitron™ II 80+ - 120+ - 125mm</p> <p>Festool RO 125</p> <p>3M™ Hookit™ Cubitron™ II 80+ - 120+ - 150mm</p> <p>Festool LEX 3 150/7</p>
<b>11</b> Cleaning of the surface		<ul style="list-style-type: none"> <li>▶ Thoroughly degrease the surface</li> </ul>	<p>3M™ General Purpose Adhesive Cleaner</p> <p>3M™ Professional Panel Wipes</p>
<b>Optional - second layer application</b>		<ul style="list-style-type: none"> <li>▶ Apply a further layer of 3M™ FC Epoxy Metal Filler if necessary and repeat drying and sanding steps as recommended in the previous steps</li> <li>▶ Maximum finished thickness should not exceed 4-6 mm, maximum layer thickness should not exceed 2-3 mm</li> <li>▶ Follow car manufacturer and paint company recommendations for subsequent steps</li> </ul>	<p>3M™ FC Epoxy Metal Filler</p> <p>3M™ Static Mixing Nozzle</p> <p>3M™ High Power Manual Gun</p>

## PERSONAL SAFETY

- Comfort Particle Mask P2
- Hearing Protection
- Face Protection
- Reusable Workwear
- Safety Gloves

<b>1</b> Host Panel Preparation		<ul style="list-style-type: none"> <li>▶ Remove remaining material and contaminants from host panel. Prep remaining mating flanges on host panel with a Scotch-Brite™ Belt or Disc</li> </ul>	  
<b>2</b> Cleaning of the surface		<ul style="list-style-type: none"> <li>▶ Degreasing host panel mating flange areas</li> </ul>	 
<b>3</b> Replacement Panel Preparation		<ul style="list-style-type: none"> <li>▶ Remove Ecoat from replacement panel mating flange areas using Scotch-Brite™ Belt</li> </ul>	 
<b>4</b> Cleaning of the surface		<ul style="list-style-type: none"> <li>▶ Degreasing replacement panel mating flange areas</li> </ul>	 
<b>5</b> Corrosion Protection		<ul style="list-style-type: none"> <li>▶ Apply weld-thru primer to all areas on host panel and replacement panel requiring welding operations, except the areas for bonding</li> <li>▶ Two layers are recommended to obtain the right coating thickness for optimum corrosion protection</li> <li>▶ Drying time: 10 - 20 minutes</li> </ul>	
<b>6</b> Calibration of a new cartridge		<ul style="list-style-type: none"> <li>▶ Insert the cartridge into a suitable application gun</li> <li>▶ Before attaching the mixer to the cartridge, squeeze out a small amount of material until both components are equally extruded</li> <li>▶ Attach the mixing nozzle and discard the first 2-4 cm of extruded material, to remove any improperly mixed material</li> </ul> <p>Note: The previous step is only necessary when using a new cartridge.</p>	  
<b>7</b> Application		<ul style="list-style-type: none"> <li>▶ Apply adhesive to mating flange areas on host panel and replacement panel, covering all bare metal areas</li> <li>▶ Apply an additional bead of adhesive at mating flange areas to ensure proper bond line thickness and all voids are filled</li> </ul>	
<b>8</b> Install Replacement Panel		<ul style="list-style-type: none"> <li>▶ Install replacement panel to host panel by clamping in place</li> <li>▶ Apply required welds on rear vertical seams, cosmetic joints, or where otherwise recommended by the directions for use from the car manufacturer</li> </ul> <p>Note: Follow recommended adhesive clamp times: ~ after 4h @ 23°C ambient temperature</p>	
<b>9</b> Adhesive Clean Up		<ul style="list-style-type: none"> <li>▶ Tool excess adhesive squeeze-out from repair area prior to curing to seal the repair</li> </ul> <p>Note: Grinding to remove excess adhesive can expose bare metal, causing corrosion</p>	 

# Adhesives, Sealants & Applicators

## Structural Adhesives

### 3M™ Impact Resistant Structural Adhesive (IRSA)

3M™ Impact Resistant Structural Adhesive (IRSA) is formulated for true automotive OEM-specified structural bonding applications, excellent for collision absorption in steel structures and advanced lightweight aluminum alloys. This two-part epoxy adhesive delivers extended worktimes – up to 1 hour – and can be rapidly heat-cured. The adhesive changes from silver to purple as the adhesive cures.

- Formulated specifically for collision absorption in OEM-specified structural bonding applications
- Two-part epoxy bonds steel and automotive aluminium, great for lightweight structures
- Can be weld-bonded or rivet-bonded immediately after application



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100050351	07333	3M™ Impact Resistant Structural Adhesive (IRSA), 200 ml, 07333						

### 3M™ Panel Bonding Adhesive

The 3M™ Panel Bonding Adhesive is a two-part epoxy used to bond steel, aluminum, SMC, and FRP (traditional fiberglass). The primary use is to replace quarter panels, roofs, box sides, van sides, utility vehicle sides and door skins.

- A high performance two component epoxy adhesive
- Bonds a variety of steel, aluminum, SMC, and FRP (traditional fiberglass) non-structural components. Also use to reinforce welded or riveted structural components
- It can be spot welded through or used in conjunction with rivet bonds



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100016211	58115	3M™ Panel Bonding Adhesive, 200 ml, 08115						
7100137215	08115	3M™ Panel Bonding Adhesive, 200 ml, 08115						
7100137214	08115	3M™ Panel Bonding Adhesive, 200 ml, 08115						
7000045775	08116	3M™ Panel Bonding Adhesive, 200 ml, 08116						

### 3M™ Structural Adhesive

Bond metal, glass and plastic with 3M™ Structural Adhesive. Our structural adhesive can be used for trim, fiberglass and flexible body parts repair. It's a two-part general purpose grey adhesive that spreads smoothly and is fast-drying.

- Bond metal, glass and plastic with our fast-drying structural adhesive
- Use for trim, fiberglass and flexible body parts repair
- Efficient mixing nozzle gives controlled flow with no air bubbles



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100224387	08122	3M™ Structural Adhesive, 2:1, 50 ml, 08122						



# Adhesives, Sealants & Applicators

## 3M™ Structural Plastic Adhesive

Bond plastic, fiberglass, ceramic, metal and most substrates with 3M™ Structural Plastic Adhesive. This adhesive is a black, two-part urethane product delivered in a dual-component cartridge.

- For back and front side repair of plastic parts
- Easy cartridge application
- For additional strength, use with plastic reinforcement tape



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100222832	55047	3M™ Structural Plastic Adhesive, 200 ml, 55047						

## Flexible Adhesives

### 3M™ Aerosol Adhesive

Aerosol adhesives are used for bonding lightweight internal trim, eg headlinings and plastics.

- Non-clog aerosol head will adjust to give wide or narrow lace spray pattern
- Fast drying
- Cover large areas quickly, compared to hand application



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100138679	08080	3M™ Aerosol Adhesive, 500 ml, 08080						
7100139848	08080	3M™ Aerosol Adhesive, 500 ml, 08080						

### 3M™ Trim Adhesive

3M™ Trim Adhesive securely bonds vinyl, heavyweight liners and hood silencer pads where high strength and heat resistance are needed. Easy, spray-on aerosol offers convenience in application.

- Spray-on adhesive attaches heavy weight fabrics and vinyl
- Recommended where high-strength required
- High performance contact adhesive



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100142662	08090	3M™ Trim Adhesive, 500 ml, 08090						

## Sealants

### 3M™ MS Caulkable Sealer

3M™ MS Caulkable Sealer is a one part MS polymer-based moisture curing general purpose seam sealer in a cartridge.

- Can be painted over immediately with water based paints
- Should be painted over within 2 hours or lightly scuffed using a grey Scotchbrite pad.
- Isocyanate free



# Adhesives, Sealants & Applicators

## 3M™ MS Caulkable Sealer

3M™ MS Caulkable Sealer is a one part MS polymer-based moisture curing general purpose seam sealer in a cartridge.

- Can be painted over immediately with water based paints
- Should be painted over within 2 hours or lightly scuffed using a grey Scotchbrite pad.
- Isocyanate free



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079955	08855	3M™ MS Caulkable Sealer, 290 ml, 08855						

## 3M™ Multi-Purpose Seam Sealer

Improve your repair process with 3M™ Multi-Purpose Seam Sealer . Our sealer allows wet on wet painting for faster sealing processing times. It can be sprayed, extruded or brushed.

- Get a variety of finishes
- Can be sprayed, brushed or extruded
- Flexible as anti-chip coating



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000077337	50740	3M™ Multi-Purpose Seam Sealer, Beige, 310 ml, 50740						
7000077339	50740	3M™ Multi-Purpose Seam Sealer, Beige, 310 ml, 50740						

## 3M™ Polyurethane Seam Sealer

3M™ Polyurethane Seam Sealers are 1K moisture curing polyurethane products designed for seam sealing applications in car body repair.

- Excellent adhesion
- Paintable with commonly used paint systems
- Non-shrinking, non-flow



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100081535	08365	3M™ Polyurethane Seam Sealer, Beige, 310 ml, Cartridge, 08365						
7000077236	08694	3M™ Polyurethane Seam Sealer, Black, 310 ml, Cartridge, 08694						
7000033373	08694	3M™ Polyurethane Seam Sealer, Black, 310 ml, Cartridge, 08694						
7000077239	08694	3M™ Polyurethane Seam Sealer, Black, 310 ml, Cartridge, 08694						
7000077362	08789	3M™ Polyurethane Seam Sealer, Black, 310 ml, Sachet, 08789						
7000077247	08789	3M™ Polyurethane Seam Sealer, Black, 310 ml, Sachet, 08789						
7000077310	08789	3M™ Polyurethane Seam Sealer, Black, 310 ml, Sachet, 08789						
7000077248	08793	3M™ Polyurethane Seam Sealer, Black, 600 ml, Sachet, 08793						
7000077237	08684	3M™ Polyurethane Seam Sealer, Grey, 310 ml, Cartridge, 08684						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Adhesives, Sealants & Applicators

## 3M™ Polyurethane Seam Sealer

3M™ Polyurethane Seam Sealers are 1K moisture curing polyurethane products designed for seam sealing applications in car body repair.

- Excellent adhesion
- Paintable with commonly used paint systems
- Non-shrinking, non-flow



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033376	08684	3M™ Polyurethane Seam Sealer, Grey, 310 ml, Cartridge, 08684						
7000077238	08684	3M™ Polyurethane Seam Sealer, Grey, 310 ml, Cartridge, 08684						
7100143272	08782	3M™ Polyurethane Seam Sealer, Grey, 310 ml, Sachet, 08782						
7000077244	08783	3M™ Polyurethane Seam Sealer, Grey, 600 ml, Sachet, 08783						
7000077240	08689	3M™ Polyurethane Seam Sealer, White, 310 ml, Cartridge, 08689						
7000033378	08689	3M™ Polyurethane Seam Sealer, White, 310 ml, Cartridge, 08689						
7000077241	08689	3M™ Polyurethane Seam Sealer, White, 310 ml, Cartridge, 08689						
7000077245	08787	3M™ Polyurethane Seam Sealer, White, 310 ml, Sachet, 08787						
7000077246	08788	3M™ Polyurethane Seam Sealer, White, 600 ml, Sachet, 08788						

## 3M™ 2K PU Brushable Sealer

3M™ 2K PU Brushable Sealer is a beige coloured highly thixotropic sealer suitable for stiff brush application or spatula.

- No Shrinkage
- OEM look alike restoration possible
- Overpaintable



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000094977	08665	3M™ 2K PU Brushable Sealer, 08665						

## 3M™ Brushable Seam Sealer

A multi-purpose, fast-drying seam sealer that is easily applied with a brush. The product will not flow or run after application.

- Designed to seal sheet metal overlap joints that have been spotwelded, riveted, or bolted together
- Can be painted when dry. Remains flexible and resists oil, fuel and other automotive fluids
- Dries Quickly



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079948	08537	3M™ Brushable Seam Sealer, Brushable Sealer, Grey, 1 kg, 08537						
7000033756	08537	3M™ Brushable Seam Sealer, Brushable Sealer, Grey, 1 kg, 08537						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Adhesives, Sealants & Applicators

## 3M™ Brushable Seam Sealer

A multi-purpose, fast-drying seam sealer that is easily applied with a brush. The product will not flow or run after application.

- Designed to seal sheet metal overlap joints that have been spotwelded, riveted, or bolted together
- Can be painted when dry. Remains flexible and resists oil, fuel and other automotive fluids
- Dries Quickly



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079947	08537	3M™ Brushable Seam Sealer, Brushable Sealer, Grey, 1 kg, 08537						

## 3M™ MS Sprayable Seam Sealer

3M™ MS Sprayable Seam Sealer is a one part MS moisture curing, high solid sprayable sealer in a cartridge.

- May be painted over immediately
- Cures to provide hard, but flexible surface
- Can also be extruded and brushed



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033759	08851	3M™ MS Sprayable Seam Sealer, inc nozzles, Grey, 290 ml, 08851						
7100235091	08851	3M™ MS Sprayable Seam Sealer, inc nozzles, Grey, 290 ml, 08851						

## 3M™ Drip-Check Body Sealer

Seal narrow vertical seams or cracks with 3M™ Drip-Check Body Sealer. Our firm and flexible vehicle body sealer doesn't harden, shrink or crack. It covers seams or cracks which are 2mm to 3mm wide, which can be smoothed with a wet finger and painted.

- Apply easily to fill 2mm to 3mm seams and cracks
- Quick drying
- Remains flexible but firm



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079876	08401	3M™ Drip-Check Body Sealer, Clear, 150 ml, 08401						

# Adhesives, Sealants & Applicators

## Adhesion Promoters

### 3M™ Low VOC Single Step Primer for windscreen adhesives

3M™ Low VOC Primer is a single step primer used to provide optimum adhesion between windscreens and PU windscreen sealants.

- Black
- Easily applied with 3M primer applicator
- Quick to cure



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100154591	58012	3M™ Low VOC Single Step Primer for windscreen adhesives, 30 ml, 58012						
7100154592	58012	3M™ Low VOC Single Step Primer for windscreen adhesives, 30 ml, 58012						
7100154584	58012	3M™ Low VOC Single Step Primer for windscreen adhesives, 30 ml, 58012						
7100173230	58012	3M™ Low VOC Single Step Primer for windscreen adhesives, 30 ml, 58012						
7100173178	58012	3M™ Low VOC Single Step Primer for windscreen adhesives, 30 ml, 58012						

### 3M™ Polyolefin Adhesion Promoter

Use 3M™ Polyolefin Adhesion Promoter for strong adhesion of 3M flexible parts, plastic repair materials, and superfast plastic adhesive. Apply after grinding, let dry, then apply adhesive.

- Use a high performance adhesion promoter designed for 3M adhesives
- Prepare the surface of flexible and semi-rigid plastics before applying 3M plastic repair products
- Let dry before applying any adhesive



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100255707	05917TF	3M™ Polyolefin Adhesion Promoter, 200 ml, 05917TF						
7100255706	05917TF	3M™ Polyolefin Adhesion Promoter, 05917TF, 200 ml, 12/ Case (LG CEE)						

### 3M™ Activator

3M™ Activator to enhance adhesion of PU windscreen sealers.

- Easy application with 3M primer applicator
- Transparent
- For glass bonding processes



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100119074	50661	3M™ Activator, 30 ml, 50661						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Adhesives, Sealants & Applicators

## Adhesive Applicators

### 3M™ Brushes for Adhesives

Get an excellent application with 3M™ Brushes for Adhesives, when used with brushable adhesives or sealants.

- Brush is petrol, oil and water resistant.
- Ideal for application of brushable seam sealers
- Use to replicate OEM finishes.



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079836	08540	3M™ Brushes for Adhesives, Super Seam Application Brush, 08540						

### 3M™ Lightweight Gun

Use our convenient pneumatic gun, 3M™ Lightweight Gun, to apply 1k spray and multipurpose sealers efficiently. Our ready-to-use gun allows various spray and coating finishes, from a sprayed bead, very fine to textured finishes, with a simple adjustment to the air and product regulator.

- Lightweight
- Adjust easily for convenience and more efficient spraying
- Achieve various spray and coating finishes



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000041361	08992	3M™ Lightweight Gun, 08992						

### 3M™ Manual Gun for 2 part cartridges

Use our convenient 3M™ Manual Guns for 2 Part Cartridges to accurately mix two pack adhesives to the right consistency and apply the material directly to the workpiece.

- A high-performance two-part applicator gun
- Dispenses 1-1 and 2-1 200 ml duo-pack cartridges
- Use for balanced product dispensing



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000110581	08190	3M™ Manual Gun for 2 part cartridges, 2:1 for 08122, 08190						
7000041367	08117	3M™ Manual Gun for 2 part cartridges, 2:1DM 200-01 A1, 08117						
7000042708	08571	3M™ Manual Gun for 2 part cartridges, 200 ml Cartridge Applicator Gun, 08571						

# Adhesives, Sealants & Applicators

## 3M™ Manual Gun for Cartridge and Sachet

Easily apply sealer with 3M™ Manual Gun for Cartridge and Sachet. Our lightweight and easy to use manual gun can be used with cartridge or sachet where an air line is not available.

- Lightweight
- Easy to use
- Manual application tool



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100222334	08014	3M™ Manual Gun for Cartridge and Sachet, High Power Version, 08014						
7000041362	08013	3M™ Manual Gun for Cartridge and Sachet, Sealant Applicator, 08013						

## 3M™ Primer Applicator

3M™ Primer Applicator is an applicator tool to exactly apply primer on well defined areas.

- Fit easily with primer bottles
- Handle easily
- Get fast application of primer



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033370	08605	3M™ Primer Applicator, 08605						

## 3M™ Dynamic Mixing System Applicator

The 3M™ Dynamic Mixing System Applicator allows you to dispense fast and accurate fillers from the highly efficient 3M DMS cartridge system.

Our durable, built to last and heavy duty performance applicator is powered by your workshops pneumatic air system to allow a high working speed.

- Use the applicator with the 3M™ Dynamic Mixing System
- Dispense the 3M™ Dynamic Mixing System on demand, exactly mixed and in the needed quantity
- Get precise and convenient applications with trigger control



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100074739	50600	3M™ Dynamic Mixing System Applicator, 50600						

## 3M™ Dynamic Mixing System Introductory Kit

A kit containing items necessary to get started with 3M's Dynamic Mixing System: Applicator, Nozzles, and Accessories.

- Dynamic Mixing System Pneumatic Applicator
- DMS Nozzles (Red) for Body Filler
- DMS Nozzles Dispenser / Box rack



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100058124	50604	3M™ Dynamic Mixing System Introductory Kit, 50604						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Adhesives, Sealants & Applicators

## 3M™ MS Universal Sealer Gun

3M™ MS Universal Sealer Gun is a pneumatic applicator, which allows the extrusion of all kinds of single-component sealants.



- Pneumatic applicator
- Works with sachets and cartridges
- Easy to adjust and handle

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000041360	08993	3M™ MS Universal Sealer Gun, Pneumatic, 08993						

## 3M™ Pneumatic Gun for 2 part cartridges

Our 3M™ Pneumatic Gun for 2-Part Cartridges is designed for dispensing 3M 2-part adhesives and sealers from 200 ml cartridges. This pneumatic applicator gun is ideal for large volume jobs. It allows you to apply a range of two-component repair epoxies quickly and smoothly, saving time and reducing rework. Snap-in cartridge system eliminates premixing and maximizes material use.



- Use with 3M 2-component cartridges (200 ml)
- Get smooth, consistent application of sealants matching OEM appearance
- Save time and work efficiently on large volume work thanks to pneumatic system

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100247779	09930	3M™ Pneumatic Gun for 2 part cartridges, 2:1 200-70-01-A1, 09930						

## 3M™ Pneumatic Gun for No Cleanup

Use 3M™ Pneumatic Gun for No Cleanup solution, for a fast, easy and clean way to work. Use with our disposable 2k sprayable sealer bags. Our robust aluminium tool dispenses product quickly and easily. Simply dispose of the sachet and nozzle, and the gun's ready to use again.



- Work more efficiently, thanks to no clean-up when the gun is used correctly
- Use with 3M 2k sprayable sealer bags
- Dispense product quickly and easily

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000041353	08801	3M™ Pneumatic Gun for No Cleanup, 08801						

## 3M™ Pneumatic Guns for Cartridges

The 3M™ Pneumatic Gun for Cartridge is a lightweight pneumatic gun for sealer cartridges.



- Lightweight aluminium body
- For easy handling of sealer cartridges
- 1/4" outer thread for air connector

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000041351	08012	3M™ Pneumatic Guns for Cartridges, Applicator for 310 ml Cartridges, 08012						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Adhesives, Sealants & Applicators

## 3M™ Pneumatic Guns for Sachets

3M™ Pneumatic Guns for Sachets are lightweight, well-balanced pneumatic guns designed to extrude various sizes of collapsible aluminium foil sachets.

- Lightweight aluminium body
- For easy handling of various sizes of sealer sachets
- Get fast, accurate product application



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000110541	08007	3M™ Pneumatic Gun for Sachets, 600 ml size, 08007						
7000110546	08006	3M™ Pneumatic Guns for Sachets, 08006						

## 3M™ Flex Pack Applicator Gun

Applicator gun for use with 3M™ Windshield Polyurethanes, Polyurethane Seam Sealers and MSP Seam Sealers in 310 ml or smaller flexible foil packages.

- Fully enclosed all metal, rod driven, friction feed single component applicator
- Dispenses single component products packaged in 310 ml and smaller flex packs
- Easy to use



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000041375	08991	3M™ Flex Pack Applicator Gun, 08991						

## 3M™ Manual Gun for Cartridge

A lightweight, easy to use manual gun for application of sealer from a 310ml cartridge.

- Lightweight
- Easy to use
- For professional body shop use



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000110543	08011	3M™ Manual Gun for Cartridge, Hand Caulking Gun, Orange, 21.5 cm, 08011						

## 3M™ Plastic Contour Sheet

Use 3M™ Plastic Contour Sheet to aid reconstruction of tabs and broken plastic lugs. Our sheet is easily removed – adhesives don't stick to it and has an easy release surface for moulding or shaping two part adhesives.

- A high performance roll of specialty film
- Get an easy release surface to moulding or shaping two part adhesives
- Remove with ease, adhesives don't stick to the sheet



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033784	04903	3M™ Plastic Contour Sheet, 127 mm x 3.6 m, 04903						
7000033784	04903	3M™ Plastic Contour Sheet, 127 mm x 3.6 m, 04903						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Adhesives, Sealants & Applicators

## Sealing Tapes

### 3M™ Auto Glass Direct Glaze Adhesive Strip

3M™ Auto Glass Direct Glaze Adhesive Strip is a high tack, non-curing strip of sealer for installing direct glaze (gasketless) windscreens.

- Get an instant bond for gasketless windscreens
- Excellent adhesion
- Weatherproof



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079950	08610	3M™ Auto Glass Direct Glaze Adhesive Strip Sealing Tape, 6 mm x 4.5 m, 08610						
7000079951	08611	3M™ Auto Glass Direct Glaze Adhesive Strip Sealing Tape, 8 mm x 4.5 m, 08611						
7000033758	08612	3M™ Auto Glass Direct Glaze Adhesive Strip Sealing Tape, 10 mm x 4.5 m, 08612						

### 3M™ Body Caulking

3M™ Body Caulking is a pre-formed sealing compound / „tape“ on a roll.

- Good adhesion
- Non-standing
- Water resistant



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079949	08573	3M™ Body Caulking, Sealing Tape, Grey, 2 mm x 20 mm x 40 m, 08573						
7000033757	08568	3M™ Body Caulking, Sealing Tape, Grey, 6 mm x 3 m, 08568						
7000146238	08568	3M™ Body Caulking, Sealing Tape, Grey, 6 mm x 3 m, 08568						

### 3M™ Seam Sealer Tape

Get the factory grade appearance and function of typical sealers with 3M™ Seam Sealer Tape. Our sealer tape is a fast and easy alternative to liquid sealers without the need for spreading, shaping or drying. Designed for use with solvent based paints.

- Fast, effective means of duplicating the look and function of factory sealers
- Paint immediately, saving time and money on liquid sealers
- Rubber backed tape holds up under tough conditions, reducing rework



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000028969	08475	3M™ Seam Sealer Tape, 9.5 mm x 9.15 m, 08475						
7000028970	08476	3M™ Seam Sealer Tape, 22.2 mm x 9.15 m, 08476						

# Adhesives, Sealants & Applicators

## 3M™ Crack Seal Tape

3M™ Crack Seal Tape is a glassfiber tape to reinforce any repair using 2K liquid repair materials such as Plastic Repair Material.



- Easily apply tape
- Self adhesive
- Reinforce repair areas

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000110548	03020	3M™ Crack Seal Tape, 50 mm x 25 m 03020						

## 3M™ Strip-Caulk

Our 3M™ Strip-Caulk is a soft butyl rubber caulking material that quickly and permanently fills all types of seams, joints and openings – long-lasting auto body maintenance and repair in much less time.

- Permanently pliable material is ready to use for seams, joints and gaps
- Won't shrink or become brittle, ensuring seals and greatly reducing rework
- Fast, no-mess application - thumbs into place and smooths with a finger

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000028370	08578	3M™ Strip-Caulk, Black, 60 × 1 ft Strips, 08578						

## Repair Adhesives & Patches

### 3M™ Plastic Contour Sheet

Use 3M™ Plastic Contour Sheet to aid reconstruction of tabs and broken plastic lugs. Our sheet is easily removed – adhesives don't stick to it and has an easy release surface for moulding or shaping two part adhesives.



- A high performance roll of specialty film
- Get an easy release surface to moulding or shaping two part adhesives
- Remove with ease, adhesives don't stick to the sheet

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033784	04903	3M™ Plastic Contour Sheet, 127 mm x 3.6 m, 04903						
7000033784	04903	3M™ Plastic Contour Sheet, 127 mm x 3.6 m, 04903						

### 3M™ Flexible Plastic Patch

Repair automotive bumpers with 3M™ Flexible Plastic Patch. Our flexible plastic patch reinforces the inside of a two sided plastic repair where the damage has gone through the plastic. It needs no sanding for application and adhesion, and has no curing time delay to start a repair.



- Reinforce the backside of bumpers needing repair
- Get no cure time delay for fixing front side repair
- Use on plastics where a reinforcement is needed

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000080124	06396	3M™ Flexible Plastic Patch Adhesion Promotor Wipe, 06396						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Adhesives, Sealants & Applicators

## 3M™ Flexible Plastic Patch

Repair automotive bumpers with 3M™ Flexible Plastic Patch. Our flexible plastic patch reinforces the inside of a two sided plastic repair where the damage has gone through the plastic. It needs no sanding for application and adhesion, and has no curing time delay to start a repair.



- Reinforce the backside of bumpers needing repair
- Get no cure time delay for fixing front side repair
- Use on plastics where a reinforcement is needed

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000080128	06396	3M™ Flexible Plastic Patch Adhesion Promotor Wipe, 06396						
7000080126	06396	3M™ Flexible Plastic Patch Adhesion Promotor Wipe, 06396						
7000080127	06396	3M™ Flexible Plastic Patch Adhesion Promotor Wipe, 06396						
7000080200	05888	3M™ Flexible Plastic Patch Kit, 05888						
7000080202	05888	3M™ Flexible Plastic Patch Kit, 05888						
7000080201	05888	3M™ Flexible Plastic Patch Kit, 05888						
7000080198	05888	3M™ Flexible Plastic Patch Kit, 05888						
7000080199	05888	3M™ Flexible Plastic Patch Kit, 05888						

## 3M™ Plastic Re-enforcement Sheet

3M™ Plastic Repair Reinforcement Sheet is a mesh plastic material with is used with Plastic Repair adhesives to give additional strength to any repair area.



- Strong white mesh material
- For additional strengthening the backside of plastic repair
- Use with structural plastic repair adhesive

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000080056	04904	3M™ Plastic Re-enforcement Sheet, 04904						

## 3M™ Super Fast Repair Adhesive

Repair damaged automotive plastic parts with 3M™ Super Fast Repair Adhesive. Rebuild, reshape and bond all kinds of plastic. Our adhesive sets super fast, meaning there's no need for a separate accelerator.



- Rebuild, reshape and bond all kinds of plastic without running or sagging
- Repair damaged automotive plastic parts
- Has excellent wide gap filling capabilities

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100222742	04748	3M™ Super Fast Repair Adhesive, Black, 48.5 ml, 04748						
7100222843	04748	3M™ Super Fast Repair Adhesive, Black, 48.5 ml, 04748						
7100222835	04748	3M™ Super Fast Repair Adhesive, Black, 48.5 ml, 04748						
7100222836	55045	3M™ Super Fast Repair Adhesive, Clear, 48.5 ml, 55045						
7100222867	55045	3M™ Super Fast Repair Adhesive, Clear, 48.5 ml, 55045						
7100222866	55045	3M™ Super Fast Repair Adhesive, Clear, 48.5 ml, 55045						
7100224759	55045	3M™ Super Fast Repair Adhesive, Clear, 48.5 ml, 55045						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Adhesives, Sealants & Applicators

## 3M™ EZ Sand Flexible Parts Repair

The 3M™ EZ Sand Flexible Parts Repair is a two-part epoxy used to repair most flexible plastic parts, including bumper covers and other plastic body panels.

- Can be used to repair most of the plastic parts found on today's vehicles
- Repairs most flexible plastic parts, including bumper covers and other plastic body panels
- Can be used as a seam sealer over 2K primer



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045496	35887	3M™ EZ Sand Flexible Parts Repair, 47.3 ml, 35887						
7000080125	05887	3M™ EZ Sand Flexible Parts Repair, 200 ml, 05887						
7000080123	05887	3M™ EZ Sand Flexible Parts Repair, 200 ml, 05887						

## 3M™ Flexible Parts Repair Material

Repair most vehicle plastic parts with 3M™ Flexible Parts Repair Material. Our repair material is fast curing, flexible and easy to sand. It's easy to use, sag resistant and excellent for feather edging.

- Apply on front and back side plastic repairs
- Excellent feather edging
- Excellent sag resistance



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079939	05900	3M™ Flexible Parts Repair Material, 2 × 150 ml, 05900						
7000079937	05900	3M™ Flexible Parts Repair Material, 2 × 150 ml, 05900						
7000033805	05900	3M™ Flexible Parts Repair Material, 2 × 150 ml, 05900						
7000079938	05900	3M™ Flexible Parts Repair Material, 2 × 150 ml, 05900						
7100224386	05901	3M™ Flexible Parts Repair Material, 48.5 ml, 05901						
7100224687	05901	3M™ Flexible Parts Repair Material, 48.5 ml, 05901						

## 3M™ Fast Adhesive

Repair damaged automotive plastic parts with 3M™ Fast Adhesive. Rebuild, reshape and bond all kinds of plastic. Our adhesive sets very fast, meaning there's no need for a separate accelerator.

- For back and front side repair of plastic parts
- Repair damaged automotive plastic parts
- Has excellent wide gap filling capabilities



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100223465	34240	3M™ Fast Adhesive, 48.5ml, 34240						



# Adhesives, Sealants & Applicators

## Nozzles & Accessories

### 3M™ Dynamic Mixing System Nozzle

Mixing nozzle for 3M Dynamic Mixing System. Active mixing action completely blends materials, and its short length guarantees low waste. 3M's DMS nozzles deliver body repair products to the part faster than any manual applicator and static mixing nozzle combination.



- Blend materials without introducing air with the nozzles active mixing action
- Get low waste with nozzles short length
- Easily clip on and off cartridges

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034425	50601	3M™ Dynamic Mixing System Nozzle, for Filler Applications, Red, 50601						

### 3M™ Static Mixing Nozzle

3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Our static mixing nozzle is engineered for use with 3M cartridges and manual or pneumatic applicators.



- A high performance static mixing nozzle for use with manual and pneumatic applicators
- Nozzle efficiently mixes a variety of 3M two component adhesives, sealers and foams to the right ratio.
- Disposable nozzles and tubes for easy cleanup, no mixing and stirring tools to clean

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033776	08193	3M™ Static Mixing Nozzle, for 200 ml cartridges, 08193						

### 3M™ Nozzles for Flexible Parts Repair Material

3M™ Nozzles for Flexible Parts Repair Material are fine tipped nozzles that fit 50ml duo cartridges of FPRM. Our nozzles are used as spares which are quick and easy to replace.



- Transparent mixing nozzle
- For 50 ml duo-cartridges
- Fine tipped

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100224406	08198	3M™ Nozzles for Flexible Parts Repair Material, suitable for 05901 & 08122 products, 08198						

### 3M™ Nozzles for Manual Gun Kit

3M™ Nozzles for Manual Gun Kit are replacement nozzles for the 08987 gun for coatings/sealers application.

- Easy clean up
- Easy to replace
- For Coatings and sealer applications with the 08987 gun



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000095172	08988	3M™ Nozzles for Manual Gun Kit, 08988						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Adhesives, Sealants & Applicators

## 3M™ Nozzles for 50 ml cartridges

Use 3M™ Nozzles for 50 ml Cartridges for a well-mixed, ready to use product after equalisation. Our clear mixing nozzles fit into all 3M 50ml duo-cartridges and are designed to combine two component materials.

- Ensure a well-mixed, ready to use product after equalisation
- Clear design allows easy monitoring of progress
- Fits all 3M™ 50ml duo-cartridges




Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100224407	04908	3M™ Nozzles for 50 ml cartridges, suitable for 04748, 55045 & 34240 products, 04908						

## 3M™ Mixing Nozzle for 3M™ FC Epoxy Metal Filler

3M™ Mixing Nozzle for 3M™ FC Epoxy Metal Filler is a static mixing nozzle that is used with 3M™ FC Epoxy Metal Filler

- Directly apply filler onto repair
- Long enough to mix well, yet short to minimise waste
- Transparent design



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100172789	51875	3M™ Mixing Nozzle for FC Epoxy Metal Filler, 51875						

## 3M™ Disposable Paper Mixing Board

The 3M™ Disposable Paper Mixing Board is a clean solution for auto body professionals who regularly mix filler manually.

- Clean, non-porous surface won't contaminate body filler
- Non-soak paper means no transfer to floors or benches
- Sized for multiple mixes on one sheet



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100144396	20382	3M™ Disposable Paper Mixing Board, 20382						

## Dynatron™ 3 Pack Spreaders

Dynatron™ Spreaders are stiff, but flexible plastic spreaders ideal for filler application and spreading.

- Stiff but flexible
- Easy to clean
- Clean straight edge for easy handling



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045476	00358	3M™ Dynatron™ 3 Pack Spreaders, Yellow, 0358						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Adhesives, Sealants & Applicators

## Windshield Adhesives

### 3M™ Auto Glass Urethane Windshield Adhesive

Bond windscreens, side and rear windows with 3M™ Auto Glass Urethane Windshield Adhesive. Our urethane windshield adhesive is a range of one component polyurethane adhesives designed to cure quickly and allow a fast drive away time.



- A medium viscosity single component moisture curing urethane adhesive
- Designed for windshield bonding and stationary glass attachment
- Get fast drive away time

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033207	50318	3M™ Auto Glass Urethane Windshield Adhesive Kit, 310 ml, 50318						
7000074856	50319	3M™ Auto Glass Urethane Windshield Adhesive Kit, 415 ml, 50319						
7000077196	08603	3M™ Auto Glass Urethane Windshield Adhesive, 310 ml, Cartridge, 08603						
7000033365	08603	3M™ Auto Glass Urethane Windshield Adhesive, 310 ml, Cartridge, 08603						
7000077197	08603	3M™ Auto Glass Urethane Windshield Adhesive, 310 ml, Cartridge, 08603						
7000077203	08616	3M™ Auto Glass Urethane Windshield Adhesive, 415 ml, Sachet, 08616						
7000077198	08613	3M™ Auto Glass Urethane Windshield Adhesive, Fast Cure, 310 ml, Cartridge, 08613						
7000033366	08613	3M™ Auto Glass Urethane Windshield Adhesive, Fast Cure, 310 ml, Cartridge, 08613						
7000077199	08613	3M™ Auto Glass Urethane Windshield Adhesive, Fast Cure, 310 ml, Cartridge, 08613						
7000077206	08629	3M™ Auto Glass Urethane Windshield Adhesive, Fast Cure, 415 ml, Sachet, 08629						
7000033369	58015	3M™ Auto Glass Urethane Windshield Adhesive, HMLC, 310 ml, 58015						
7000077218	58015	3M™ Auto Glass Urethane Windshield Adhesive, HMLC, 310 ml, Cartridge, 58015						
7000077219	58015	3M™ Auto Glass Urethane Windshield Adhesive, HMLC, 310 ml, Cartridge, 58015						
7000077220	50681	3M™ Auto Glass Urethane Windshield Adhesive, HMLC, 415 ml, Sachet, 58015						

### 3M™ Windscreen Sealer

This 3M™ Windscreen Sealer is used for sealing between glass, windscreen rubber gaskets and car bodies when installing a rubber gasket windscreen.

- Excellent water and weather resistance
- Remains flexible permanently
- Easy clean-up



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079943	08509	3M™ Windscreen Sealer, Black, 310 ml, 08509						
7000033753	08509	3M™ Windscreen Sealer, Black, 310 ml, 08509						
7000079942	08509	3M™ Windscreen Sealer, Black, 310 ml, 08509						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Adhesives, Sealants & Applicators

## 3M™ Accessory for Glass Bonding

3M™ Accessory for Glass Bonding is a wire cord used to easily clean cut windscreen sealants.

- Easy to handle
- For windscreen replacement processes
- Cutting wire



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079864	08604	3M™ Accessory for Glass Bonding, Cutting Wire for Windscreen Removal, 10 m, 08604						

## 3M™ Windo-Weld™ Super Fast Urethane

3M™ Windo-Weld™ Super Fast Urethane securely bonds replacement auto glass to car bodies, including windshields, backlites and sidelites.

- Specialty adhesive bonds replacement windshields securely to auto bodies
- One-part urethane adhesive requires no mixing
- Fast-curing formula offers a 10 to 20 minute working time



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000028403	08609	3M™ Windo-Weld™ Super Fast Urethane, Black, 310 ml, Cartridge, 08609						

## Two Part Structural Adhesives

### 3M™ Panel Bonding Adhesive Kit

An innovative and cost-effective 2-part cartridge system for bonding replacement body panels, which comes supplied with applicator in a kit.

- A high performance two component epoxy adhesive
- Bonds a variety of steel, aluminum, SMC, and FRP (traditional fiberglass) non-structural components. Also use to reinforce welded or riveted structural components
- It can be spot welded through or used in conjunction with rivet bonds



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000080035	08115	3M™ Panel Bonding Adhesive Kit, 200 ml, 08115						

# Adhesives, Sealants & Applicators

## Instant Adhesives

### 3M™ Quick Fix Adhesive

3M™ Quick Fix Adhesive is a fast acting cyano-acrylate adhesive for fast adhesion of small parts.

- Super strong adhesion in seconds
- Bonds plastics, metals, glass and other impervious surfaces
- Resists temperature swings, shocks and cleaning agents



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000028588	08155	3M™ Quick Fix Adhesive, 30 ml, 08155						

## Solvent-based Adhesives

### 3M™ Neopren Clear Gel

3M™ Neopren Clear Gel is an neopren based adhesive. for bonding Rubber trim and other low density rubber type materials to itself or cleaned surfaces.

- Transparent
- Easy to use
- Gel consistency



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079961	08021	3M™ Neopren Clear Gel, 150 ml, 08021						
7000079852	08025	3M™ Neopren Clear Gel, 500 ml, 08025						





# Coatings & Fillers

# Coatings & Fillers

## Automotive Fillers & Repair

### 3M™ Dynamic Mixing System General Purpose Body Filler

A smooth, midweight, easy to sand, general purpose body filler in 3M™s unique DMS dispensing system for a wide range of applications and temperatures.

- Excellent adhesion to steel, galvanised or aluminium
- Mid weight filler, easy to sand
- Good filling properties



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100050738	51002	3M™ Dynamic Mixing System General Purpose Body Filler, 276 ml, 51002						

### 3M™ Dynamic Mixing System Heavy General Purpose Filler

A heavy-body general purpose body filler in 3M's unique DMS dispensing system for a wide range of applications and temperatures, best suited for deep dent filling, works well at warmer temperatures too.

- Excellent adhesion to steel, galvanised or aluminium
- Heavy weight, yet easy to spread and sand filler
- Good filling properties



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100050739	51003	3M™ Dynamic Mixing System Heavy General Purpose Filler, 276 ml, 51003						

### 3M™ Dynamic Mixing System Light General Purpose Filler

3M™ Dynamic Mixing System Light General Purpose Filler is a very smooth lightweight bodyfiller in a cartridge with hardener ready for use with 3M™ Dynamic Mixing System.

- Very smooth and creamy to spread
- Fast to cure, works well also at lower temperatures
- Lightweight - particularly easy to sand



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100055256	51004	3M™ Dynamic Mixing System Light General Purpose Filler, 276 ml, 51004						

### 3M™ Dynamic Mixing System Light General Purpose Filler - Long

3M™ Dynamic Mixing System Light General Purpose Filler is a very smooth lightweight bodyfiller in a cartridge with hardener ready for use with 3M™ Dynamic Mixing System. This filler has a longer open time, thus is ideal for higher temperatures or larger work areas.

- Very smooth and creamy to spread
- Lightweight - particularly easy to sand
- Longer open time - ideal for higher temperatures or larger work areas



# Coatings & Fillers

## 3M™ Dynamic Mixing System Light General Purpose Filler - Long

3M™ Dynamic Mixing System Light General Purpose Filler is a very smooth lightweight bodyfiller in a cartridge with hardener ready for use with 3M™ Dynamic Mixing System. This filler has a longer open time, thus is ideal for higher temperatures or larger work areas.

- Very smooth and creamy to spread
- Lightweight - particularly easy to sand
- Longer open time - ideal for higher temperatures or larger work areas



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100095688	51005	3M™ Dynamic Mixing System Light General Purpose Filler - Long, 276 ml, 51005						

## 3M™ General Purpose Body Filler

3M™ General Purpose Body Filler is a smooth, midweight, general purpose body filler for a wide range of applications and temperatures. It's easy to apply and spread, cures fast and is easy to sand.

- Works well with all mainstream paint systems
- Easy to spread
- Very easy to sand midweight filler



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000062767	51076	3M™ General Purpose Body Filler, 1 L, 51076						
7000062766	51076	3M™ General Purpose Body Filler, 1 L, 51076						
7000062771	51079	3M™ General Purpose Body Filler, 1.65 L, 51079						
7000062762	51073	3M™ General Purpose Body Filler, 3 L, 51073						

## 3M™ Heavy General Purpose Filler

Fill deep dents with 3M™ Heavy General Purpose Filler. Our Heavy General Purpose Filler is a smooth, heavyweight general purpose body filler that works with all mainstream paint systems and can be used for a range of applications and temperatures.

- Get a very easy to sand filler
- Use with all mainstream paint systems
- Easy to spread



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000062764	51075	3M™ Heavy General Purpose Filler, 1 L, 51075						
7000062770	51078	3M™ Heavy General Purpose Filler, 1.65 L, 51078						
7000062761	51072	3M™ Heavy General Purpose Filler, 3 L, 51072						

# Coatings & Fillers

## 3M™ Hardener for Body Filler

3M™ Hardener for Body Filler is a peroxide hardener and can be used with for most types of 3M Bodyfillers.

- Peroxide Hardener
- Usual mixing ratio with filler 2-3% by weight
- Available in tubes or cartridges to fit the filler system



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000062768	51077	3M™ Hardener for Body Filler, 40 g, 51077						
7000062772	51080	3M™ Hardener for Body Filler, 55 g, 51080						
7000062763	51074	3M™ Hardener for Body Filler, 100 g, 51074						

## 3M™ Plastic Filler

Use our 3M™ Plastic Filler as a more flexible alternative to standard polyester fillers, for bumpers and plastic materials. Our 2K polyester filler is supplied as a kit, including hardener. It's easily applied and cures to create a surface for easier and improved sanding.

- Easy to mix and to apply
- More flexible filler than standard polyester fillers
- Easy to sand



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000095200	51009	3M™ Plastic Filler, 0.5 kg can, 51009						
7000095220	51009	3M™ Plastic Filler, 0.5 kg can, 51009						

## 3M™ Aluminium Filler

3M™ Aluminium Filler is a heavy body metal containing polyester body filler, used with a peroxide hardener.

- Excellent to fill deep dents
- Use prior to body fillers or glaze
- Sands well



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000146308	51211	3M™ Aluminium Filler, 1 L, 51211						

## 3M™ FC Epoxy Metal Filler

3M™ FC Epoxy Metal Filler is a fast curing filler for all metall substrates (steel, alu...) to fill deeper dents, shape and modell structures of the surface and provide corrosion protection for welded seams.

- Lead-free alternative to tin soldering
- Ideal for modelling / forming difficult to access areas
- Excellent corrosion protection



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100157263	37455	3M™ FC Epoxy Metal Filler, 180 ml, 37455						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Coatings & Fillers

## 3M™ FC Epoxy Metal Filler

3M™ FC Epoxy Metal Filler is a fast curing filler for all metall substrates (steel, alu...) to fill deeper dents, shape and modell structures of the surface and provide corrosion protection for welded seams.

- Lead-free alternative to tin soldering
- Ideal for modelling / forming difficult to access areas
- Excellent corrosion protection



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100209383	37455	3M™ FC Epoxy Metal Filler, 180 ml, 37455						

## 3M™ Platinum™ Plus Glaze

3M™ Platinum™ Plus Glaze is a fine, easy to spread smooth finishing putty for cosmetic repair or as final step of the filler process.

- Can be sanded within 15 mins
- Stain and tack free
- Self-levelling formula



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045509	31180	3M™ Platinum™ Plus Glaze, 887 ml, 31180						
7100099841	31180	3M™ Platinum™ Plus Glaze, 887 ml, 31180						

## 3M™ Premium Glaze

3M™ Premium Glaze can fill small surface imperfections or sanding scratches, and reduce primer use. Our finishing glaze adheres well to most substrates and is ideal for the automotive aftermarket.

- Easy to spread
- Fast to cure
- Fill pinholes and sanding scratches



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100023685	51212	3M™ Premium Glaze Kit, 910 ml, 51212						

## 3M™ Acryl Putty

3M™ Acryl Putty are auto body repair putties designed with very easy sanding and fast drying characteristics for use in filling small pinholes and scratches.

- Fast drying
- Easy sanding
- Use for filling pinholes and scratches



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000094976	05423	3M™ Acryl Putty, Green Spot Putty, 200 g, 05423						
7000028276	05096	3M™ Acryl Putty, Green Spot Putty, 410 g, 05096						
7000045481	05098	3M™ Acryl Putty, Red Glazing Putty, 410 g, 05098						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Coatings & Fillers

## Foam Fillers

### 3M™ Flexible Foam

Two part urethane which foams in place; designed to replace flexible foams found in OEM applications such as trunks, door cavities, door skins, roof beams, etc.

- A high performance two component flexible urethane closed-cell foam
- Designed to replace flexible foams found in OEM anti-flutter applications such as intrusion beams, roof bows, hood webbing, etc
- 40 second work time



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100241758	08563	3M™ Flexible Foam, 200 ml Cartridge, 08463						
7100045768	08463	3M™ Flexible Foam, 200 ml, Cartridge, 08463						

## Corrosion Protection Coatings

### 3M™ Two Part Sprayable Sealer

Paint in 30 minutes after sealing with 3M™ Two Part Sprayable Sealer. Our clean, fast and simple sealer can be heated to speed up the curing process and has no shrinkage.

- Paint in 30 minutes after application of sealer
- Get a ripple effect by changing the angle of spray
- Use with PNO8801 Applicator gun



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000080108	08800	3M™ Two Part Sprayable Sealer, 250 ml, QL coating, 08800						
7000080130	08800	3M™ Two Part Sprayable Sealer, 250 ml, QL coating, 08800						

### 3M™ Two Part Solvent Based Coating

3M™ Two Part Solvent Based Coatings are protective catalyzed two-component polyurethane based fluid sealer / coatings. They can be sprayed or brushed.

- No Shrinkage
- Overpaintable
- High resistance to chipping



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000095227	08824	3M™ Two Part Solvent Based Coating, Beige, 1 kg, 08824						
7000095228	08825	3M™ Two Part Solvent Based Coating, Beige, 500 g, 08825						
7000095231	08828	3M™ Two Part Solvent Based Coating, Black, 1 kg, 08828						
7000095232	08829	3M™ Two Part Solvent Based Coating, Black, 500 g, 08829						
7000095229	08826	3M™ Two Part Solvent Based Coating, Grey, 1 kg, 08826						
7000095230	08827	3M™ Two Part Solvent Based Coating, Grey, 500 g, 08827						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Coatings & Fillers

## 3M™ Weld Thru II

Avoid costly come-backs and increase efficiency in the workshop, with 3M™ Weld Thru II. Apply our convenient aerosol coating to prevent corrosion between welded metal surfaces. Our coating keeps metal parts from degrading while resisting weld spatter. It dries in just five minutes, increasing productivity.

- Protect bare metal panels and parts from corrosion after welding
- Get a fast drying product before MIG welding for efficient work
- Convenient aerosol spray application



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100143564	50410	3M™ Weld Thru II Coating, 377 ml, 361 g, 50410						
7100143689	50410	3M™ Weld Thru II Coating, 377 ml, 361 g, 50410						

## Primers & Undercoats

### 3M™ Sound Deadening Coating

3M™ Sound Deadening Coating is a thick brushable coating used to reduce noise in cars.

- Heavy body coating
- Easy to apply by brush
- Black



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100232783	08803	3M™ Sound Deadening Coating, Black, 1 kg, 08803						

## Insulation

### 3M™ Sound Deadening Pad

Replicate sound deadening qualities of the OEM using 3M™ Sound Deadening Pad. Our pad suppresses road noise, sound system vibrations, rattles and other distracting sounds. The self-adhesive pad is easily cut to size and applied.

- Conformable pad quiets noise around trunks, door panels, hoods, floor pans and more
- Self-adhesive material is easy to install without any special tools
- Multi-purpose sound deadening mat reduces road noise, sound system vibrations, and rattles



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000043146	08840	3M™ Sound Deadening Pad, 500 mm x 500 mm, 08840						
7000091804	58000	3M™ Sound Deadening Pad, 500 mm x 500 mm, 58000						
7000091806	58003	3M™ Sound Deadening Pad, 500 mm x 500 mm, 58003						
7000091805	58001	3M™ Sound Deadening Pad, 500 mm x 500 mm, 59001						
7000091807	08840	3M™ Sound Deadening Pad, 500 mm x 500mm						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Coatings & Fillers

## Automotive Coatings

### 3M™ Cavity Wax Plus Applicator Wand Kit

3M™ Cavity Wax Plus Applicator Wand Kit allows automotive technicians to apply 3M™ Cavity Wax Plus (sold separately) in hard-to-reach places. The wand kit includes three tubes of varying lengths, which help auto body workers apply the protective coating in critical areas. The use of cavity wax is recommended when vehicles are repaired.



- Wand kit allows automotive technicians to apply cavity wax in hard-to-reach places
- Kit comes with three tube lengths for flexible delivery options
- Tubes deliver spray for more uniform protection

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100088894	8851WK	3M™ Cavity Wax Plus Applicator Wand Kit, 8851WK						

### 3M™ Cavity Wax Plus

3M™ Cavity Wax Plus is a non-hardening corrosion protective coating for bare or primed aluminum and steel automotive inner body panels and welded structural components. The material is designed to cover and seal interior joints, hem flanges and compromised e-coats where corrosion can form. Properly applied with the 3M™ Cavity Wax Plus Wand Kit, it remains pliable and will not chip, peel or crack.



- Corrosion protection for inner body panels, frame rails and structural enclosures
- Formulated for bare or primed automotive metals such as steel and aluminum
- Spray-on material provides consistent and uniform protection

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100081897	08852	3M™ Cavity Wax Plus, 500 ml, 08852						

### 3M™ Inner Cavity Wax

Get long lasting rust proofing with 3M™ Inner Cavity Wax.

3M™ Inner Cavity Wax – Amber will seep into gaps and along welded joints for excellent rust proofing. Use as an aerosol or with an applicator gun.

3M™ Inner Cavity Wax - Transparent has a heavy consistency and is usually used for engine compartment areas or where you like to protect accessible bare metal parts, i.e. use it for areas where capillary action is not required.



- Easy to use
- Quick to apply
- Convenient inner rust protection

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000110574	08911	3M™ Inner Cavity Wax, Amber, 1 L, 08911						
7100232713	08911	3M™ Inner Cavity Wax, Amber, 1 L, 08911						
7100232935	08911	3M™ Inner Cavity Wax, Amber, 1 L, 08911						
7100232708	08901	3M™ Inner Cavity Wax, Amber, 500 ml, 08901						
7100232709	08919	3M™ Inner Cavity Wax, Clear, 1 L, 08919						
7100232936	08919	3M™ Inner Cavity Wax, Clear, 1 L, 08919						
7000110578	08929	3M™ Inner Cavity Wax, Clear, 10 L, 08929						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Coatings & Fillers

## 3M™ Inner Cavity Wax

Get long lasting rust proofing with 3M™ Inner Cavity Wax.

3M™ Inner Cavity Wax – Amber will seep into gaps and along welded joints for excellent rust proofing. Use as an aerosol or with an applicator gun.

3M™ Inner Cavity Wax - Transparent has a heavy consistency and is usually used for engine compartment areas or where you like to protect accessible bare metal parts, i.e. use it for areas where capillary action is not required.

- Easy to use
- Quick to apply
- Convenient inner rust protection



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100232702	08909	3M™ Inner Cavity Wax, Clear, 500 ml, 08909						

## 3M™ Dry Guide Coat

Discover surface imperfections with 3M™ Dry Guide Coat. Our Dry Guide Coat requires no masking before use and has no dry time after application. It highlights defects such as pinholes in body filler and deep scratches in primer.

- Use to detect surface imperfections such as pinholes in body filler and deep scratches in primer
- Requires no masking
- Use for wet and dry sanding



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100010304	51362	3M™ Dry Guide Coat (2x) plus Applicator Kit, 51362						
7000034531	09651	3M™ Dry Guide Coat Applicator, 09651						
7000086677	09650	3M™ Dry Guide Coat, Black, 50 g, 09650						
7000034533	50416	3M™ Dry Guide Coat, Orange, 50 g, 50416						

## 3M™ Perfect-It™ Finish Control Spray

3M™ Perfect-It™ Finish Control Spray is a paint surface cleaner used to check on the progress of the polishing process.

- Aerosol spray
- To check progress inbetween compounding steps
- Remove remainders of compound



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100113682	55535	3M™ Perfect-It™ Finish Control Spray, 500 ml, 55535						

# Coatings & Fillers

## 3M™ Body Gard Flat Coating

3M™ Body Gard Flat Coating is a stone chip coating in an aerosol format with a flat finish.

- Excellent stone-chip resistance
- Quick drying
- Coating becomes tack free in 10-15 minutes



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000042439	08158	3M™ Body Gard Flat Coating, Black, 500 ml, 08158						
7100138681	08158	3M™ Body Gard Flat Coating, Black, 500 ml, 08158						
7100138723	08159	3M™ Body Gard Flat Coating, Grey, 500 ml, 08159						

## 3M™ Body Gard Textured Coating

Reproduce automotive manufacturers' stone chip finishes with 3M™ Body Gard Textured Coating. Our rubber based coating has excellent stone chip resistance and is available in black, white and grey. To get medium to heavy textures, just change the application method.

- Excellent stone-chip resistance
- Overpaint in 30 minutes
- Coating becomes tack free in 10-15 minutes



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100136342	08888	3M™ Body Gard Textured Coating, 500 ml, 08888						
7000033018	08868	3M™ Body Gard Textured Coating, Black, 1 kg, 08868						
7100227559	08868	3M™ Body Gard Textured Coating, Black, 1 kg, 08868						
7100227558	08868	3M™ Body Gard Textured Coating, Black, 1 kg, 08868						
7100226969	08879	3M™ Body Gard Textured Coating, Grey, 1 kg, 08879						
7100227109	08879	3M™ Body Gard Textured Coating, Grey, 1 kg, 08879						
7000095178	08873	3M™ Body Gard Textured Coating, Protective Coating, Black, 1 kg, 08873						
7100239806	08873	3M™ Body Gard Textured Coating, Protective Coating, Black, 1 kg, 08873						
7000095176	08874	3M™ Body Gard Textured Coating, Protective Coating, Grey, 1 kg, 08874						
7100241051	08874	3M™ Body Gard Textured Coating, Protective Coating, Grey, 1 kg, 08874						
7000095177	08875	3M™ Body Gard Textured Coating, Protective Coating, White, 1 kg, 08875						
7100241036	08875	3M™ Body Gard Textured Coating, Protective Coating, White, 1 kg, 08875						
7000091809	08871	3M™ Body Gard Textured Coating, Underbody Coating, Black, 1 kg, 08871						
7100241035	08872	3M™ Body Gard Textured Coating, Underbody Coating, Black, 2 kg, 08872						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Coatings & Fillers

## 3M™ Body Schutz Coating

Protect the underbody of vehicles from rust and road noise with 3M™ Body Schutz Coating. Our thick coating is an excellent one coat, asphalt based application with rust proofing and sound deadening properties.

- Flexible when dry
- Excellent one-coat coverage
- Touch dry in one hour



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100227333	08877	3M™ Body Schutz Coating, Aerosol, Black, 500 ml, 08877						
7100235847	08861	3M™ Body Schutz Coating, Underbody Coating, Textured, Black, 1L, 08861						
7100236254	08861	3M™ Body Schutz Coating, Underbody Coating, Textured, Black, 1L, 08861						

## 3M™ Spray Schutz Aerosol

Repair wheel arches and underbodies quickly with 3M™ Spray Schutz Aerosol. Our spray is a fast drying, rubberised protective coating for extra toughness and flexibility.

- Repair wheel arches and underbodies quickly
- Get a fast-drying, rubberised protective coating
- Use for extra toughness and flexibility



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100142595	08877	3M™ Spray Schutz Aerosol, 500 ml, 08877						

## 3M™ Waterbased Coating

3M™ Waterbased Coating is a waterbased paintable anti-chip coating designed to protect surfaces from corrosion and provide sound deadening.

- Fast dry within 30 minutes
- For solvent based and waterbased paint systems
- Middle - heavy structure



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000060224	08881	3M™ Waterbased Coating, Black, 1L, 08881						
7000060225	08881	3M™ Waterbased Coating, Black, 1L, 08881						
7000032194	08881	3M™ Waterbased Coating, Black, 1L, 08881						
7100097263	08881	3M™ Waterbased Coating, Black, 22 L, 08881						
7000060223	08882	3M™ Waterbased Coating, Grey, 1L, 08882						
7000060222	08882	3M™ Waterbased Coating, Grey, 1L, 08882						
7000032195	08882	3M™ Waterbased Coating, Grey, 1L, 08882						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Coatings & Fillers

## Accessories and Organisation

### 3M™ Wall dispenser for Body Filler

Accurately dispense body filler and hardener with 3M™ Wall Dispenser for Body Filler. Our robust wall mounted dispenser holds large (1.65 litre) cartridges and dispenses the exact required amount of filler and hardener, for mixing in the right ratio. Ratio can be adjusted as needed to fit body shop conditions.



- Adjust the hardener to filler ratio
- Dispense the amount needed with just one press
- Easy to mount cartridges

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000062777	51081	3M™ Wall dispenser for Body Filler, for 1.65 L cartridges, 51081						

### 3M™ Dynamic Mixing System Applicator Rack

Store the Dynamic Mixing System (DMS) applicator safely with 3M™ Dynamic Mixing System Applicator Rack. Our robust, metal rack can be mounted on a wall or a trolley.



- Robust metal construction
- Store Dynamic Mixing System (DMS) applicator safely
- Use to hold DMS applicator when not in use

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034443	50603	3M™ Dynamic Mixing System Applicator Rack, 50603						

### 3M™ Dynamic Mixing System Nozzle Rack

Store your 3M™ Dynamic Mixing Nozzles in the 3M™ Dynamic Mixing System Nozzle Rack. Our wire frame nozzle rack increases productivity by keeping the mixing nozzles within reach of body shop technicians.



- Keep replacement nozzles within easy reach
- Change location of rack when required with magnetic mounts
- Use dispenser box on rack to hold 3M™ Dynamic Mixing Nozzles

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034442	50602	3M™ Dynamic Mixing System Nozzle Rack, 50602						





# Cleaning Supplies

# Cleaning Supplies

## Cleaners

### 3M™ Glass Cleaner

3M™ Glass Cleaner restores clarity and puts the sparkle back into automotive glass. Our special formula resists streaking on all glass surfaces, including windows, windshields, mirrors and side glass. It is also gentle and safe to use on plastic, chrome and metal.

- Get a streak free finish on all glass surfaces
- Cut through stubborn residue on windshields and windows
- Use on all glass surfaces, including windshields, windows and mirrors



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000000457	08888	3M™ Car Care Glass Cleaner, 562 ml, 08888						
7000116744	08631	3M™ Glass Cleaner, 500 ml, 08631						

### 3M™ General Purpose Adhesive Cleaner

Remove adhesive, wax, grease, oil and tars with 3M™ General Purpose Adhesive Cleaner. Our adhesive cleaner is made from various solvents and is designed to quickly get rid of adhesives, silicone polish, wax, tar and oil from a surface.

- Quickly removes waxes, greases, oil and tars
- Use on cured automotive paint, vinyls and fabrics
- Remove light paint overspray



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079960	08984	3M™ General Purpose Adhesive Cleaner, 1 L, 08984						
7000033762	08984	3M™ General Purpose Adhesive Cleaner, 1 L, 08984						
7000079959	08984	3M™ General Purpose Adhesive Cleaner, 1 L, 08984						

### 3M™ Perfect-It™ Cleaner Clay

3M™ Perfect-It™ Cleaner Clay will safely remove over-spray and paint contaminants. This product can be used effectively on paint, glass and chrome when used with a water-based lubricant.

- Safely removes overspray and paint contaminants
- Use with water-based lubricants
- Effective on paint, glass and chrome



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034232	38070	3M™ Perfect-It™ Cleaner Clay, 200 g, 38070						

# Cleaning Supplies

## Cloths & Wipes

### 3M™ Paintshop Handwipes

Use 3M™ Paintshop Handwipes to quickly clean hands of wet and dry paints, grease, sealants, adhesive and oil. Our wipes are infused with a moisturiser to help protect skin.

- Removes most wet and dry paints, oils, sealants and adhesives
- Contains skin conditioner
- Double layered, textured material creates gentle scrubbing effect and excellent absorbency



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000083683	80347	3M™ Paintshop Handwipes, 100, 80347						

### 3M™ Perfect-It™ Polishing Wipe

Use 3M™ Perfect It™ Polishing Wipe with 3M™ Perfect It™ polishes, for wiping residual polish and compound from panels. Our polishing wipe is soft, supple and highly absorbent. It's low linting for static-free cleaning.

- Get static free wiping thanks to low linting wipe
- Wipe residual polish and compound from panels
- Tear resistant even when wet



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100198422	34568	3M™ Perfect-It™ Polishing Wipe, 320 mm x 400 mm, 34568						

### 3M™ Perfect-It™ Ultra Soft Cloth

Use our high performance 3M™ Perfect-It™ Ultra Soft Cloth to wipe away residue, dust, dirt and fingerprints, without leaving scratches. Use on a wide range of surfaces including glass, metal, chrome, vinyl and leather.

- Wipe away residues, dirt, dust and fingerprints quickly and easily
- Use a non-scratching low linting cloth
- Resistant to chemicals



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000032157	50486	3M™ Perfect-It™ Ultra Soft Cloth, Blue, High Performance, 50486						
7000032156	50400	3M™ Perfect-It™ Ultra Soft Cloth, Yellow, High Performance, 50400		Pieces				

### 3M™ Polish Rosa Ultra Soft Polishing Cloth

Use 3M™ Polish Rosa Ultra Soft Polishing Cloth with 3M Polish Rosa, to achieve a blemish and haze-free finish and an exceptional high gloss result.

- Use with 3M Polish Rosa
- Get a blemish and haze free result
- Microfibre cloth



# Cleaning Supplies

## 3M™ Polish Rosa Ultra Soft Polishing Cloth

Use 3M™ Polish Rosa Ultra Soft Polishing Cloth with 3M Polish Rosa, to achieve a blemish and haze-free finish and an exceptional high gloss result.



- Use with 3M Polish Rosa
- Get a blemish and haze free result
- Microfibre cloth

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000032158	50489	3M™ Polish Rosa Ultra Soft Polishing Cloth, Pink, 50489						

## 3M™ Professional Panel Wipes

3M™ Professional Panel Wipes are heavy duty, highly absorbent wipes for all tasks in the body and paint shop.

- Use strong wipes with excellent absorbency
- Apply to any heavy duty task thanks to super strength when wet or dry
- Get low-linting anti-static wipes



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100199278	34567	3M™ Professional Panel Wipes, 300 mm x 400 mm, 34567		Roll				

## 3M™ Tack Cloth

Remove dirt, lint, dust and sanding particles with 3M™ Tack Cloth. Our cloth is excellent for clean-up in the pre-painting process, working on a variety of materials including metal, plastic, fiberglass and wood. Even with repeated use, it stays soft and dry.

- Remove dirt, lint, dust and sanding particles
- Clean a wide variety of materials in the pre-painting process
- Get less adhesive transfer to the hands



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100200387	50401	3M™ Tack Cloth Aqua, 320 mm x 400 mm, 50401						
7000038363	09660	3M™ Tack Cloth, White, 320 mm x 400 mm, 09660						

## 3M™ Tack Pad

3M™ Tack Pad leaves no drag marks behind as dust is drawn into the tack pad. Our tack pads leave hands less sticky due to the reduction of adhesive transfer.

- Hands are less sticky due to the reduction of adhesive transfer
- Leaves no drag marks behind
- Smooth transition for spraying primers, base coat or clear coat paints



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100182426		3M™ Tack Pad, 115 mm x 280 mm, Type T						
7100193601		3M™ Tack Pad, 175 mm x 235 mm						

# Cleaning Supplies

## Cleaning Chemicals

### 3M™ Perfect-It™ Boat Wash

3M™ Perfect-It™ Boat Wash is an important first step in achieving a truly professional gelcoat finish. This high-suds formula works without stripping wax, removing grime, algae, dirt and other common marine contaminants to create a clean, clear surface for refinishing. In fact, it works on every boat surface from bow to stern.

- Use alone for general cleaning, or as the first step in 3M™ Perfect It™ gelcoat finishing system
- High-suds formula removes common marine debris without stripping wax from the surface
- Can be used on virtually all areas of boats from bow to stern, including hull and non-skid areas



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100094558	09035E	3M™ Perfect-It™ Boat Wash, 946 ml, 09035E						

## Industrial Hand Cleansers

### 3M™ Skin Care System

The 3M™ Skin Care System consists range of products suitable for all types of dirt removal and skin care in the work and paintshop.

- Skin care and hand cleaning product range for body and paint shop tasks
- Available in tubes or as refill packs for wall mountable dispenser
- Special hand cleaners such as for oil and grease removal or for paint and adhesive removal available



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000084677	50800	3M™ Skin Care System, Liquid Soap, 1.4 L, 50800						
7000084678	50801	3M™ Skin Care System, Oil & Grease Hand Cleaner, 1.4 L, 50801						
7000084679	50802	3M™ Skin Care System, Paint, Sealer & Adhesive Cleaner, 1.4 L, 50802						
7000034441	50371	3M™ Skin Care System, Paint, Sealer & Adhesive Cleaner, 250 ml, 50371						
7000084680	50803	3M™ Skin Care System, Protection & Care Cream, 1.4 L, 50803						
7000084687	50367	3M™ Skin Care System, Protection & Care Cream, 250 ml, 50367						
7000084681	50804	3M™ Skin Care System, Single Hand Cleaner Dispenser, 1.4 L, 50804						







# Paint Application Systems

# The smarter way to spray.

## Introducing the new 3M™ Performance Spray Gun

In the paint booth, time is everything. Which is why we reinvented the spray gun to keep up with the pace of today's modern painters. 3M™ Performance Spray Gun was designed specifically to deliver top-of-the-line performance with revolutionary replaceable nozzle technology that saves you time. Experience faster cleanup, faster changeovers and faster cycle times. Bringing you the best of 3M Science, all packed into the smartest, lightest spray gun in the world.



### Precision performance

Sprays a full range of high-performance automotive coatings with the highest transfer efficiency among leading HVLP spray guns.



### Cleans in seconds

Innovative quick-change replaceable nozzle technology means cleanup can be as simple as a twist and a wipe. And every time you put on a fresh nozzle, it's like getting a brand-new spray gun.



### Faster cycle times

Integrated system with 3M™ PPS™ Series 2.0 Spray Cups and replaceable nozzles delivers the fastest changeovers in the industry, which adds up to faster cycle times and more time in the zone.



### Lightest in the world


Made from an impact-resistant composite material, it's the lightest spray gun in the world. All to enhance your comfort without sacrificing performance or durability.

## Integrated Spray Cup System

**3M™ Performance Spray Gun integrates seamlessly with the 3M™ PPS™ Series 2.0 Spray Cup System.**

Over 20 years ago, 3M invented the original 3M™ PPS™ paint preparation system – the world's first disposable paint cup system, and a revolution in painting productivity and quality that was quickly adopted by painters all over the world.

PPS™ Series 2.0 has been redesigned six ways from the original PPS™ Spray Cup System to make painting easier, cleaner and better. A 4-point connection adds stability from the cup to the spray gun. A new lid locking system makes for easier cup assembly, and a domed lid helps eliminate sputter. A new hard cup is included in every PPS™ Series 2.0 Lid & Liner kit, and each cup features a clear access window for easier lid removal. A wide, flat sealing plug acts as a base for secure temporary sealing and protection of paint in the cup. It all adds up to the next evolution of the 3M™ PPS™ painting revolution. Don't settle for anything less.



### Connects to 3M Performance Spray Gun

Atomizing Heads connect directly to the lid without the need for separate adaptor.

### Domed Lid with Full-Diameter Filter

More paint below the filter improves flow and consistency, while reducing spitting from start to finish.

### Quarter-Turn Lid Locking System

Locks quickly and securely.

### New Cup in Every Lid and Liner Kit

Start with a clean cup more often, reducing paint buildup.

### Access Window

Allows you to hold the liner for cleaner, easier lid removal when refilling. Easier to check paint levels compared to the original PPS™ System.

### Large Sealing Plug

Allows you to seal and protect coatings upside down with greater stability when not in use. Use fewer lids by keeping filters wet.

# Why work harder when you can just work smarter?

## High Transfer Efficiency

To prove the superior transfer efficiency of the 3M™ Performance Spray Gun, we sent it to Fraunhofer Institute for Manufacturing and Automation IPA, Stuttgart, DE. They conducted transfer efficiency testing according to the DIN EN ISO 13 966-1 test method. Transfer efficiency equates to the amount of material (paint) effectively used on the job. A higher transfer efficiency rating means less material is wasted, which in turn could save you money. And it can mean a cleaner paint booth due to less overspray, which can also pose potential cross-contamination.


Fraunhofer tested the 3M™ Performance Spray Gun against a range of industry-leading premium spray guns. The results showed a high **78 % transfer efficiency** while spraying automotive base coat, exceeding the other leading metal spray guns tested.

The EN 13966-1 standard defines a reproducible laboratory procedure for transfer efficiency measurements. It is used by manufacturers to enable a reliable comparison of spraying equipment.

+ The 3M™ Performance Spray Gun falls within HVLP requirements up to an inlet pressure of 1.38 bar (Gravity fed).

## Spray Gun Transfer Efficiency\*

Tests conducted using PPG Envirobase with 1.3 mm nozzle with four of the leading metal spray guns.



\* Inlet pressure settings in line with HVLP+ requirements from each manufacturer. Transfer efficiency measured according to independent testing by Fraunhofer Institute, Germany.

## Replaceable Nozzles

The secret lives inside our advanced interchangeable nozzle technology. In six different sizes from 1.2 to 2.0, each HVLP atomizing head is optimized for consistent atomization and superior transfer efficiency.



Available in 6 sizes

▶ Change regularly for like-new performance

▶ Integrates with 3M™ PPS™ Series 2.0

▶ Sprays a full range of automotive coatings



Automotive Coatings	Red 2.0	Clear 1.8	Purple 1.6	Orange 1.4	Green 1.3	Blue 1.2
High Viscosity Coatings	■	■				
Sprayable Fillers	■	■				
High Build Primer		■	■	■		
Primer Surfacer		■	■	■		
Wet On Wet Primer				■	■	
Primer Sealer				■	■	
Direct Gloss				■		
Single Stage Top Coat				■		
Solvent Base Colour				■	■	
Clearcoat				■	■	■
Waterborne Base Coat					■	■

Painters have the freedom to explore and find their sweet spot. Too much paint? Move down one size. Too little? Move up.



## PERSONAL SAFETY

• Reusable Respirators with full face protection



• Reusable Coveralls



• Nitrile Gloves



### Requirements for Best Results and Quality



- ▶ Apply Dirt Trap Protection Film in order to keep a clean environment in the spray booth.
- ▶ Use 3M Aircare ACU-03 to obtain proper pressurized air.
- ▶ Use 3M Protective Coveralls to protect the operator and get a cleaner job.



### Determination of Color



- ▶ Use the 3M™ Perfect It™ Fast Cut Plus Extreme to remove paint and surface exposure for an accurate color matching.
  - ▶ If you are using the latest spectrometer technology, it is recommended to do an additional polishing step after 3M™ Perfect It™ Fast Cut Plus Extreme with 3M™ Perfect-It™ Ultrafina SE (blue cap).
- Tip: The creation of a personal colour library will make life easier for you in the future as you can reuse your own sprayout cards.



### 1 Mixing of Base Coat




- ▶ Different 3M™ PPS™ Series 2.0 sizes allow to fit the most common repairs in your shop.
  - ▶ By using 3M™ PPS™ Series 2.0 no additional mixing cup is needed.
  - ▶ As the filter is directly integrated to the 3M™ PPS™ Series 2.0 lid, no additional filtering stage is required.
- Note: Selecting the right format for your need will reduce the chance of overmixing of the base coat material.



### 2 Setup 3M™ Performance Spray Gun



- ▶ Pull the trigger back
- ▶ Making sure locking collar is in the “+ configuration”
- ▶ Slide the atomizing head over the fluid needle and push towards the spray gun body
- ▶ Secure the atomizing head by rotating the retainer ring, clockwise until the retainer ring tabs are locked in the “X configuration”
- ▶ HVLP max pressure line 1.38bar (20psi)
- ▶ The Operating Pressure Range line 0,5bar (7 psi) – 2.4 bar (35 psi) max



### 3 Base Coat Application




- ▶ Degrease the surface using paint company or other recommended product. Always follow the manufacturer's instructions.
- ▶ Cleaning the surface prior to base coat application with tack cloth.
- ▶ Always follow paint company recommendations regarding basecoat application process.
- ▶ When finished spraying, disconnect air line, invert gun and pull trigger to return excess paint to cup. Gently tap 3M™ PPS™
- ▶ Series 2.0 Lid and Liner on a surface to help break surface tension of liquid and allow it to ow back into liner.



### 4 Mixing of Clear Coat



- ▶ Different 3M™ PPS™ Series 2.0 sizes allow to fit the most common repairs in your shop.
- Note: Modern clear coat technologies needs mixing on demand, due to accelerate pot life! Select the right format for your need, reduces the chance of over applying the clear coat due to use material, which currently starts the reaction time!



### 5 Clear Coat Application




- ▶ Always follow paint company recommendations regarding clearcoat application process.
  - ▶ 3M™ PPS™ Series 2.0 reduces cleaning work considerably and lowers your solvent consumption clearly.
- Tip: Consult paint or solvent Safety Data Sheets (SDS) in addition to local regulations or authorities for safe use and proper disposal.



### 6 Cleaning 3M™ Performance Spray Gun



- ▶ Pull the trigger back
- ▶ Rotate the locking collar counter-clockwise and pull the atomizing head away from the gun body
- ▶ Clean the needle with a solvent cross linked cloth
- ▶ Simply put on the new nozzle and you're done
- ▶ 3M™ Performance Spray Gun. & PPS reduces cleaning work considerably and lowers your solvent consumption clearly



### 7 Forced Drying



- ▶ Please do observe the recommendations of your paint manufacturer concerning: object temperature & drying time.
- Note: The quality of drying has a positive influence on the later finishing properties of the surface. Forced drying accelerates the finish process and at the same time ensures an even drying of the paint. A clear coat, which has hardened evenly and well can be finished a lot easier.

## PERSONAL SAFETY

• Reusable Respirators



• Comfort Goggles



• Reusable Overall



• Nitrile Gloves



### Prepared Vehicle



- ▶ Vehicle roughly masked.
- ▶ Surface prepared for primer application.



3M™ Smooth Transition Tape



3M™ Soft Edge Foam Masking Tape PLUS

### Cleaning of the Surface



- ▶ Degrease the surface using paint company or other recommended product. Always follow the manufacturer's instructions.
- ▶ Cleaning the surface prior to primer application with tack cloth.



3M™ Tack Cloth



3M™ Professional Panel Wipes

### 1 Mixing Primer



- ▶ Different 3M™ PPS™ Series 2.0 sizes allow for on demand mixing of the primer.
  - ▶ By using 3M™ PPS™ Series 2.0 no additional mixing cup is needed. Refilling of the primer into the primer gun is not necessary.
  - ▶ As the filter is directly integrated to the 3M™ PPS™ Series 2.0 lid, no additional filtering stage is required.
- Tip: Always use the primer shade recommended by your paint manufacturer! 3M™ PPS™ Series 2.0 allows a quick change between different primer shades.



3M™ PPS™ Series 2.0 Spray Cup System Kit Large 850ml, Standard 650ml, Midi 400ml, Mini 200ml



3M™ PPS™ Series 2.0 UV Kit



3M™ PPS™ Lid & Liner Dispensers

### 2 Setup 3M™ Performance Spray Gun



- ▶ Pull the trigger back
- ▶ Making sure locking collar is in the "+ configuration"
- ▶ Slide the atomizing head over the fluid needle and push towards the spray gun body
- ▶ Secure the atomizing head by rotating the retainer ring, clockwise until the retainer ring tabs are locked in the "X configuration"
- ▶ HVLP max pressure line 1.38bar (20psi)
- ▶ The Operating Pressure Range line 0,5bar (7 psi) – 2.4 bar (35 psi) max



3M™ Performance Spray Gun



3M™ Performance Gravity HVLP Atomizing Heads 1.2,1.3,1.4,1.8, 2.0

### 3 Primer Application 1. Layer



- ▶ 3M™ PPS™ Series 2.0 allows for primer application from different angles without dripping.
- ▶ Edges and wheel arches can thus be coated safely.
- ▶ Always follow paint company recommendations regarding primer layer thickness.
- ▶ Modern primer technologies have reduced pot lives. Using freshly mixed primer with every application - avoids the possibility of subsequent shadow effects (curly Q's shows after solvent has fully evaporated) and - therefore considerably reduces the subsequent sanding work.



3M™ PPS™ Series 2.0 Midi, 400 ml



3M™ PPS™ Series 2.0 Mini 200 ml



3M™ PPS™ Lid & Liner Dispensers

### 4 Primer Application 2. Layer



- ▶ A clean gun guarantees a finer coating.
  - ▶ A finer coating ensures that the primer lays down flat.
  - ▶ This ensures a smoother primer. A smooth primer allows for time and work savings in the process of primer sanding.
  - ▶ 3M™ Performance Spray Gun & PPS™ Series 2.0 in primer application - an advantage for the next process step.
  - ▶ Always clean spray pattern with 3M™ Accuspray™.
- Note: Poor maintained primer gun = rough spray pattern.



3M™ PPS™ Series 2.0 Spray Cup System Kit Large 850ml, Standard 650ml, Midi 400ml, Mini 200ml



3M™ PPS™ Series 2.0 UV Kit



3M™ PPS™ Lid & Liner Dispensers

### 5 Cleaning 3M™ Performance Spray Gun



- ▶ Pull the trigger back
- ▶ Rotate the locking collar counter-clockwise and pull the atomizing head away from the gun body
- ▶ Clean the needle with a solvent cross linked cloth
- ▶ Simply put on the new nozzle and you're done
- ▶ 3M™ Performance Spray Gun & PPS reduces cleaning work considerably and lowers your solvent consumption clearly



3M™ Professional Panel Wipes PN 34567

### Forced Drying



- ▶ Always follow paint company recommendations on the following:
- ▶ Object temperature.
- ▶ Drying time.
- ▶ Distance of the heater from the object.
- ▶ The quality of drying influences the sanding properties of the primer. Forced drying accelerates the repair process and at the same time ensures an even drying of the primer. A primer that has hardened evenly and fully is a lot easier to sand.

# Paint Application Systems

## Sprayer Systems

### 3M™ Performance Spray Gun System with PPS™ 2.0

3M™ Performance Spray Gun is one of the first ever spray guns designed specifically to save you time while delivering top-of-the-line performance. Its integrated system includes quick-change replaceable atomizing heads and 3M™ PPS™ Series 2.0 Spray Cups, which makes for faster clean-up, changeovers and cycle times. Nozzles come in six sizes from 1.2 to 2.0 to spray a full range of high-performance automotive coatings with the high transfer efficiency, consistent atomization and large fan pattern you expect from a premium spray gun. Engineered from an impact-resistant composite material reinforced with stainless steel, 3M™ Performance Spray Gun is one of the lightest spray guns in the industry — all while maintaining the power and performance you expect as a professional painter.



- Precision spray performance with high transfer efficiency and large, adjustable fan pattern
- Faster clean up and change overs that can help improve your cycle times
- Quick-change, replaceable atomizing heads connect directly to 3M™ PPS™ Series 2.0 Spray Cup System

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100228461	26778	3M™ Performance Spray Gun System with PPS™ 2.0, 26778						

### 3M™ Performance Industrial Spray Gun System

Lightweight and easy to use, the 3M™ Performance Spray Gun was built for the industrial painter. Made from impact-resistant composite, it is one of the lightest spray guns in the industry, yet durable enough for demanding conditions. Its versatile design allows spraying from a pressurized source or a gravity cup. Replaceable nozzles from 1.1 to 2.0 allow you to spray a wide range of coatings.



- Lightweight, impact-resistant body made from advanced composite material
- Convert between pressure-fed whip hose and 3M™ PPS Series 2.0 Spray Cup System
- Quick-change, replaceable nozzles ranging from 1.1 to 2.0

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100228476	26878	3M™ Performance Industrial Spray Gun System, 26878						

### 3M™ Performance Spray Gun

Lightweight and easy to use, the 3M™ Performance Spray Gun was built for the modern painter. Capable of spraying a wide range of coatings from either a pressure-fed source or attached gravity cup, its impact-resistant composite body makes it one of the lightest spray guns available, yet it is durable enough for demanding industrial and automotive conditions.



- Lightweight, impact-resistant body made from advanced composite material
- Quickly converts between pressure-fed systems and gravity-fed 3M™ PPS™ Series 2.0 Spray Cup System
- Easy-change, replaceable nozzles range from 1.1 to 2.0

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100228462	26832	3M™ Performance Spray Gun, 26832						



# Paint Application Systems

## 3M™ Performance Gravity HVLP Atomizing Head Refill Kit

3M™ Performance Gravity HVLP Atomizing Heads are designed to deliver premium spray performance for coatings including paints, clear coats and topcoats. Replaceable nozzles are built exclusively for gravity feed applications with the 3M™ Performance Spray Gun System and 3M™ PPS™ Series 2.0 Spray Cup System, offering like-new spray performance with the change of each nozzle.



- Quick-change nozzles range from 1.2 to 2.0 for spraying a wide range of industrial and automotive coatings
- Like-new spray performance with each new atomizing head
- Use exclusively with the 3M™ Performance Spray Gun and 3M™ PPS™ Series 2.0 Spray Cup System

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100206004	26712	3M™ Performance Gravity HVLP Atomizing Head Refill Kit, Blue, 1.2, 26712						
7100206003	26718	3M™ Performance Gravity HVLP Atomizing Head Refill Kit, Clear, 1.8, 26718						
7100206008	26713	3M™ Performance Gravity HVLP Atomizing Head Refill Kit, Green, 1.3, 26713						
7100205981	26714	3M™ Performance Gravity HVLP Atomizing Head Refill Kit, Orange, 1.4, 26714						
7100205984	26716	3M™ Performance Gravity HVLP Atomizing Head Refill Kit, Purple, 1.6, 26716						
7100205982	26720	3M™ Performance Gravity HVLP Atomizing Head Refill Kit, Red, 2.0, 26720						

## 3M™ Performance Pressure HVLP Atomizing Head Refill Kit

3M™ Performance Pressure HVLP Atomizing Heads are designed to deliver excellent spray performance for coatings including stains, primers, base coats, topcoats, clear coats and adhesives. Replaceable nozzles are built exclusively for pressure-feed applications using the 3M™ Performance Spray Gun, offering like-new spray performance with the change of each nozzle.



- Quick-change nozzles in sizes 1.1, 1.4 and 1.8 for spraying a wide range of industrial and automotive coatings
- Nozzles attach to the spray gun and whip hose easily without the need for additional tools
- Like-new spray performance with each new atomizing head

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100206005	26818	3M™ Performance Pressure HVLP Atomizing Head Refill Kit, Clear, 1.8, 26818						
7100206006	26814	3M™ Performance Pressure HVLP Atomizing Head Refill Kit, Orange, 1.4, 26814						
7100206007	26811	3M™ Performance Pressure HVLP Atomizing Head Refill Kit, Yellow, 1.1, 26811						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Paint Application Systems

## 3M™ Performance Spray Gun Ball Valve

3M™ Performance Spray Gun Ball Valve is an accessory for the 3M™ Performance Spray Gun System configured as a pressure feed sprayer. The valve gives the spray gun operator the ability to stop the flow of paint from the pressure source (pot or pump) at the spray gun end of the supply hose. Recommended for use when the painter does not have easy access to the pressure source. Light and easy to use.

- Ball valve lets the painter stop fluid flow to spray gun
- Attaches between whip hose and supply hose in a pressure feed configuration
- Seals are compatible with both solvent-based and waterborne coatings



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100228103	26839	3M™ Performance Spray Gun Ball Valve, 26839						

## 3M™ Performance Spray Gun Pressure Whip

The 3M™ Performance Spray Gun Pressure Whip Hose connects to the 3M™ Performance Spray Gun for use in pressure feed applications. Provides a fast connection between the atomizing head and the pressurized paint supply hose. Securely fastens to the spray gun base for better balance and hose control. Can be used with optional ball valve to control paint from the pressure line.

- Helps quickly convert Performance Spray Gun between gravity and pressure fed systems
- Securely fastens to spray gun base for better balance and hose control
- Quick connection to 3M™ Performance Pressure HVLP Atomizing Heads for easy assembly or replacement



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100228105	26833	3M™ Performance Spray Gun Pressure Whip, 26833						

## 3M™ Performance Spray Gun Rebuild Kit

The 3M™ Performance Spray Gun Rebuild Kit provides the replacement parts needed for rebuilding the 3M™ Performance Spray Gun. Includes exterior replacement parts as well as all required interior seals, springs, screws and parts. Instruction manual provides specific details on how to rebuild.

- Includes everything needed to rebuild, including all fasteners
- Refresh trigger pull, needle, fan and fluid control with new springs and seals
- Use only with 3M™ Performance Spray Gun



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100228530	26840	3M™ Performance Spray Gun Rebuild Kit, 26840						

## 3M™ Performance Spray Gun Whip Pin

3M™ Performance Spray Gun Whip Pin is a replacement attachment pin for the 3M™ Performance Spray Gun Pressure Whip Hose. The clevis pins are used to secure the whip hose to the body of the 3M™ Performance Spray Gun. The connection helps give the painter additional control and helps prevent the atomizing head from twisting and unwanted stress.

- Pin securely attaches whip hose to 3M™ Performance Spray Gun
- Package contains 4 steel ball detent clevis pins
- Smooth steel construction inserts into and out of whip hose attachment bracket



# Paint Application Systems

## 3M™ Performance Spray Gun Whip Pin

3M™ Performance Spray Gun Whip Pin is a replacement attachment pin for the 3M™ Performance Spray Gun Pressure Whip Hose. The clevis pins are used to secure the whip hose to the body of the 3M™ Performance Spray Gun. The connection helps give the painter additional control and helps prevent the atomizing head from twisting and unwanted stress.



- Pin securely attaches whip hose to 3M™ Performance Spray Gun
- Package contains 4 steel ball detent clevis pins
- Smooth steel construction inserts into and out of whip hose attachment bracket

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100228107	26834	3M™ Performance Spray Gun Whip Pin, 26834						

## 3M™ Performance Spray Gun H/O Conversion Pack

Get more application control of heavy or texture coatings with our 3M™ Performance Spray Gun H/O Conversion Pack for the 3M™ Performance Spray Gun. When used with a 3M™ PPS™ Series 2.0 Type H/O Pressure Cup, this upgrade lets technicians spray thick, high-viscosity coatings with better control of texture, pattern size, and delivery rate than aerosol cans and Body Schutz guns.



- Upgrades 3M™ Performance Spray Gun to spray heavy, thick coatings using 3M™ PPS™ Series 2.0 H/O pressure cups.
- Provides excellent application control of heavy or texture coatings.
- Easy-to-install kit adds a port for connecting the pressure cup's air supply tube to the gun body.

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100244430	26837	3M™ Performance Spray Gun H/O Conversion Pack, 26837						

## 3M™ Performance Spray Gun Locking Collar

The unique 3M™ Performance Spray Gun Locking Collar helps ensure a solid connection between the 3M™ Performance Spray Gun and 3M™ Performance Atomizing Heads. The locking collar is easy to use, allowing for quick nozzle changes while switching between paints and coatings or for cleanup at the end of a job. The easy-grip tabs make it easier to turn the locking collar.



- Securely attaches 3M™ Performance Atomizing heads to 3M™ Performance Spray Gun
- Easy grip tabs for coupling and uncoupling of atomizing heads
- Built from a durable polymer material

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100228101	26835	3M™ Performance Spray Gun Locking Collar, 26835						

## 3M™ Performance Spray Gun Needle

The 3M™ Performance Spray Gun Needle is designed specifically for 3M™ Performance Spray Gun. Use this replacement needle when the existing spray gun needle is damaged, bent, the gun leaks through its nozzle, or as routine preventative maintenance.



- Specifically designed replacement part for 3M™ Performance Spray Gun
- Durable stainless steel construction resists wear, bending and damage
- Engineered to provide a leakproof seal when used with 3M™ Performance Spray Gun atomizing heads

# Paint Application Systems

## 3M™ Performance Spray Gun Needle

The 3M™ Performance Spray Gun Needle is designed specifically for 3M™ Performance Spray Gun. Use this replacement needle when the existing spray gun needle is damaged, bent, the gun leaks through its nozzle, or as routine preventative maintenance.



- Specifically designed replacement part for 3M™ Performance Spray Gun
- Durable stainless steel construction resists wear, bending and damage
- Engineered to provide a leakproof seal when used with 3M™ Performance Spray Gun atomizing heads

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100220927	26838	3M™ Performance Spray Gun Needle, 26838						

## 3M™ Performance Spray Gun O-Ring Kit

The 3M™ Performance Spray Gun O-Ring Kit contains a selection of replacement o-rings for the 3M™ Performance Spray Gun.



- Includes replacement o-rings
- Selection of ring sizes
- Used for routine maintenance of 3M™ Performance Spray Gun.

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100261169		3M Performance Spray Gun O-Ring Kit, 26841						

## 3M™ Accuspray™ ONE Spray Gun Kit

Our 3M™ Accuspray™ ONE Spray Gun Kit delivers the performance of a new spray gun, on demand and at a fraction of the cost. You'll find a full selection of Accuspray™ replaceable atomizing heads for a range of applications. A 1-piece composite Accuspray™ ONE Spray Gun body eliminates the need for maintenance kits. Also includes an air control valve.



- Durable, lightweight 1-piece composite spray gun body eliminates maintenance kits
- Complete selection of replaceable atomizing heads allows for a range of applications and fluid viscosities
- Air control valve helps regulate vertical or horizontal spray patterns

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100096182	16578	3M™ Accuspray™ ONE Spray Gun Kit, 16578						

## 3M™ Accuspray™ HGP Spray Gun Kit

An HVLP gravity pressurized spray gun, to be used with a pressurized H/O cup system to provide superior application of high viscosity coatings. Kit contains 1 each HGP spray gun and 4 atomizing heads - 2 each 1.8mm nozzles and 2 each 2.0mm nozzles.



- Provides the equivalent of a brand new Pressurized spray gun on demand for a fraction of the cost
- Kit contains 1 spray gun, 3 atomizing heads
- Use with 3M™ PPS™ Type H/O Mini Pressure Cup, PN 16121

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100137847	16587	3M™ Accuspray™ HGP Spray Gun Kit, 16587						

# Paint Application Systems

## 3M™ Accuspray™ HG14 Spray Gun

3M™ Accuspray™ Spray Gun System for applications requiring the use of a 1.4 mm atomizing head. The 3M™ Accuspray™ Spray Guns perform like a premium spray gun, without the premium price. It can also be used with 1.8 mm or 2.0 mm heads depending on the task at hand.



- Provides the equivalent of a brand new spray gun on demand for a fraction of the cost
- Increase productivity and lower coat usage
- Maximise the benefits of the 3M™ PPS™ System

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100021016	16577	3M™ Accuspray™ HG14 Spray Gun, 16577						

## 3M™ Accuspray™ Atomizing Head for PPS™ Series 2.0

The 3M™ Accuspray™ Atomizing Head for PPS™ Series 2.0 is an approved 3M replacement part to use with any 3M™ Accuspray™ Replaceable Nozzle Series Spray Gun. This product is only to be used with the 3M™ PPS™ Series 2.0 items.



- To be used with 3M™ PPS™ Series 2.0 items only
- Use on any application, such as wet on wet primer, primer surfacer, basecoat, topcoat, lacquer, adhesives and some coatings
- Apply with any 3M™ Accuspray™ Replaceable Nozzle Series Spray Gun

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100141417	26614	3M™ Accuspray™ Atomizing Head for PPS™ Series 2.0, 1.4 mm, Orange, 26614						
7100141416	26618	3M™ Accuspray™ Atomizing Head for PPS™ Series 2.0, 1.8 mm, Clear, 26618						
7100141414	26620	3M™ Accuspray™ Atomizing Head for PPS™ Series 2.0, 2.0 mm, Red, 26620						

## 3M™ Accuspray™ Atomizing Heads

3M™ Accuspray™ Atomizing Heads are designed specifically for use with 3M™ Accuspray™ Spray Guns. This selection of replaceable heads makes for the incredibly fast, efficient application of low-, medium- and high-viscosity materials from one gun. Technicians simply remove and replace the head for the performance of a new spray gun on demand. See-through heads are easily cleaned and reused. Not compatible with 3M™ PPS™ Series 2.0 items.



- Selection of replaceable atomizing heads for application of very low- to high-viscosity coatings
- Fast, simple head replacement – the performance of a brand new spray gun on demand
- See-through design makes it easy to see when the heads are clean

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100086806	16614	3M™ Accuspray™ Atomizing Heads, Green, 1.3 mm, 16614						
7100017731	16612	3M™ Accuspray™ Atomizing Heads, Orange, 1.4 mm, 16612						
7000045543	16609	3M™ Accuspray™ Atomizing Heads, Red, 2.0 mm, 16609						
7000000500	16611	3M™ Accuspray™ Atomizing Heads, Transparent, 1.8 mm, 16611						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Paint Application Systems

## 3M™ Accuspray™ Regulator and Air Flow Control Valve

3M™ Accuspray™ Regulator and Air Flow Control Valve is the air regulator to control/adjust the air pressure to any 3M™ Accuspray™ spray gun.



- Easy to use and set
- Control and adjust the air pressure on any 3M Accuspray spray gun
- Clear easy to read gauge

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100020510	16573	3M™ Accuspray™ Regulator and Air Flow Control Valve, 16573						

## 3M™ Accuspray™ Needle Kit

The 3M™ Accuspray™ Needle Kit is a genuine replacement part for 3M™ Accuspray™ Series 05 spray guns, designed to provide optimal performance in the delivery of automotive paint and finishing materials.



- Authorized 3M replacement part
- A vital part for consistent fluid delivery on 3M spray guns
- Kit restores optimal performance

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000071803	16571	3M™ Accuspray™ Needle Kit, 16571						

## 3M™ Conical Paper Filters

3M™ Conical Paper Filters are used to filter coarse particles out of liquids.



- Single use
- Easy handling
- Available in 125 my and 190 my mesh size

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000097470	50412	3M™ Conical Paper Filters, 125 μ, 50412						
7000097469	50411	3M™ Conical Paper Filters, 190 μ, 50411						

## 3M™ Lids for Mixing Cups

Clear plastic lids fitting the corresponding 3M Mixing cup size.



- Clear transparent material
- Round
- Variety of sizes to fit the mixing cups

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033085	50408	3M™ Lids for Mixing Cups, 1.55 L, 50408						
7000033086	50409	3M™ Lids for Mixing Cups, 2.3 L, 50409						
7000095187	50550	3M™ Lids for Mixing Cups, 120 ml, 50550						
7000033083	50406	3M™ Lids for Mixing Cups, 365 ml, 50406						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Paint Application Systems

## 3M™ Lids for Mixing Cups

Clear plastic lids fitting the corresponding 3M Mixing cup size.

- Clear transparent material
- Round
- Variety of sizes to fit the mixing cups



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033084	50407	3M™ Lids for Mixing Cups, 870 ml, 50407						

## 3M™ Mixing Cup

3M™ Mixing Cups are available for mixing and storing paint, primer and clear coats.

- Great for mixing and storing primer, paint or clear coats
- Printed ratio guide on cups
- Clear transparent material



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000095188	50549	3M™ Mixing Cup, 120 ml, 50549						
7000033081	50404	3M™ Mixing Cup, 1550 ml, 50404						
7000033082	50405	3M™ Mixing Cups, 2.3 L, 50405						
7000032397	50402	3M™ Mixing Cups, 365 ml, 50402						
7000033080	50403	3M™ Mixing Cups, 870 ml, 50403						

## 3M™ Spray Gun Kit

3M™ Spray gun kit for stonechip coating applications.

- No clean up system
- Useful for 2k coatings to obtain coarse textures
- Ideal for stone chip coatings



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000095171	08987	3M™ Spray Gun Kit, 08987						

## 3M™ Air Regulator

3M™ Air Regulator is a multi-purpose regulator recommended to be used with pneumatic guns .

- Robust construction
- Ideal for controlling air for seam sealer applications
- Recommended for Universal Seam Sealer Gun 08993



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000041356	08804	3M™ Air Regulator, 08804						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Paint Application Systems

## 3M™ Air-Line Fed Gun

3M™ Air-Line Fed Gun is an applicator gun for applying Undercoating and Stonechip coatings.

- Use for underbody and stonechip coatings
- Smooth application of coatings
- Use with 1 litre or 1 kilogram coating cans



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000041350	08996	3M™ Air-Line Fed Gun, Undercoating Spray Gun, 08996						

## 3M™ Air-powered Applicator Gun

Access hard to reach areas with a 3M™ Air-powered Applicator Gun. Our special robust metal applicator gun is designed for deep penetration of protective wax into cavities.

- Spray protective wax coatings into hard to reach areas
- Ideal tool for deep penetration of protective wax into cavities
- Robust metal construction



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000070302	08997	3M™ Air-powered Applicator Gun, Cavity Gun, 08997						

## Color Match Lightning

### 3M™ PPS™ Colour Check Light II Kit

Use 3M™ PPS™ Colour Check Light II Kit to replicate natural daylight. Our kit gives more accurate colour matching and choice of colour variants for paint work.

- Hand-held light source that replicates natural sunlight
- Reduce the chance of costly re-work or comebacks
- Increase cycle time and customer satisfaction



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000060307	16550	3M™ PPS™ Colour Check Light II Kit, 16550						

### 3M™ PPS™ Colour Check Light Battery

3M™ PPS™ Colour Check Light Battery is the recommended replacement battery for the 3M™ PPS™ Colour Check Light. Use 3M™ PPS™ Colour Check Light to create perfect daylight conditions every day of the year and accurate colour.

- Get perfect daylight conditions every day of the year
- Be certain of accurate colour matching
- Be more efficient in the workshop, saving time and money



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100197092	16398	3M™ PPS™ Colour Check Light Battery, NiCD, 16398						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Paint Application Systems

## 3M™ PPS™ Colour Check Light II Battery Chrgr with Pwr Supply & Cord

Use 3M™ PPS™ Colour Check Light II Battery Charger with Power Supply and Cord for a fast recharge of 3M™ PPS™ Colour Check Light II Battery, designed for 3M™ PPS™ Colour Check Light II Kit. Our light creates perfect daylight conditions inside the bodyshop for accurate colour matching.



- Get a faster recharging cycle – and more efficient bodyshop
- Save time and money in the workshop with accurate colour matching
- Comes with power supply and cord

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100193670	16556	3M™ PPS™ Colour Check Light II Battery Charger with Power Supply and Cord, 16556						

## 3M™ PPS™ Colour Check Light II Battery Pack

3M™ PPS™ Colour Check Light Battery II is the recommended replacement battery for the 3M™ PPS™ Colour Check Light II. Use 3M™ PPS™ Colour Check Light II to create perfect daylight conditions every day of the year and accurate colour.



- Features a new NiMH battery chemistry for longer run time between charging cycles
- Improved cycle charge time with new battery
- Not compatible with earlier versions of the 3M™ PPS™ Colour Check Light Kit

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000060308	16555	3M™ PPS™ Colour Check Light II Battery Pack, 16555						

## 3M™ PPS™ Colour Check Light II Spare Parts

3M™ PPS™ Colour Check Light II Spare Parts range consist of accessory spare part products specifically designed for the 3M™ PPS™ Colour Check Light II.



- Spare part range
- Suitable for Colour Check Light II
- Available: 50W replacement bulb

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100197133	16551	3M™ PPS™ Colour Check Light II Spare Parts, 50 W Bulb, PN16551						
7100197122	16552	3M™ PPS™ Colour Check Light II Spare Parts, Diffuser, PN16552						

# Paint Application Systems

## Spray Cup Systems

### 3M™ PPS™ Series 2.0 Kits

3M™ PPS™ Series 2.0 Kits is our next generation, highest performing disposable spray cup system for mixing/measuring, filtering, spraying in any direction (360° spray rotation) and protecting coatings not in use. Each lid and liner kit contains 50 disposable lids with integrated collars and full diameter filters, 50 disposable liners, 1 reusable hard cup and 32 sealing plugs.



- 3M's Cleanest Disposable Cup System: 3M™ PPS™ Series 2.0 is a complete disposable spray cup solution for mixing/measuring, filtering, and spraying
- A Cup Size for Every Repair: available in 4 sizes: Mini (200 ml), Midi (400 ml), Standard (650 ml) and Large (850 ml)
- Integrated locking collars on lids to help reduce paint build-up and possible contamination

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100128903	26740	3M™ PPS™ Series 2.0 Kits, Large, 850 ml, 125 μ, 26740						
7100128801	26024	3M™ PPS™ Series 2.0 Kits, Large, 850 ml, 200 μ, 26024						
7100128900	26312	3M™ PPS™ Series 2.0 Kits, Midi, 400 ml, 125 μ, 26312						
7100128901	26112	3M™ PPS™ Series 2.0 Kits, Midi, 400 ml, 200 μ, 26112						
7100128800	26752	3M™ PPS™ Series 2.0 Kits, Mini, 200 ml, 125 μ, 26752						
7100128904	26114	3M™ PPS™ Series 2.0 Kits, Mini, 200 ml, 200 μ, 26114						
7100128799	26030	3M™ PPS™ Series 2.0 Kits, Standard, 650 ml, 80 μ, 26030						
7100128796	26026	3M™ PPS™ Series 2.0 Kits, Standard, 650 ml, 125 μ, 26026						
7100128905	26000	3M™ PPS™ Series 2.0 Kits, Standard, 650 ml, 200 μ, 26000						

### 3M™ PPS™ Series 2.0 Type H/O Pressure Cup

3M™ PPS™ Series 2.0 Type H/O (High Output) Pressure Cup is a pressurized hard cup that supports and holds the disposable 3M™ PPS™ Series 2.0 Lids & Liners, offering the advantages and benefits of this innovative product.



- Use to support 3M™ PPS™ Series 2.0 Lids & Liners for the 3M™ PPS™ Type H/O Pressure Cup System
- Get also for protective coatings the benefits of working with the 3M™ PPS™ Series 2.0 System
- Great for a variety of materials from liquid to highly viscous (thick).

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100191753	26124	3M™ PPS™ Series 2.0 Type H/O Pressure Cup, Large, 26124						
7100202755	26121	3M™ PPS™ Series 2.0 Type H/O Pressure Cup, Midi, 26121						

### 3M™ PPS™ Series 2.0 Cups

3M™ PPS™ Series 2.0 hard cup that supports and holds the 3M™ PPS™ Series 2.0 flexible liner.



- A Cup Size for Every Repair: 3M™ PPS™ Series 2.0 Spray Cup System is available in 4 sizes: Mini (200 ml), Midi (400 ml), Standard (650 ml) and Large (850 ml)
- Re-useable hard cups feature clear windows to make refilling easier by grasping liner while removing lid
- The window also helps identify how much material is left while spraying. It provides a vertical view to help ensure uniform mixing of materials, great for metallics & pearls

# Paint Application Systems

## 3M™ PPS™ Series 2.0 Cups

3M™ PPS™ Series 2.0 hard cup that supports and holds the 3M™ PPS™ Series 2.0 flexible liner.

- A Cup Size for Every Repair: 3M™ PPS™ Series 2.0 Spray Cup System is available in 4 sizes: Mini (200 ml), Midi (400 ml), Standard (650 ml) and Large (850 ml)
- Re-useable hard cups feature clear windows to make refilling easier by grasping liner while removing lid
- The window also helps identify how much material is left while spraying. It provides a vertical view to help ensure uniform mixing of materials, great for metallics & pearls



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100134388	26023	3M™ PPS™ Series 2.0 Cups, Large, 850 ml, 26023						
7100134611	26122	3M™ PPS™ Series 2.0 Cups, Midi, 400 ml, 26122						
7100134394	26115	3M™ PPS™ Series 2.0 Cups, Mini, 200 ml, 26115						
7100134300	26001	3M™ PPS™ Series 2.0 Cups, Standard, 650 ml, 26001						

## 3M™ PPS™ Series 2.0 Lids

These replacement lids fit 3M™ PPS™ Series 2.0 liners and cups. Case contains 50 lids with 200 or 125 micron filters.

- Integrated locking collars on lids help reduce paint build-up and possible contamination
- Improved Fluid Flow & Quality: New domed Standard/Large lid design allows for up to 90 ml of material to be held below the filter and lets you spray filtered material on demand, reducing inconsistent spray due to air-entrapment and sputter
- A wider fluid spout and a full-diameter filter for the highest quality filtration



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100134612	26205	3M™ PPS™ Series 2.0 Lids, Midi and Mini, 125 μ, 26205						
7100134285	26204	3M™ PPS™ Series 2.0 Lids, Midi and Mini, 200 μ, 26204						
7100134286	26199	3M™ PPS™ Series 2.0 Lids, Standard and Large, 125 μ, 26199						
7100134284	26200	3M™ PPS™ Series 2.0 Lids, Standard and Large, 200 μ, 26200						

## 3M™ PPS™ Series 2.0 Adapter

3M™ PPS™ Series 2.0 Adapter converts paint spray guns for use with the 3M™ Paint Preparation System (PPS™) Series 2.0.

- The newly designed 3M™ PPS™ Series 2.0 Adapter provides a four-point connection and a wider 360° platform to ensure a stable, reliable lid-to-spray-gun connection
- Enhanced Cup-to-Spray Gun Stability
- Stainless steel adapter offers exceptional durability



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100116972	26032	3M™ PPS™ Series 2.0 Adapter, Type S-2, 26032						
7100116970	26033	3M™ PPS™ Series 2.0 Adapter, Type S-3, 26033						
7100135830	26005	3M™ PPS™ Series 2.0 Adapter, Type S-4, 26005						
7100145003	26035	3M™ PPS™ Series 2.0 Adapter, Type S-5, 26035						
7100117060	26036	3M™ PPS™ Series 2.0 Adapter, Type S-6, 26036						
7100150735	26038	3M™ PPS™ Series 2.0 Adapter, Type S-8, 26038						
7100117057	26039	3M™ PPS™ Series 2.0 Adapter, Type S-9, 26039						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Paint Application Systems

## 3M™ PPS™ Series 2.0 Adapter

3M™ PPS™ Series 2.0 Adapter converts paint spray guns for use with the 3M™ Paint Preparation System (PPS™) Series 2.0.



- The newly designed 3M™ PPS™ Series 2.0 Adapter provides a four-point connection and a wider 360° platform to ensure a stable, reliable lid-to-spray-gun connection
- Enhanced Cup-to-Spray Gun Stability
- Stainless steel adapter offers exceptional durability

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100135927	26017	3M™ PPS™ Series 2.0 Adapter, Type S-10, 26017						
7100135943	26022	3M™ PPS™ Series 2.0 Adapter, Type S-12, 26022						
7100117058	26044	3M™ PPS™ Series 2.0 Adapter, Type S-14, 26044						
7100135334	26046	3M™ PPS™ Series 2.0 Adapter, Type S-15, 26046						
7100135934	26102	3M™ PPS™ Series 2.0 Adapter, Type S-16, 26102						
7100135829	26105	3M™ PPS™ Series 2.0 Adapter, Type S-21, 26105						
7100135925	26119	3M™ PPS™ Series 2.0 Adapter, Type S-27, 26119						
7100117067	20480	3M™ PPS™ Series 2.0 Adapter, Type S-31, 26480						
7100116946	20458	3M™ PPS™ Series 2.0 Adapter, Type S-32, 20458						
7100117041	20573A	3M™ PPS™ Series 2.0 Adapter, Type S-40A, 20573A						
7100117068	20587	3M™ PPS™ Series 2.0 Adapter, Type S-41, 20587						
7100116971	20677	3M™ PPS™ Series 2.0 Adapter, Type S-43, 20677						

## 3M™ PPS™ Series 2.0 UV Kit

3M™ PPS™ Series 2.0 UV Kit is a black, non transparent version of 3M™ PPS™ Series 2.0 Standard Kit, designed for UV light curing materials.



- Block UV light from sensitive materials
- Measure, mix, filter and spray with ease
- Get black lids, liners and sealing plugs

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100128906	20730	3M™ PPS™ Series 2.0 UV Kit, Standard, 650 ml, 125 µ, 20730						
7100128902	26710	3M™ PPS™ Series 2.0 UV Kit, Standard, 650 ml, 200 µ, 26710						

## 3M™ PPS™ Spray Gun Holder

Keep your spray guns safe when not in use with 3M™ PPS™ Spray Gun Holder. Our tidy holder keeps them safe and conveniently to hand. They are a worthwhile accessory designed to hold one, two or four spray guns.



- Put spray gun in safe place
- Get within easy reach
- Reduce upkeep costs with less damage and maintenance

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000032309	16025	3M™ PPS™ Spray Gun Holder, 16025						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Paint Application Systems

## 3M™ PPS™ Dispenser

Organise your workspace and keep it neat with 3M™ PPS™ Dispenser. The 3M™ PPS™ Paint Preparation System

Dispenser is a wall mounted storage unit, which allows easy access to well stored new liners / lids. It is suitable for all sizes of lids and liners of 3M™ PPS™ and 3M™ PPS™ Series 2.0 products.



- Dispenses supplies for the 3M™ PPS™ Paint Preparation System
- Top-loading access for reloading supplies
- Keeps supplies clean, neat, organized and free from contamination

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100042072	16299	3M™ PPS™ Dispenser, for Large, Standard, Midi Lids, 16299						
7100041780	16219	3M™ PPS™ Dispenser, for Large, Standard, Midi Liners, 16219						
7100042777	16298	3M™ PPS™ Dispenser, for Mini Lids & Liners, 16298						

## 3M™ PPS™ Lid & Liner Kits

3M™ PPS™ Lid & Liner Kits (first version - not compatible with 3M™ PPS™ Series 2.0 items) each contain disposable lids with welded-in filters to strain paint material while spraying, along with liners and sealing plugs for use with the 3M™ PPS™ Paint Preparation System. Kits are available in four sizes for a range of jobs from large to small. 3M™ PPS™ Paint Preparation System is a complete painting system that allows the painter to measure, mix, filter and spray paint materials.



- Designed and only for use with 3M™ PPS™ items. Not compatible with 3M™ PPS™ Series 2.0 items.
- Kits contain disposable lids with micron filters, liners and sealing plugs
- Available for 3M™ PPS™ Cups & Collars in four sizes from 180 ml up to 850 ml for jobs ranging from spot repairs to large repairs

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100067466	16740	3M™ PPS™ Lid & Liner Kits, Large, 850 ml, 125 µ, 16740						
7100067538	16024	3M™ PPS™ Lid & Liner Kits, Large, 850 ml, 200 µ, 16024						
7100069190	16312	3M™ PPS™ Lid & Liner Kits, Midi, 400 ml, 125 µ, 16312						
7100068959	16112	3M™ PPS™ Lid & Liner Kits, Midi, 400 ml, 200 µ, 16112						
7100067513	16752	3M™ PPS™ Lid & Liner Kits, Mini, 170 ml, 125 µ filter, 16752						
7100067512	16114	3M™ PPS™ Lid & Liner Kits, Mini, 170 ml, 200 µ filter, 16114						
7100067560	16026	3M™ PPS™ Lid & Liner Kits, Standard, 650 ml, 125 µ, 16026						
7100062884	16000	3M™ PPS™ Lid & Liner Kits, Standard, 650 ml, 200 µ, 16000						

## 3M™ PPS™ Cup & Collar

Use our hard 3M™ PPS™ Cup & Collar range to support and hold 3M™ PPS™ flexible liners in the Paint Preparation System (PPS™). It's available in four sizes and allows the painter to measure, mix filter and spray paint materials easily.



- Hard cups and collars support liners for the 3M™ Paint Preparation System, PPS™
- 3M™ PPS™ is an all-in-one disposable solution for measuring, mixing, filtering, and spraying of paint materials
- System enables the painter the ability to consistently spray at 90° to the part, no matter the part orientation (even upside down)

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Paint Application Systems

## 3M™ PPS™ Cup & Collar

Use our hard 3M™ PPS™ Cup & Collar range to support and hold 3M™ PPS™ flexible liners in the Paint Preparation System (PPS™). It's available in four sizes and allows the painter to measure, mix filter and spray paint materials easily.



- Hard cups and collars support liners for the 3M™ Paint Preparation System, PPS™
- 3M™ PPS™ is an all-in-one disposable solution for measuring, mixing, filtering, and spraying of paint materials
- System enables the painter the ability to consistently spray at 90° to the part, no matter the part orientation (even upside down)

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
700000642	16023	3M™ PPS™ Cup & Collar, Large, 850 ml, 16023						
7100074890	16023	3M™ PPS™ Cup & Collar, Large, 850 ml, 16023						
7100074613	16122	3M™ PPS™ Cup & Collar, Midi, 400 ml, 16122						
7100074725	16115	3M™ PPS™ Cup & Collar, Mini, 170 ml, 16115						
7100003286	16001	3M™ PPS™ Cup & Collar, Standard, 650 ml, 16001						
7100074831	16001	3M™ PPS™ Cup & Collar, Standard, 650 ml, 16001						

## 3M™ PPS™ Adapter

3M™ PPS™ Adapter converts paint spray guns for use with the 3M™ Paint Preparation System (PPS™). Specifically designed adapters, allows Painters to use the PPS™ with virtually any spray gun model. To use this adapter, remove the existing spray gun cup. Then simply thread the correct PPS™ adapter into the Spray Gun.



- Adapter converts typical spray guns into ones that work with the 3M Paint Preparation System (PPS™)
- Specifically designed adapters, allows Painters to use the PPS™ with virtually any spray gun
- Stainless Steel adapter offers exceptional durability

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034249	16032	3M™ PPS™ Adapter, Type 2, 16032						
7000034250	16033	3M™ PPS™ Adapter, Type 3, 16033						
7000083620	16034	3M™ PPS™ Adapter, Type 4, 16034						
7000083621	16035	3M™ PPS™ Adapter, Type 5, 16035						
7000034251	16036	3M™ PPS™ Adapter, Type 6, 16036						
7000083622	16037	3M™ PPS™ Adapter, Type 7, 16037						
7000045758	16015	3M™ PPS™ Adapter, Type 8, 16015						
7000083623	16038	3M™ PPS™ Adapter, Type 8, Four-way, 16038						
7000034253	16039	3M™ PPS™ Adapter, Type 9, 16039						
7100003288	16017	3M™ PPS™ Adapter, Type 10, 16017						
7000034254	16042	3M™ PPS™ Adapter, Type 12, 16042						
7000083625	16043	3M™ PPS™ Adapter, Type 13, 16043						
7000034255	16044	3M™ PPS™ Adapter, Type 14, 16044						
7000045759	16053	3M™ PPS™ Adapter, Type 14, 16053						
7000045760	16046	3M™ PPS™ Adapter, Type 15, 16046						
7000043152	16742	3M™ PPS™ Adapter, Type 16, 16742						
7000045761	16105	3M™ PPS™ Adapter, Type 21, 16105						
7000045762	16106	3M™ PPS™ Adapter, Type 22, 16106						
7000118473	16119	3M™ PPS™ Adapter, Type 27, 16119						
7000084247	50480	3M™ PPS™ Adapter, Type 31, 50480						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Paint Application Systems

## 3M™ PPS™ Adapter

3M™ PPS™ Adapter converts paint spray guns for use with the 3M™ Paint Preparation System (PPS™). Specifically designed adapters, allows Painters to use the PPS™ with virtually any spray gun model. To use this adapter, remove the existing spray gun cup. Then simply thread the correct PPS™ adapter into the Spray Gun.



- Adapter converts typical spray guns into ones that work with the 3M Paint Preparation System (PPS™)
- Specifically designed adapters, allows Painters to use the PPS™ with virtually any spray gun
- Stainless Steel adapter offers exceptional durability

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000084191	50458	3M™ PPS™ Adapter, Type 32, 50458						
7000034487	5073A	3M™ PPS™ Adapter, Type 40A, 5073A						
7000034387	50578	3M™ PPS™ Adapter, Type 41, 50578						
7000084572	50677	3M™ PPS™ Adapter, Type 43, 50677						
7000083912	16757	3M™ PPS™ Adapter, Type 47, Four-way, 16757						
7000083735	16754	3M™ PPS™ Adapter, Type 48, 16754						

## 3M™ PPS™ Refillable Kit

Use 3M™ PPS™ Refillable Kit as a refillable version of 3M™ PPS™ Standard Kit to quickly and easily refill paint without removing cup and liner from gun.



- Efficiently refill paint without removing cup and liner from gun
- Comes with a 200 µ filter
- For 125 µ process needs, please use the additional drop-in filter (extra)

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100083560	16743	3M™ PPS™ Refillable Kit, 650 ml, 200 µ, 16743						

## 3M™ PPS™ UV Kit

3M™ PPS™ UV Kit is a black, non transparent version of 3M™ PPS™ Standard Kit, designed for UV light curing materials.



- Block UV light from sensitive materials
- Measure, mix, filter and spray with ease
- Get black lids, liners and sealing plugs

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100067511	50730	3M™ PPS™ UV Kit, Standard, 650 ml, 125 µ, 50730						

## 3M™ PPS™ Type H/O Pressure Cup for 3M™ Accuspray Gun

3M™ PPS™ Type H/O (High Output) Pressure Cup is a pressurized hard cup and collar that supports and holds the disposable 3M™ PPS™ Lids & Liners.



- Use to support PPS lids & liners for the PPS Pressure Cup System
- Achieve various coating textures easily
- Get also for protective coatings the benefits of working with the PPS System

# Paint Application Systems

## 3M™ PPS™ Type H/O Pressure Cup for 3M™ Accuspray Gun

3M™ PPS™ Type H/O (High Output) Pressure Cup is a pressurized hard cup and collar that supports and holds the disposable 3M™ PPS™ Lids & Liners.



- Use to support PPS lids & liners for the PPS Pressure Cup System
- Achieve various coating textures easily
- Get also for protective coatings the benefits of working with the PPS System

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000119668	16124	3M™ PPS™ Type H/O Pressure Cup for 3M™ Accuspray Gun, Large, 16124						
7000119727	16121	3M™ PPS™ Type H/O Pressure Cup for 3M™ Accuspray Gun, Mini, 177 ml, 16121						

## 3M™ PPS™ Type V Lid & Cup Kits

3M™ PPS™ Type V Lid & Cup Kits features disposable vented cups and lids for collision repair professionals who prefer vented systems for paint prep and spray. The kits contain 50 cups and lids and are available in 2 sizes (Standard with 700 ml volume cups and Midi with 400 ml volume cups). Pre-assembled valve assemblies and lids with pre-welded filters reduce setup time.



- For professional painters who prefer vented paint cups
- Midi 400 ml size is ideal for spot, 1-panel and 2+-panel repairs
- Standard 700 ml size is ideal for most 3+-panel repairs

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100231267	16352	3M™ PPS™ Type V Lid & Cup Kits, Midi Size Lids & Vented Cups, 400 ml, 125 µ filters, 16352						
7100231270	16152	3M™ PPS™ Type V Lid & Cup Kits, Midi Size Lids & Vented Cups, 400 ml, 200 µ filters, 16152						
7100231271	16360	3M™ PPS™ Type V Lid & Cup Kits, Standard Size Lids & Vented Cups, 700 ml, 125 µ filters, 16360						
7100231272	16160	3M™ PPS™ Type V Lid & Cup Kits, Standard Size Lids & Vented Cups, 700 ml, 200 µ filters, 16160						

## 3M™ PPS™ Type V Cups

3M™ PPS™ Type V Cups features disposable vented cups for the 3M™ PPS™ Type V System, ideal for collision repair professionals who prefer vented systems for paint prep and spray. The cups are available in 2 sizes (Standard with 700 ml volume and Midi with 400 ml volume). Pre-assembled valve assemblies reduce setup time.



- For professional painters who prefer vented paint cups
- Midi 400 ml size is ideal for spot, 1-panel and 2+-panel repairs
- Standard 700 mL size is ideal for most 3+-panel repairs

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100231266	16156	3M™ PPS™ Type V Cups, Midi Size Cups, 400 ml, 16156						
7100230031	16166	3M™ PPS™ Type V Cups, Standard Size Cups, 700 ml, 16166						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Paint Application Systems

## 3M™ PPS™ Type V Lids

3M™ PPS™ Type V Lids feature disposable lids for the 3M™ PPS™ Type V System, ideal for collision repair professionals who prefer vented systems for paint prep and spray. The lids are available with 2 filter sizes - 125 micron, recommended for waterbased paints and 200 micron. The 3M™ PPS™ Type V Lids fit both cups sizes (400 ml and 700 ml). Pre-welded filters reduce setup time.



- For professional painters who prefer vented paint cups
- Connect with a suitable 3M™ PPS™ adapter to the chosen paint gun or directly to any 3M™ Accu-spray™ gun.
- Lids feature pre-welded 200 micron for solventborne or 125 micron filters for waterborne paint systems

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100231613	16364	3M™ PPS™ Type V Lids, Standard-Midi Size Lids, 125 μ filters, 16364						
7100231582	16164	3M™ PPS™ Type V Lids, Standard-Midi Size Lids, 200 μ filters, 16164						

## 3M™ PPS™ Type V Accessories

3M™ PPS™ Type V Accessories features useful additional parts such as spare sealing plugs for the 3M™ PPS™ Type V System. This system is ideal for collision repair professionals who prefer vented systems for paint prep and spray. The sealing plugs fit any size of 3M™ PPS™ Type V Kits.



- For professional painters who prefer vented paint cups
- Sealing plugs fit any size of 3M™ PPS™ Type V Lids
- Securely close 3M™ PPS™ Type V Lids for storing and sealing unused paint.

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100106365	16432	3M™ PPS™ Type V Accessories, Sealing Plugs, Any Size, 16432						







# Finishing Products

## PERSONAL SAFETY

• Comfort Particle Mask P3



• Hearing Protection



• Comfort Goggles



• Reusable Overall



• Safety Gloves



### Sanding Spot Defects



- ▶ Denib with 3M™ Finesse-it™ Trizact™ film disc, 32mm grade 3000 on denib tool.



466LA Trizact™ A5 Discs 3000



3M™ Mini Orbital Sander, Air Pressure



- ▶ Refine scratches with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 8000, 75mm on orbital sander.



3M™ Trizact™ Fine Finishing Disc 8000



Festool LEX 3 77

### Sanding Area Defects



- ▶ Sand the area with 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, grade P1500 - P2000.



3M™ Hookit™ 260L+



Festool LEX 3 150/3



Festool Interface-Pad



- ▶ Refine scratches with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 3000, 150 mm on orbital sander.
- ▶ Refine scratches with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 8000, 150 mm on orbital sander.



3M™ Trizact™ Fine Finishing Disc 3000



3M™ Trizact™ Fine Finishing Disc 8000

### Polishing




- ▶ Add a small amount of 3M™ Perfect-It™ 1-Step Finish Material to a purple foam pad on the rotary polisher.
- ▶ Polish in an overlapping pattern with rotary speed: 600 - 1400 rpm.
- ▶ When polishing always try to keep the pad flat on the surface to avoid jumping. Reduce pressure towards the end of the compounding stage to enable easy clean up.


Note: The softer the coating, the lower the temperature and thus the RPM needs to be.




3M™ Perfect-It™ 1-Step Finishing Material



3M™ Perfect-It™ Hookit Convoluted Purple Polishing Foam Pad



3M™ Perfect-It™ Quick Connect Double Sided Purple Convoluted Polishing Foam Pad



3M™ Perfect-It™ Pink High Performance Ultra Soft Cloth Microfiber



Festool SHINEX RAP 150

### Control



- ▶ Should sanding scratches from the first polishing step still be visible after controlling the surface, please repeat polishing step!

Note: It's important to ensure that you remove all sanding scratches at this stage, in order to avoid their reappearance at the end of the polishing process.



3M™ Perfect-It™ Finish Control Spray



3M™ Professional Panel Wipes


### Fine Polishing




- ▶ Re-Polish the area to ensure a high gloss finish is achieved, with no additional compound onto the foam needed.
- ▶ Polish area and surrounding in an overlapping pattern with rotary speed 600 - 1400 rpm.
- ▶ Keep the polishing pad flat on the surface to ensure an even appearance and glossy finish, reducing pressure towards the end of the polishing step.
- ▶ Wipe off any excess polish and inspect area - most colours are fine now.
- ▶ For critical colours (very dark or black) - remove the holograms with 3M™ Perfect-It™ Ultrafina SE Compound and blue polishing pads.




3M™ Perfect-It™ 1-Step Finishing Material



3M™ Perfect-It™ Hookit Convoluted Purple Polishing Foam Pad



3M™ Perfect-It™ Quick Connect Double Sided Purple Convoluted Polishing Foam Pad



3M™ Perfect-It™ Pink High Performance Ultra Soft Cloth Microfiber

## PERSONAL SAFETY

• Comfort Particle Mask P3



• Hearing Protection



• Comfort Goggles



• Reusable Overall




• Safety Gloves



### Sanding Spot Defects



- Denib with 3M™ Finesse-it™ Trizact™ film disc, 32mm grade 3000 on denib tool.




466LA Trizact™ A5 Discs 3000



3M™ Mini Orbital Sander, Air Pressure



- Scratch refinement with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 6000, 75mm on orbital sander.



3M™ Trizact™ Fine Finishing Disc 6000, 75mm



Festool LEX 3 77 Festool IAS-Adapter for Lex 2/3

### Sanding Area Defects



- Sand the area with 3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, grade P1500 - P2000.



3M™ Hookit™ 260L+




Festool LEX 3 150/3




Festool Interface-Pad



- Sand the area with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 3000, 150mm on orbital sander.
- Scratch refinement with 3M™ Trizact™ Fine Finishing Disc 443SA, grade 6000, 150 mm on orbital sander.



3M™ Trizact™ Fine Finishing Disc 3000, 150mm



3M™ Trizact™ Fine Finishing Disc 6000, 150mm

### Polishing Step




- Add a small amount of 3M™ Perfect-It™ Fast Cut Plus Extreme onto the green foam pad on the rotary polisher.
- Polish in an overlapping pattern with rotary speed: 600-1400 rpm
- When polishing always try to keep the pad flat on the surface to avoid jumping. Reduce pressure towards the end of the compounding stage to enable easy cleanup.

Note: The softer the coating, the lower the temperature and thus the RPM needs to be.




3M™ Perfect-It™ Fast Cut Plus Extreme




3M™ Perfect-It™ Quick Connect Double Sided Flat Green Polishing Pad



3M™ Perfect-It™ Quick Connect Double Sided Convuluted Green Polishing Pad



3M™ High Performance Cloth



Festool SHINEX RAP 150

### Control



- Should sanding scratches from the first polishing step still be visible after controlling the surface, please repeat polishing step!

Note: It is important to ensure that you remove all sanding scratches at the stage, in order to avoid their reappearance at the end of the polishing process.



3M™ Perfect-It™ Finish Control Spray




3M™ Professional Panel Wipes

### Fine Polishing Step



- Change foam to a yellow foam and add small amount of 3M™ Perfect-It™ Extra-Fine Plus onto the pad.
- Polish area and surrounding in an overlapping pattern with rotary speed 600-1400 rpm
- Processing: keep polishing foam flatly on the surface for glossy finish, reduce pressure towards end of the polishing step.
- Wipe off any excess polish and inspect area - most colours are fine now.



3M™ Perfect-It™ Extra Fine PLUS



3M™ Perfect-It™ Quick Connect Double Sided Convuluted Yellow Polishing Pad




3M™ Perfect-It™ High Performance Cloth

### Hologram Removal (Optional)



- Add 3M™ Perfect-It™ Ultrafina SE onto the blue foam pad on the rotary polisher.
- Processing: - polish with reduced speed - moving in an overlapping pattern covering generously the whole area.
- Wipe off polish residues with the extra - soft 3M™ Perfect-It™ High Performance Blue Cloth Ultrafina polishing cloth to avoid generating new micro scratches on the surface.


Tip: Always keep the polishing foam wet (using polish), as this delivers a more even coat of polish on the surface and will prevent the generation of the micro scratches from a dry pad.



3M™ Perfect-It™ Ultrafina SE



3M™ Perfect-It™ Quick Connect Double Sided Convuluted Blue Polishing Pad



3M™ Perfect-It™ High Performance Cloth



# Finishing Products

## Polishing Compounds

### 3M™ Perfect-It™ Fast Cut Plus Extreme

3M™ Perfect-It™ Fast Cut Plus Extreme is a fast cutting abrasive liquid compound designed to quickly remove sanding scratches after flattening or denibbing process with 3M 260L P1500 then Trizact 3000. Use with green pad of the 3M™s colour coded compound range.

- Exceptional fast cut-rate performance
- 20% to 25% less product required than standard Fast Cut + / XL to polish the same area.
- Get a superior high gloss finish



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100136343	51815	3M™ Perfect-It™ Fast Cut Plus Extreme, 1 kg, 51815						
7100138236	51815	3M™ Perfect-It™ Fast Cut Plus Extreme, 1 kg, 51815						
7100247802	51818	3M™ Perfect-It™ Fast Cut Plus Extreme, 250 g, 51818						

### 3M™ Perfect-It™ Fast Cut Compound

Use 3M™ Perfect It™ Fast Cut Compound to remove sanding scratches after flattening or denibbing processes (with 3M 260L P1200 / P1500 or 3M Microfine 1500 / 2000 wet sanding paper).

- Use a fast, easy apply and clean up compound
- Get fast, effective action
- Achieve a fine, high gloss finish in combination with a finer follow-up compound



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100064760	09374	3M™ Perfect-It™ Fast Cut Compound, 1 kg, 09374						
7000038014	09374	3M™ Perfect-It™ Fast Cut Compound, 1 kg, 09374						
7100266279	09374	3M™ Perfect-It™ Fast Cut Compound, 1 kg, 09374						
7100222053	09374	3M™ Perfect-It™ Fast Cut Compound, 1 kg, 09374						
7100094080	09374	3M™ Perfect-It™ Fast Cut Compound, 250 g, 09374						
7100094410	09374	3M™ Perfect-It™ Fast Cut Compound, 250 g, 09374						

### 3M™ Perfect-It™ Gelcoat Heavy Cutting Compound

3M™ Perfect-It™ Gelcoat Heavy Cutting Compound restores the lustrous beauty of boats by eliminating oxidation, scratches, scuff marks and other surface blemishes from gelcoat. Our fastest-cutting product for gelcoat, this compound removes P600 and finer scratches and leaves a high gloss finish ideal for cutting polish and wax.

- 3M's fastest-cutting gelcoat formula for removing heavy oxidation and P600 scratches
- Formula provides longer wet time for extended product life and easier cleanup
- Suitable for all gelcoat surfaces including marine, RV and industrial



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100085986	36102E	3M™ Perfect-It™ Gelcoat Heavy Cutting Compound, 946 ml, 36102E						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Finishing Products

## 3M™ Perfect-It™ Gelcoat Medium Cutting Compound + Wax

3M™ Perfect-It™ Gelcoat Medium Cutting Compound + Wax combines medium cutting power with durable wax for professional-grade one-step gelcoat compounding. It removes major defects and scratches P1000 or finer, and leaves a glossy wax finish that helps protect against weathering and may not require polishing.

- 3M's fast-cutting gelcoat formula for removing oxidation and scratches of P1000 or finer
- Can be used to cut, polish and wax in one step, reducing time and expense
- Formula provides longer wet time for extended product life and easier cleanup



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100094557	36106E	3M™ Perfect-It™ Gelcoat Medium Cutting Compound + Wax, 946 ml, 36106E						
7100274870	36106E	3M™ Perfect-It™ Gelcoat Medium Cutting Compound + Wax, 946 ml, 36106E						

## Fine Polishing Compounds

### 3M™ Perfect-It™ 1-Step Finishing Material

3M™ Perfect-It™ 1-Step Finishing Material is a high-performance, fast-cutting finishing material designed to remove 3M™ Trizact™ 8000 and finer scratches providing a 1-Step finish on most colours. It provides the cut of a compound and the swirl-free finish of a polish.

- Easily remove 3M™ Trizact™ 8000 scratches and leave a brilliant finish
- After 3M™ Trizact™ 8000, it provides a 1-Step finish on most colours
- Wetter formulation allows for longer work time without drying



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100193753	33039	3M™ Perfect-It™ 1-Step Finishing Material, 1 kg, 33039						
7100194285	33039	3M™ Perfect-It™ 1-Step Finishing Material, 1 kg, 33039						
7100255510	33040	3M™ Perfect-It™ 1-Step Finishing Material, 250 g, 33040						
7100255509	33040	3M™ Perfect-It™ 1-Step Finishing Material, 250 g, 33040						

### 3M™ Perfect-It™ Extra Fine Plus Compound

3M™ Perfect-It™ Extra Fine Plus Compound is a fine finishing compound designed specifically for modern scratch resistant clear coat paint systems.

- Remove fine sanding and coarser compound scratches
- Use to remove orange peel
- Designed for standard 2K paints



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100072586	80349	3M™ Perfect-It™ Extra Fine Plus Compound, 1 L, 80349						
7100224682	80349	3M™ Perfect-It™ Extra Fine Plus Compound, 1 L, 80349						
7100094054	80349	3M™ Perfect-It™ Extra Fine Plus Compound, 250 ml, 80349						
7100094081	80349	3M™ Perfect-It™ Extra Fine Plus Compound, 250 ml, 80349						
7100266278	80349	3M™ Perfect-It™ Extra Fine Plus Polish, 1 L, 80349						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Finishing Products

## 3M™ Perfect-It™ Famous Finish

3M™ Perfect It™ Famous Finish is a specifically developed polishing system to obtain shiny results on all standard and new high-connected clear coat systems.



- Removes all standard paint defects in 2 short polishing steps without the necessity to use further polishing materials
- Low Time Consumption due to intuitive Application
- Time and Cost Savings due to Avoidance of Pad- or Material changes

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100225047	51677	3M™ Perfect-it™ Famous Finish, 1 kg, 51677						
7100225048	51677	3M™ Perfect-it™ Famous Finish, 1 kg, 51677						

## 3M™ Perfect-It™ Ultrafina SE Polish

Use 3M™ Perfect-It™ Ultrafine SE Polish with our machine polishers, for an exceptional high gloss finish to vehicles – no swirl marks or holograms. Designed for use as the final stage of our colour code process, to help you achieve the ultimate final finish, and fast clean up afterwards.



- Get an exceptional high gloss blemish-free finish
- Quick and Easy Clean up
- Use a minimal sling, good handing product

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100072690	50383	3M™ Perfect-It™ Ultrafina SE Polish, 1 L, 50383						
7100224683	50383	3M™ Perfect-It™ Ultrafina SE Polish, 1 L, 50383						
7100094056	50383	3M™ Perfect-It™ Ultrafina SE Polish, 250 ml, 50383						
7100094055	50383	3M™ Perfect-It™ Ultrafina SE Polish, 250 ml, 50383						
7100020598	50383	3M™ Perfect-It™ Ultrafine Polish, 1 L, 50383						
7100266277	50383	3M™ Perfect-It™ Ultrafine Polish, 1 L, 50383						

## 3M™ Perfect-It™ Fine Compound

3M™ Perfect-It™ Fine Compound is a fast acting, less aggressive compound sharing the same 3M formulation chemistry as 3M™ Perfect-It™ Fast Cut Compound and is a great second step product after the more aggressive Fast Cut Compound.



- Use an easy to use, versatile product chosen by professionals
- Gives a high gloss finish
- Easy to clean off surfaces

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100064962	09375	3M™ Perfect-It™ Fine Compound, 1 L, 09375						
7000038023	09375	3M™ Perfect-It™ Fine Compound, 1 L, 09375						
7100095151	09375	3M™ Perfect-It™ Fine Compound, 1 L, 09375						
7100268129	09375	3M™ Perfect-It™ Fine Compound, 1 L, 09375						
7100094059	09375	3M™ Perfect-It™ Fine Compound, 250 ml, 09375						
7100094065	09375	3M™ Perfect-It™ Fine Compound, 250 ml, 09375						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Finishing Products

## 3M™ Perfect-It™ Machine Polish

Use 3M™ Perfect-It™ Machine Polish with 3M™ Perfect-It™ Foam Polishing Pads, to quickly remove compound swirl marks and achieve a high gloss finish. Our high performance polish is easy to use and ensures cleaning up is quick and efficient.



- High performance polish
- Designed to remove compound swirl marks and other minor surface defects
- Good handling, easy cleanup

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100056086	09376	3M™ Perfect-It™ Machine Polish, 1L, 09376						
7100072587	09376	3M™ Perfect-It™ Machine Polish, 1L, 09376						
7100095152	09376	3M™ Perfect-It™ Machine Polish, 1L, 09376						
7100268128	09376	3M™ Perfect-It™ Machine Polish, 1L, 09376						

## 3M™ Polish Rosa

Apply 3M™ Polish Rosa by hand or machine, for an exceptional blemish-free, deep gloss shine and lasting wax protection and finish.

Our polish won't discolour any black rubber parts. You'll get perfect clean-up, in small or large areas. A must-have for any vehicle cleaning or restoration kit.



- Silicone Polymer wax for high gloss and lasting protection
- Exceptional clean off whether working on large or small areas
- Work efficiently with easy clean-up in small or large areas

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034295	80345	3M™ Polish Rosa, 1L, 80345						
7100064845	80345	3M™ Polish Rosa, 1L, 80345						
7000083978	80345	3M™ Polish Rosa, 1L, 80345						
7000083979	80345	3M™ Polish Rosa, 1L, 80345		Bottle				
7000083980	80345	3M™ Polish Rosa, 1L, 80345						
7000084008	80345	3M™ Polish Rosa, 1L, 80345						

## 3M™ Perfect-It™ Finishing Glaze

Use 3M™ Perfect It™ Finishing Glaze for a high gloss and lasting protective shine on refinish or original paint surfaces finished by 3M™ Perfect It™ Paint Finishing System. Apply our glaze by hand with a soft wipe, or for more efficiency, by machine with a dual action sander.



- Get durable shining protection of fresh and original paint surfaces
- Easy to use manually or by machine
- High lustre

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100095154	09377	3M™ Perfect-It™ Finishing Glaze, 1L, 09377						
7100095153	09377	3M™ Perfect-It™ Finishing Glaze, 1L, 09377						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Finishing Products

## 3M™ Prep and Blend Liquid

Efficiently prepare new and refinished paint surfaces, with 3M™ Prep and Blend Liquid. Our unique blend of scuffing and cleaning liquid removes many different contaminants all in one go – grease, wax, resins and silicones. It leaves a uniform, matte finish.

- Use a fast application cleaning agent
- Efficiently remove grease, waxes, resins and silicones
- Get a uniform, matte finish



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100095708	09308	3M™ Prep and Blend Liquid, 0.5 kg, 09308						
7100095763	09308	3M™ Prep and Blend Liquid, 0.5 kg, 09308						

## 3M™ Scuff-it™ Matt Gel

3M™ Scuff-it™ Matt Gel is an advanced scuffing and cleaning gel used in the final stage of preparation prior to paint spraying.

- Degreases, cleans and scuffs in a single process
- Water-based formula
- Complete abrasion for optimum paint adhesion



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000083442	50018	3M™ Scuff-it™ Matt Gel, 700 g, 50018						
7000034342	50018	3M™ Scuff-it™ Matt Gel, 700 g, 50018						
7000083441	50018	3M™ Scuff-it™ Matt Gel, 700 g, 50018						
7000083440	50018	3M™ Scuff-it™ Matt Gel, 700 g, 50018						

## 3M™ Perfect-It™ Gelcoat Light Cutting Polish + Wax

3M™ Perfect-It™ Gelcoat Light Cutting Polish + Wax is formulated to quickly remove light to medium oxidation, light scratches, swirl marks and other minor defects from gelcoat. This compound removes scratches of P1500 or finer, and leaves a polished wax finish without swirls even in difficult dark-colored gelcoats.

- 3M's fastest-cutting gelcoat formula for removing light to medium oxidation and scratches, part of a complete range of 3M™ Perfect It™ products for gelcoat finishing
- Removes swirl marks even on difficult dark-colored gelcoats
- Can be used to cut, polish and wax in one step, reducing time and expense



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100094555	36110E	3M™ Perfect-It™ Gelcoat Light Cutting Polish + Wax, 946 ml, 36110E						
7100274869	36110E	3M™ Perfect-It™ Gelcoat Light Cutting Polish + Wax, 946 ml, 36110E						

# Finishing Products

## 3M™ Perfect-It™ Gelcoat Compound + Polish

3M™ Perfect-It™ Gelcoat Compound + Polish is a professional-grade formula compounding and polishing product, specifically created for gelcoat applications.

- Removes P1000 and finer scratches on gelcoat
- Leaves a high gloss and fine finish (even on darker colored gelcoat)
- Formula provides longer wet time for extended product life and easier cleanup



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100237607	30344E	3M™ Perfect-It™ Gelcoat Compound + Polish, 946 ml, 30344E						
7100274868	30344E	3M™ Perfect-It™ Gelcoat Compound + Polish, 946 ml, 30344E						

## 3M™ Perfect-It™ Boat Wax

3M™ Perfect-It™ Boat Wax is the final, brilliant step in achieving a truly professional marine finish. Its blend of pure Brazilian carnauba wax, silicones, polymers and resins brings out an extraordinary gloss and provides durability against the elements. The liquid wax formula is easy to apply and performs even on warm surfaces, and is safe for gelcoat, paint, fiberglass and metal.

- An excellent final step for any process where wax finish is recommended
- Contains carnauba wax for a brilliant, pure wax finish
- Protects gelcoat, paint, fiberglass and metals from the elements



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100094553	36113E	3M™ Perfect-It™ Boat Wax, 946 ml, 36113E						

## Bonnets & Buffing Pads

### 3M™ Perfect-It™ 1-Step Foam Finishing Pad

3M™ Perfect-It™ 1-Step Foam Finishing Pads are our highest performing, purple foam finishing pads, ideal for refining 3M™ Trizact™ Abrasive 8000 sanding scratches in a single step. Use in combination with 3M™ Perfect-It™ Famous Finish or 3M™ Perfect-It™ 1-Step Finish to achieve best results.

- Ideal for use with 3M™ Perfect-It™ Famous Finish or 3M™ Perfect-It™ 1-Step Finish
- For optimal performance use a rotation speed between 800 to 1400 rpm
- Convoluted surface reduces heat generation



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100203934	33033	3M™ Perfect-It™ 1-Step Foam Finishing Pad, Purple, 80 mm, 33033						
7100205187	33042	3M™ Perfect-It™ 1-Step Foam Finishing Pad, Purple, 150 mm, 33042						
7100236733	33034	3M™ Perfect-It™ 1-Step Foam Finishing Pad, Quick Connect, 150 mm, Purple, 33034						
7100236734	33035	3M™ Perfect-It™ 1-Step Foam Finishing Pad, Quick Connect, 216 mm, Purple, 33035						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Finishing Products

## 3M™ Perfect-It™ Foam Compounding Pad

Use 3M™ Perfect-It™ Foam Compounding Pads for refining sand scratches, slow speed polishing and denibbing for high performance at every step of the compounding process. Use as part of our 3M™ Perfect-It™ Paint Finishing System for more efficient polishing and enhanced end results.



- Get easy changeouts using 3M Hookit™ and Quick Connect attachment systems
- Prevent slinging for faster, cleaner results thanks to foam construction that holds polish
- Diameters as small as 3" for accuracy in tight spaces or small areas

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000032139	50499	3M™ Perfect-It™ Foam Compounding Pad, Green, Convoluted, 75 mm, 50499						
7000032137	50487	3M™ Perfect-It™ Foam Compounding Pad, Green, Flat, 150 mm, 50487						
7000032308	09550	3M™ Perfect-It™ Foam Compounding Pad, Orange, Flat, 150 mm, 09550						
7100094551	50962	3M™ Perfect-It™ Foam Compounding Pad, Quick Connect System, Green, Convoluted, 150 mm, 50962						
7100094455	50874	3M™ Perfect-It™ Foam Compounding Pad, Quick Connect System, Green, Convoluted, 216 mm, 50874						
7100094458	50878	3M™ Perfect-It™ Foam Compounding Pad, Quick Connect System, Green, Flat, 150 mm, 50878						
7100008771	05737	3M™ Perfect-It™ Foam Compounding Pad, White, Convoluted, 75 mm, 05737						

## 3M™ Perfect-It™ Foam Polishing Pad

3M™ Perfect-It™ Foam Polishing Pad is a fine pore soft foam pad . This foam pad quickly removes compound swirls and minor defects in both aftermarket and OEM paint.



- Designed to remove compound swirl marks and other minor surface defects
- Get a high gloss finish using a fine, soft foam polishing pad
- For use with all 3M™ Polishes

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100003842	05738	3M™ Perfect-It™ Foam Polishing Pad, Black, Convoluted, 203 mm, 05738						
7100094457	50879	3M™ Perfect-It™ Foam Polishing Pad, Quick Connect System, Yellow, Convoluted, 150 mm, 50879						
7100094456	50875	3M™ Perfect-It™ Foam Polishing Pad, Quick Connect System, Yellow, Convoluted, 216 mm, 50875						

## 3M™ Perfect-It™ Ultrafine Polishing Pad

Our 3M™ Perfect-It™ Ultrafine Polishing Pad helps to eliminate swirl marks on painted surfaces, even on difficult dark colored cars. Featuring a unique waffle face design that holds liquid polish, this pad applies polish evenly without releasing excess polish that may cause ripples in the finish.



- Get a high gloss shine on dark coloured paint finishes
- Used to help eliminate swirl marks and apply high gloss finishes
- Waffle face provides sufficient contact surface while holding polish well

# Finishing Products

## 3M™ Perfect-It™ Ultrafine Polishing Pad

Our 3M™ Perfect-It™ Ultrafine Polishing Pad helps to eliminate swirl marks on painted surfaces, even on difficult dark colored cars. Featuring a unique waffle face design that holds liquid polish, this pad applies polish evenly without releasing excess polish that may cause ripples in the finish.



- Get a high gloss shine on dark coloured paint finishes
- Used to help eliminate swirl marks and apply high gloss finishes
- Waffle face provides sufficient contact surface while holding polish well

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000060159	50457	3M™ Perfect-It™ Ultrafine Polishing Pad, Blue, Convoluted, 75 mm, 50457						
7000032123	50388	3M™ Perfect-It™ Ultrafine Polishing Pad, Blue, Convoluted, 150 mm, 50388						
7100003841	05733	3M™ Perfect-It™ Ultrafine Polishing Pad, Blue, Convoluted, 203 mm, 05733						
7000060134	50389	3M™ Perfect-It™ Ultrafine Polishing Pad, Blue, Convoluted, 203 mm, 50389						
7100094459	50880	3M™ Perfect-It™ Ultrafine Polishing Pad, Quick Connect System, Blue, Convoluted, 150 mm, 50880						
7100094550	50708	3M™ Perfect-It™ Ultrafine Polishing Pad, Quick Connect System, Blue, Convoluted, 216 mm, 50708						

## 3M™ Perfect-It™ Polishing Pad

Use 3M™ Perfect-It™ Polishing Pad for finer and softer polishing and a more efficient way to achieve an exceptional high gloss finish in repair works. It helps to quickly and efficiently achieve a perfect finish.




- Achieve a hologram free finish
- Get excellent value for money due to durable, long lasting waffle foam
- Get maximum polishing efficiency

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000061475	50536	3M™ Perfect-It™ Polishing Pad, Yellow, Convoluted, 75 mm, 50536						
7000032138	50488	3M™ Perfect-It™ Polishing Pad, Yellow, Convoluted, 150 mm, 50488						

## 3M™ Perfect-It™ High Gloss Polishing Pad

Use 3M™ Perfect-It™ High Gloss Polishing Pad to remove holograms, swirl marks and achieve maximum gloss in repairing paintworks.



- Remove holograms, swirl marks and scratches
- Repair defects with more ease and efficiency
- Get maximum polishing efficiency

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000032135	09378	3M™ Perfect-It™ High Gloss Polishing Pad, Black, Convoluted, 150 mm, 09378						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Finishing Products

## 3M™ Wool Polishing Pad

Use the 3M™ Wool Polishing Pad for fast scratch and swirl removal during collision repairs, and an exceptional finish on all surfaces, including composites. Our single-sided pad with 3M™Hookit™ system provides fast change-outs. Our double-sided pad boasts firm, lightweight centre and consistent surface contact.



- Remove fine paint defects including compound swirl marks
- Get a fast cut for efficient and effective results
- Double-sided soft edge pads protect body and style lines

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100015449	05705	3M™ Wool Polishing Pad, 229 mm, 05705						
7100145245	05713	3M™ Wool Polishing Pad, 229 mm, 05713						

## 3M™ Wool Compounding Pad

Use 3M™ Wool Compounding Pad with 3M compounds and attachment systems, for compounding on paints, clear and composite surfaces. Choose from 100% wool or finer 60/40 wool blend, for a variety of jobs. Use with our Hookit™ attachment system, for fast change-outs. Get a flawless finish.



- Remove finishing abrasive sand scratches and other paint surface defects
- Fast Cutting Compound Pad
- Untwisted wool yarn construction improves handling across large surface areas

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100015405	05704	3M™ Wool Compounding Pad, Double sided, 203 mm, 05704						

## 3M™ Perfect-It™ Low Linting Wool Compounding Pad

Use the high performing 3M™ Perfect-It™ Low Linting Wool Compounding Pad, for a finer result when refining scratches on vehicle finishes, and no linting mess. Our fast-cutting double-sided pad is 100% low linting wool with a quick connect design. Use with 3M compounds and quick release adaptor, PN 05752



- Removes finishing abrasive sand scratches and other paint surface defects
- Fast, easy way to attach Buffing Pads to Polishers
- Get maximum polishing efficiency

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100145353	33279	3M™ Perfect-It™ Low Linting Wool Compounding Pad, Quick Connect System, 230 mm, 33279						

## 3M™ Perfect-It™ Quick Connect Adaptor

3M™ Perfect-It™ Quick Connect Adapter makes it easy to connect or disconnect double-sided buffing pads on rotary polishers. Our heavy-duty adapter saves both time and effort in an automotive body shop by making pad changes so quick and simple. 5/8" thread.



- Allows quick changes of buffing pads
- Makes it easy to change between compound and polishing pads
- Provides a reliable connection between pad and polisher

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100141852	05752	3M™ Perfect-It™ Quick Connect Adaptor, 5/8 in, 05752						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Finishing Products

## 3M™ Perfect-It™ Quick Connect Adaptor

3M™ Perfect-It™ Quick Connect Adapter makes it easy to connect or disconnect double-sided buffing pads on rotary polishers. Our heavy-duty adapter saves both time and effort in an automotive body shop by making pad changes so quick and simple. 5/8" thread.

- Allows quick changes of buffing pads
- Makes it easy to change between compound and polishing pads
- Provides a reliable connection between pad and polisher



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100086812	33271	3M™ Perfect-It™ Quick Connect Adaptor, 14 mm, 33271						

## Dry Guide Coats & Inspection Sprays

### 3M™ Dry Guide Coat

Discover surface imperfections with 3M™ Dry Guide Coat. Our Dry Guide Coat requires no masking before use and has no dry time after application. It highlights defects such as pinholes in body filler and deep scratches in primer.

- Use to detect surface imperfections such as pinholes in body filler and deep scratches in primer
- Requires no masking
- Use for wet and dry sanding



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100010304	51362	3M™ Dry Guide Coat (2x) plus Applicator Kit, 51362						
7000034531	09651	3M™ Dry Guide Coat Applicator, 09651						
7000086677	09650	3M™ Dry Guide Coat, Black, 50 g, 09650						
7000034533	50416	3M™ Dry Guide Coat, Orange, 50 g, 50416						

### 3M™ Perfect-It™ Finish Control Spray

3M™ Perfect-It™ Finish Control Spray is a paint surface cleaner used to check on the progress of the polishing process.

- Aerosol spray
- To check progress inbetween compounding steps
- Remove remainders of compound



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100113682	55535	3M™ Perfect-It™ Finish Control Spray, 500 ml, 55535						





# Masking Films and accessories

## PERSONAL SAFETY

• Comfort Particle Mask P3



• Comfort Goggles



• Reusable Overall



### 1 Cleaning of the surface



- ▶ Degrease the surface using paint company or other recommended product. Always follow the manufacturer's instructions.




3M™ Professional Panel Wipes

### 2 Partly covering of the car



- ▶ Cover the vehicle as soon as possible, this reduces the possibility of contamination from the surrounding environment.



3M™ Purple Premium PLUS Clear Masking Film  
4m x 150m,  
5m x 120m,  
6m x 120m



3M™ Premium Cutter

### 3 Pre covering



- ▶ Prepare the area for paint application, ensuring sufficient space to allow for smooth transitions and avoid hard edges.
- ▶ Cut the masking film to the appropriate size and attach to the outline masking using 3M masking tapes.



3M™ Soft Edge Foam Masking Tape PLUS



3M™ Trim Masking Tape

### 4 Roughly covering for primer application



- ▶ For best results, apply 3M™ Smooth Transition Tape on top of the 3M Masking tape to allow a smooth transition of primer edges.

Note: Avoid generating hard edges when primer masking. This generates surface swelling due to the concentration of solvents on the tape edges.




3M™ Smooth Transition Tape


### 5 Fine covering - preparation for paint application



- ▶ Before applying the base and clear coats, further cut the masking film and attach it to previous contour and aperture masking.
- ▶ Primer sanding.



3M™ Scotch® Masking Tape 3030



3M™ Scotch® Masking Tape 3434

### 6 Final masking (details) before painting - attaching parts



- ▶ Degrease the surface and adjacent panels as necessary.
- ▶ Mask other areas such as rubbers, trim etc.



3M™ Fine Line Masking Tapes 471+

### 7 De-masking



- ▶ Removal of masking tapes and film is best done when the car has just left the oven and is still warm.
  - ▶ Always remove Masking tape by pulling at a right angle to the surface. A flatter or sharper angle has a higher risk of leaving adhesive residue on the surface.
- Tip: Using Premium Masking Tapes will pay-off as they have a lower tendency to leave adhesive residue or tape to silver.

# Masking Films and accessories

## Masking Films

### 3M™ Purple Premium Plus Masking Film

Resist moisture imprinting or ghosting on painted vehicle surfaces with 3M™ Purple Premium Plus Masking Film. Our masking film is a premium high density plastic sheeting with superior clinging properties for vehicles.



- Use to resist imprinting and ghosting on painted vehicle surfaces
- High-density, tear-resistant, clear durable film formulated to provide excellent paint overspray adhesion
- Achieve better handling and increase cling to vehicles

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033093	50988	3M™ Purple Premium Plus Masking Film, 4 m x 150 m, 50988						
7000071806	50989	3M™ Purple Premium Plus Masking Film, 5 m x 120 m, 50989						
7100149832	51871	3M™ Purple Premium Plus Masking Film, 6 m x 100 m, 51871						

### 3M™ Clear Masking Film

Protect parts of vehicle you don't want to spray with 3M™ Clear Masking Film. Our masking film is a high density, clear polyethylene sheeting designed to statically cling to the surface of the vehicle and protect it from paint overspray.



- No paint or primer flaking
- Static cling ensures complete masking
- Simple one-person application

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033027	07838	3M™ Clear Masking Film, 4 m x 150 m, 07838						
7000033062	80110	3M™ Clear Masking Film, 5 m x 120 m, 80110						
7000084964	51061	3M™ Clear Masking Film, 6 m x 100 m, 51061						

### 3M™ Taped Masking Film

Use 3M™ Taped Masking Film for localised masking and smart repairs. Our masking film is easy to use and cuts cleanly, it protects against paint spray and prevents paint runs off the plastic film.



- Protect against paint spray
- Prevent paint runs
- Use for smart repairs

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000097453	06057	3M™ Taped Masking Film, 19 mm x 400 mm x 22.5 m, 06057						
7000097455	06059	3M™ Taped Masking Film, 19 mm x 900 mm x 22.5 m, 06059						
7000097456	06060	3M™ Taped Masking Film, 19 mm x 1100 mm x 22.5 m, 06060						
7000097457	05967	3M™ Taped Masking Film, 19 mm x 1800 mm x 22.5 m, 06061						
7000097454	06058	3M™ Taped Masking Film, 19 mm x 600 mm x 22.5 m, 06058						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Masking Films and accessories

## 3M™ Taped Masking Film

Use 3M™ Taped Masking Film for localised masking and smart repairs. Our masking film is easy to use and cuts cleanly, it protects against paint spray and prevents paint runs off the plastic film.



- Protect against paint spray
- Prevent paint runs
- Use for smart repairs

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000079877	05967	3M™ Taped Masking Film, 400 mm x 25 m, 05967						
7100136345	05967	3M™ Taped Masking Film, 400 mm x 25 m, 05967						
7000079879	05968	3M™ Taped Masking Film, 600 mm x 25 m, 05968						
7100135962	05968	3M™ Taped Masking Film, 600 mm x 25 m, 05968						
7000079880	05969	3M™ Taped Masking Film, 900 mm x 25 m, 05969						
7100135963	05969	3M™ Taped Masking Film, 900 mm x 25 m, 05969						
7000079881	05970	3M™ Taped Masking Film, 1100 mm x 25 m, 05970						
7100136344	05970	3M™ Taped Masking Film, 1100 mm x 25 m, 05970						
7000079882	05971	3M™ Taped Masking Film, 1800 mm x 25 m, 05971						
7100136798	05971	3M™ Taped Masking Film, 1800 mm x 25 m, 05971						

## Film Installation Tools

### 3M™ Clear Masking Film Cutter

Cut masking film quickly and easily with 3M™ Clear Masking Film Cutter. Our cutter is a high quality safety blade developed to cut 3M™ Clear Masking Film without fraying.



- Use to cut 3M™ Clear Masking Film
- Speeds up masking process
- Versatile small cutting tool

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000033075	50293	3M™ Clear Masking Film Cutter, Premium, White, 50293						
7000033028	07813	3M™ Clear Masking Film Cutter, Standard, Blue, 07813						

### 3M™ Masking Film Dispenser

Use our portable 3M™ Masking Film Dispenser to store and dispense your 3M Masking Film. Sheeting not included.



- Get an easy to use portable film dispenser
- Dispense protective sheeting and masking film products with ease
- Use to store protective sheeting and masking film products

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100003432	06780	3M™ Masking Film Dispenser, 06780						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Masking Films and accessories

## Surface Protection Materials

### 3M™ Dirt Trap Protection Material Applicators

3M™ Dirt Trap Nonwoven Protection Material Applicators are durable, portable equipment for applying 3M™ Dirt Trap Nonwoven Protection Material (white) to paint booths, paint bays and other collision repair shop spaces. Wall and floor applicators hold material rolls securely and roll smoothly as material is applied, and can be pushed and pulled without disassembly for fast and efficient application.



- Quickly applies 3M™ Dirt Trap Protection Material to floors and walls for cleaner, brighter work areas
- Material rolls load quickly with simple clamp motion
- Smooth-rolling applicator may be pushed or pulled without disassembly allowing for easier, faster application.

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045517	36866	3M™ Dirt Trap Material Wall Applicator, 36866						
7000045516	36865	3M™ Dirt Trap Protection Material Floor Applicator, 711 mm, 36865						

### 3M™ Dirt Trap Protection Material

Trap dust and overspray with 3M™ Dirt Trap Protection Material. Our white non-woven covering material is specially created to protect paint booth walls and floors, and brighten the work areas. It gives better visibility for technicians and a more pleasant shop look for collision repair customers.



- Specially engineered surface protection material protects collision repair shop walls and floors
- Reduces labor and costs related to dust and paint removal
- Non-woven construction traps airborne contaminants, helping to control dust and overspray

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045499	36851	3M™ Dirt Trap Protection Material, White, 355.6 mm x 91.44 m, 36851						
7000000528	36852	3M™ Dirt Trap Protection Material, White, 711.2 mm x 91.44 m, 36852						

### 3M™ Dirt Trap Clear Film Dispenser

3M™ Dirt Trap™ Clear Film Dispenser is designed for use with 3M Dirt Trap Clear Film. Our dispenser is made with high strength magnets that secure it to a vertical metal surface.



- Conveniently dispenses 3M™ Dirt Trap Clear Film to protect lights and windows from overspray buildup
- High strength magnets secure the dispenser to a vertical metal surface
- Durable metal construction for use in automotive paint shops

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100173136	36863	3M™ Dirt Trap Clear Film Dispenser, 36863						

# Masking Films and accessories

## 3M™ Dirt Trap Protection Material Dispenser

Store and dispense 3M™ Dirt Trap Protection Material with 3M™ Dirt Trap Protection Material Dispenser. Our material dispenser has high strength magnets that secure it on vertical metal surfaces to dispense and apply the dirt trap material covering.



- An approved component of the 3M™ Dirt Trap Protection System
- Easily dispense 3M™ Dirt Trap Protection Material
- High-strength magnets secure unit on vertical metal surfaces

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100003285	36862	3M™ Dirt Trap Protection Material Dispenser, Red, 36862						

## 3M™ Dirt Trap Clear Film Protection Material

3M™ Dirt Trap Clear Film Protection Material is an adhesive-backed clear film that protects lights and windows from overspray buildup. No more scraping and cleaning is needed and application and removal is easy and fast.



- Specially engineered surface protection material protects collision repair shop lights and windows.
- Adhesive backing keeps material in place and removes cleanly, suitable for a variety of substrates
- Applies quickly and removes easily

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000028295	36856	3M™ Dirt Trap Clear Film Protection Material, 457 mm x 30.5 m, 36856						

## 3M™ Booth Coating

Protect paint booth walls, lights and windows from paint and primer overspray with 3M™ Booth Coating. Our non-tacky booth coating can be applied with a paint gun and dries to a clear film. To remove it, just wash with water.



- Sprayable water-based liquid that dries to a clear film and cleans up with water.
- Protect paint booth walls, lights and windows
- Use conventional spray gun equipment to apply

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000084145	06839	3M™ Booth Coating, Clear, 3.78 L, 06839						

## 3M™ Overspray Masking Liquid Dry

Guard against overspray of vehicles, with 3M™ Overspray Masking Liquid Dry. Our lightly-bonding film spray on water-based solution replaces time-intensive masking and is easy to clean – it simply dissolves in water and washes off.



- Protect all vehicle surfaces against auto paint and primer overspray
- Cover hard-to-mask surfaces
- Apply with conventional spray equipment – no additional costs for liquid masking

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045767	06847	3M™ Overspray Masking Liquid Dry, 3.78 L, 06847						
7000045768	06851	3M™ Overspray Masking Liquid Dry, 18.9 L, 06851						
7000045769	06856	3M™ Overspray Masking Liquid Dry, 56.7 L, 06856						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Masking Films and accessories

## 3M™ Interior Protection Automotive Seat Cover

Protect your car seats during maintenance and repairs with 3M™ Interior Protection Automotive Seat Cover. Our disposable plastic seat cover has nonslip technology to keep it in place. It's available in a single pocket or dual pocket design.



- Use for all vehicles –one size fits all
- Get resistance to water, oil and grease
- Reduce valeting costs

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000088700	50588	3M™ Interior Protection Automotive Seat Cover, 50588						
7000088640	80307	3M™ Interior Protection Automotive Seat Cover, 80307						
7000088742	50731	3M™ Interior Protection Automotive Seat Cover, BMW Dual Pocket Seat Cover, 50731						





# Tapes

# Tapes

## Masking & Paper Tapes

### Scotch® High Performance Masking Tape 3434

Use Scotch® High Performance Masking Tape 3434 for a wide variety of applications in auto refinishing. Use in environments up to 110°C and in conditions of high water resistance. Our high performance blue crepe paper masking tape has excellent solvent and water resistance properties.



- Maximum solvent and water resistance
- High temperature (110C) resistance
- Good conformability

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100037748	07895	Scotch® High Performance Masking Tape 3434, Blue, 18 mm x 50 m, 07895						
7100037749	07897	Scotch® High Performance Masking Tape 3434, Blue, 24 mm x 50 m, 07897						
7000034687	07893	Scotch® High Performance Masking Tape 3434, Blue, 30 mm x 50 m, 07893						
7100037750	07898	Scotch® High Performance Masking Tape 3434, Blue, 36 mm x 50 m, 07898						
7100037744	07899	Scotch® High Performance Masking Tape 3434, Blue, 48 mm x 50 m, 07899						

### Scotch® Masking Tape 2328

Use Scotch® Masking Tape 2328 for a wide variety of applications in auto refinishing. Our masking tape adheres well. It offers a secure grip, clean removal and excellent edge definition. It also conforms well and has high edge tear resistance. Available in a range of popular widths.



- Use in a variety of applications as a medium tier performance tape
- Get a conformable tape with excellent tear edge
- Remove cleanly and give excellent adhesion

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100137086	06304	Scotch® Masking Tape 2328, Beige, 18 mm x 50 m, 06304						
7100137090	06304	Scotch® Masking Tape 2328, Beige, 18 mm x 50 m, 06304						
7100136825	06309	Scotch® Masking Tape 2328, Beige, 24 mm x 50 m, 06309						
7100137237	06309	Scotch® Masking Tape 2328, Beige, 24 mm x 50 m, 06309						
7100138270	06310	Scotch® Masking Tape 2328, Beige, 30 mm x 50 m, 06310						
7100137087	06311	Scotch® Masking Tape 2328, Beige, 36 mm x 50 m, 06311						
7100137088	06311	Scotch® Masking Tape 2328, Beige, 36 mm x 50 m, 06311						
7100137089	06313	Scotch® Masking Tape 2328, Beige, 48 mm x 50 m, 06313						
7100138271	06313	Scotch® Masking Tape 2328, Beige, 48 mm x 50 m, 06313						
7100035734	51287	Scotch® Masking Tape 2328, Beige, 72 mm x 40 m, 51287						
7000095910	127858	Scotch® Masking Tape 2328, Beige, 100 mm x 50 m, 127858						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Tapes

## Scotch® Premium Auto Refinish Masking Tape 3030

Get clean paint lines and less build up with Scotch® Premium Auto Refinish Masking Tape 3030. Our green-coloured, smooth creped masking tape is a specially formulated cross-linked rubber/resin adhesive and suits a wide variety of bodyshop applications.



- Use with water based paint systems
- Stick easily without lifting or curling
- Remove easily and cleaning without leaving adhesive residue

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100038518	50977	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 18 mm x 50 m, 50977						
7100039717	50978	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 24 mm x 50 m, 50978						
7000088819	50979	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 30 mm x 50 m, 50979						
7100041822	50980	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 36 mm x 50 m, 50980						
7100037752	50981	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 48 mm x 50 m, 50981						
7100037745	50982	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 72 mm x 50 m, 50982						
7000088823	50983	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 100 mm x 50 m, 50983						

## Scotch® Profi Tape 3430

Scotch® Profi Tape 3430 is a premium, high temperature resistant crepe paper masking tape.



- High temperature resistant (up to 100° C for up to 1 hour)
- Water and solvent resistant
- Conformable - ideal for corner masking

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100037742	06750	Scotch® Profi Tape 3430, Brown, 18 mm x 50 m, 06750						
7100037743	06751	Scotch® Profi Tape 3430, Brown, 24 mm x 50 m, 06751						
7000088457	06752	Scotch® Profi Tape 3430, Brown, 30 mm x 50 m, 06752						
7100037751	06753	Scotch® Profi Tape 3430, Brown, 36 mm x 50 m, 06753						
7100044280	06754	Scotch® Profi Tape 3430, Brown, 48 mm x 50 m, 06754						

## Scotch® Performance Masking Tape 233+

Scotch® Performance Masking Tape 233+, is a highly-conformable tape that provides the best adhesive transfer resistance, hugs curves, contours and provides outstanding paint lines. Goes on quickly and easily, sticks at a touch and stays put. Perfectly balanced to give outstanding masking results. Waterborne paint compatible.



- High performance masking tape
- Highly conformable, provides outstanding paint lines; resists bleed-through and adhesive transfer
- Sticks and stays when applied, no lifting or edge curl

# Tapes

## Scotch® Performance Masking Tape 233+

Scotch® Performance Masking Tape 233+, is a highly-conformable tape that provides the best adhesive transfer resistance, hugs curves, contours and provides outstanding paint lines. Goes on quickly and easily, sticks at a touch and stays put. Perfectly balanced to give outstanding masking results. Waterborne paint compatible.



- High performance masking tape
- Highly conformable, provides outstanding paint lines; resists bleed-through and adhesive transfer
- Sticks and stays when applied, no lifting or edge curl

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100006159	26334	Scotch® Performance Masking Tape 233+, Green, 18 mm x 55 m, 26334						
7000048804	26336	Scotch® Performance Masking Tape 233+, Green, 24 mm x 55 m, 26336						
7100007214	26338	Scotch® Performance Masking Tape 233+, Green, 36 mm x 55 m, 26338						
7000048805	26340	Scotch® Performance Masking Tape 233+, Green, 48 mm x 55 m, 26340						

## Scotch® Masking Tape 2822

Scotch® Masking Tape 2822 is a cream coloured masking tape with paper backing and a rubber based adhesive for general masking bodywork.



- Good for curved / shaped applications
- Does not lift or curl
- Heat resistant for normal baking applications

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100138269	51822	Scotch® Masking Tape 2822, Cream, 18 mm, x 50 m, 51822						
7100137216	51819	Scotch® Masking Tape 2822, Cream, 24 mm, x 50 m, 51819						
7100138420	51823	Scotch® Masking Tape 2822, Cream, 30 mm, x 50 m, 51823						
7100137091	51820	Scotch® Masking Tape 2822, Cream, 36 mm, x 50 m, 51820						
7100137092	51821	Scotch® Masking Tape 2822, Cream, 48 mm, x 50 m, 51821						

## Scotch® Masking Tape 233

Scotch® Masking Tape 233 is a premium masking tape, made of very thin beige crepe paper. This high performance masking tape has excellent solvent and water resistance properties and is particularly suited to high temperature exposure.



- High temperature resistance - up to 120°C for up to 1 hour
- Excellent solvent resistance. Conformable, hugs curves and contours
- Easy to apply and fast and clean to remove

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100036080	06354	Scotch® Masking Tape 233, Beige, 18 mm x 50 m, 06354						
7100037746	06355	Scotch® Masking Tape 233, Beige, 24 mm x 50 m, 06355						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Tapes

## Scotch® Masking Tape 233

Scotch® Masking Tape 233 is a premium masking tape, made of very thin beige crepe paper. This high performance masking tape has excellent solvent and water resistance properties and is particularly suited to high temperature exposure.



- High temperature resistance - up to 120°C for up to 1 hour
- Excellent solvent resistance. Conformable, hugs curves and contours
- Easy to apply and fast and clean to remove

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100044159	06357	Scotch® Masking Tape 233, Beige, 36 mm x 50 m, 06357						
7100037747	06358	Scotch® Masking Tape 233, Beige, 48 mm x 50 m, 06358						
7000088669	06340	Scotch® Masking Tape 233, Beige, 48 mm x 55 m, 06340						

## 3M™ Precision Masking Tape

3M™ Precision Masking Tape is excellent for critical edge paint performance, helping auto body painters produce sharp paint lines using solvent and waterborne paint systems. Its ultra thin paper backing helps produce very low paint edges, yet it's strong enough to pull through layers of color and clear coat. The tape is ideal for two-tone separation, bumper black out areas and back masking.



- Prevent paint running
- Ideal for critical edge masking applications such as two-tone separation, bumper black out areas and back masking with solvent and waterborne paints
- Semitransparent for better visibility

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045536	06525	3M™ Precision Masking Tape, Green, 6.35 mm x 55 m, 06525						
7000045537	06526	3M™ Precision Masking Tape, Green, 19.05 mm x 55 m, 06526						
7000120100	06529	3M™ Precision Masking Tape, Green, 19.05 mm x 55 m, 06529						
7000120065	06528	3M™ Precision Masking Tape, Green, 50.8 mm x 55 m, 06528						

## 3M™ Soft Edge Foam Masking Tape PLUS

Eliminate rework of unwanted paint lines and save time with 3M™ Soft Edge Foam Masking Tape PLUS. Our tape is ideal for masking door apertures, bonnet or boot lid openings that need to be sealed during an automotive painting job. The off-set adhesive keeps adhesive away from the paint edge.



- Avoid hard paint lines in apertures and other vehicle areas
- Reduce painting time with less rework needed for unwanted paint lines
- Offset adhesive and tubular design to conform and seal opening

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034714	50421	3M™ Soft Edge Foam Masking Tape PLUS, Blue, 21 mm x 7 m, 50421						
7000000527	066293	3M™ Soft Edge Foam Masking Tape PLUS, Blue, 21 mm x 49 m, 066293						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Tapes

## 3M™ Soft Edge Foam Masking Tape

Mask door apertures, bonnet or boot lid openings and other vehicle parts with 3M™ Soft Edge Foam Masking Tape. Our tape is perfect for the sealing part of a painting operation and saves you time on reworking due to unwanted tape lines.



- Avoid hard paint lines in aperture areas and seal them with confidence
- Eliminate rework due to unwanted tape lines, saving time and money
- Get a specially designed polyurethane foam structure

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000112769	xxx	3M™ Soft Edge Foam Masking Tape, Kit						
7000000514	06287	3M™ Soft Edge Foam Masking Tape, White, 13 mm x 50 m, 06297						
7000034663	09678	3M™ Soft Edge Foam Masking Tape, White, 13 mm x 50 m, 09678						
7000034744	09678	3M™ Soft Edge Foam Masking Tape, White, 13 mm x 50 m, 09678						
7000088230	09678	3M™ Soft Edge Foam Masking Tape, White, 13 mm x 50 m, 09678						
7000000515	06298	3M™ Soft Edge Foam Masking Tape, White, 19 mm x 35 m, 06298						
7000034664	09973	3M™ Soft Edge Foam Masking Tape, White, 19 mm x 35 m, 09973						
7000034743	09973	3M™ Soft Edge Foam Masking Tape, White, 19 mm x 35 m, 09973						
7000088231	09973	3M™ Soft Edge Foam Masking Tape, White, 19 mm x 35 m, 09973						

## 3M™ Smooth Transition Tape

Our 3M™ Smooth Transition Tape is a fast, simple way to virtually eliminate rework caused by hard paint lines. It is designed specifically to create smooth transitions to existing finishes: a raised center ridge contains adhesive, while the paint feathers in naturally beneath the edges for virtually invisible paint lines.



- Eliminate hard paint lines
- Apply and remove easily with speed and ease
- Leaves a smooth paint transition - no hard edge line for collision repair painters

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000000459	06800	3M™ Smooth Transition Tape, White, 6.35 mm x 9 m, 06800						

## 3M™ Perforated Trim Masking Tape

3M™ Perforated Trim Masking Tape features a rigid band along one edge that slips gently behind moldings, lifting them slightly from the body. This tape allows paint to flow beneath the moldings while masking their exteriors for a professional, finished paint job without removing or replacing the moldings or rework for paint lines. Perforations allow you to tear the tape by hand, saving time.



- Perforations allow for hand tearing without tools
- Hard band at the tape edge slightly lifts moldings from the body for concealed paint edges
- Speeds paint time – no need to remove or clean auto body moldings

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Tapes

## 3M™ Perforated Trim Masking Tape

3M™ Perforated Trim Masking Tape features a rigid band along one edge that slips gently behind moldings, lifting them slightly from the body. This tape allows paint to flow beneath the moldings while masking their exteriors for a professional, finished paint job without removing or replacing the moldings or rework for paint lines. Perforations allow you to tear the tape by hand, saving time.



- Perforations allow for hand tearing without tools
- Hard band at the tape edge slightly lifts moldings from the body for concealed paint edges
- Speeds paint time – no need to remove or clean auto body moldings

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100145500	06345	3M™ Perforated Trim Masking Tape, 5 mm Hard Band, 50.8 mm x 10 m, 06345						
7100145503	06347	3M™ Perforated Trim Masking Tape, 7 mm Hard Band, 50.8 mm x 10 m, 06347						
7100145501	06349	3M™ Perforated Trim Masking Tape, 10 mm Hard Band, 50.8 mm x 10 m, 06349						
7100145502	06348	3M™ Perforated Trim Masking Tape, 15 mm Hard Band, 50.8 mm x 10 m, 06348						

## Scotch® Fine Line Striping Tape

Save time and create precise fine lines when auto body paint striping, using Scotch® Fine Line Striping Tape. Our 1in wide tape is pre-slit and easy to use. Simply apply our specially engineered tape, and pull out up to eight 1/6in wide strips to expose paintable areas.



- Create fine lines quickly and easily, without bleed
- Use for excellent multicolour striping, thanks to solvent and waterborne coating resistance
- Even adhesion allows taping over fresh basecoats sooner with less chance of imprinting

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000029139	06314	Scotch® Fine Line Striping Tape, 8 Pull Outs, 25.4 mm x 13.9 m, 06314						

## 3M™ Welding and Spark Deflection Paper

3M™ Welding and Spark Deflection Paper helps protect vertical surfaces from damage caused by welding spatter and grinding sparks. Our flame-retardant paper comes with adhesive backing for easy application to vertical surfaces. The adhesive backing allows for easy repositioning of the spark deflection paper as needs change at a work site.



- Deflection paper helps protect vertical surfaces from sparks and spatter
- Recommended wherever welding or grinding tasks are performed
- Adhesive backing allows for simple installation

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045694	05916	3M™ Welding and Spark Deflection Paper, 0.6 m x 45.7 m, 05916						

# Tapes

## 3M™ Masking Paper

3M™ Masking Paper is a traditional product for protecting areas of the vehicle to be protected from paint overspray.

- Colour brown
- For simple masking applications
- Use with 3M Masking Tape



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000098436	06290	3M™ Masking Paper, Brown, 200 mm x 400 m, 06290						
7000097475	06291	3M™ Masking Paper, Brown, 300 mm x 366m, 06291						
7000037614	06291	3M™ Masking Paper, Brown, 300 mm x 400 m, 06291						
7000097474	06281	3M™ Masking Paper, Brown, 450 mm x 366 m, 06281						
7000037615	06281	3M™ Masking Paper, Brown, 450 mm x 400 m, 06281						
7000097473	06282	3M™ Masking Paper, Brown, 600 mm x 366 m, 06282						
7000037616	06282	3M™ Masking Paper, Brown, 600 mm x 400 m, 06282						
7000097472	06283	3M™ Masking Paper, Brown, 900 mm x 366 m, 06283						
7000037617	06283	3M™ Masking Paper, Brown, 900 mm x 400 m, 06283						
7000097471	06284	3M™ Masking Paper, Brown, 1100 mm x 366 m, 06284						
7000037618	06284	3M™ Masking Paper, Brown, 1150 mm x 400 m, 06284						

## Vinyl Tapes

### 3M™ Vinyl Tape 471+

3M™ Vinyl Tape 471+ is for accurate masking alignment with simple or complex patterns. Our tape provides clean removal without adhesive residue, even after a 30 minute bake cycle at 121 °C. It resists lifting from compound surfaces, contours, depressions and angles for precision paint results.

- Provides clean removal without adhesive residue after a 30 minute bake cycle at 121 °C. Even no ghosting effect
- Flexible and conformable tape creates fine paint lines for striping, colour separation and complex designs
- Semi-translucent backing allows for accurate alignment with simple and complex patterns



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100055258		3M™ Vinyl Tape 471+, Indigo, 3 mm x 32 m, 0.14 mm, PN6404						
7100055835		3M™ Vinyl Tape 471+, Indigo, 6 mm x 32 m, 0.14 mm, PN6405						
7100057037		3M™ Vinyl Tape 471+, Indigo, 9 mm x 32 m, 0.14 mm, PN2510						
7100056217		3M™ Vinyl Tape 471+, Indigo, 12 mm x 32 m, 0.14 mm, PN6408						
7100055259		3M™ Vinyl Tape 471+, Indigo, 19 mm x 32 m, 0.14 mm, PN6409						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Tapes

## Bonding, Mounting & Transfer Tapes

### 3M™ Press-In-Place Emblem Adhesive

3M™ Press-In-Place Emblem Adhesive is a transfer adhesive allowing emblems with existing foam tape to be re-attached.

- Pressure sensitive adhesive attaches automotive emblems and trim
- Simply press emblem onto adhesive and place emblem on vehicle
- No-mess convenience eliminates messy drips and runs common to conventional glue



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000045704	08069	3M™ Press-In-Place Emblem Adhesive, 50.8 mm x 305 mm, 08069						





# Respiratory Protection

# Respiratory Protection

## Disposable Respirators

### 3M™ Aura™ Particulate Respirator 9320+

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100241313		3M™ Aura™ Particulate Respirator 9320D+, FFP2, Unvalved, Bulk, 440Ea/Case						
7000088725		3M™ Aura™ Particulate Respirator, FFP1, Unvalved, 9310+		Each				
7000034717	9312+	3M™ Aura™ Particulate Respirator, FFP1, Valved, 9312+		Each				
7000088724		3M™ Aura™ Particulate Respirator, FFP1, Valved, 9312+		Each				
7000088723	542075	3M™ Aura™ Particulate Respirator, FFP2, Unvalved, 9320+		Each				
7000088722	542037	3M™ Aura™ Particulate Respirator, FFP2, Valved, 9322+		Each				
7000034741	9330+	3M™ Aura™ Particulate Respirator, FFP3, Unvalved, 9330+		Each				
7100231525	9330+ BULK	3M™ Aura™ Particulate Respirator, FFP3, Unvalved, Bulk, 9330+						
7100101249		3M™ Aura™ Particulate Respirator, FFP3, Valved, 9332+		Each				

### 3M™ Speciality Particulate Respirator 9913

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034739	9914	3M™ Speciality Particulate Respirator, FFP1, Valved, 9914		Each				
7000088787	9922	3M™ Speciality Particulate Respirator, FFP2, Valved, 9922		Each				
7000034738	9926	3M™ Speciality Particulate Respirator, FFP2, Valved, 9926		Each				
7000030030		3M™ Welding Fume Respirator, FFP2, Valved, 9925		Each				
7000030031		3M™ Welding Fume Respirator, FFP2, Valved, 9928		Each				

### 3M™ Particulate Respirators 8233

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100050785		3M™ Particulate Respirator, FFP1, 8101						
7000034734	8710	3M™ Particulate Respirator, FFP1, Unvalved, 8710		Each				
7000006980	8812	3M™ Particulate Respirator, FFP1, Valved, 8812		Each				
7100050787		3M™ Particulate Respirator, FFP1, Valved, 8812						
7100050786		3M™ Particulate Respirator, FFP2, 8102						
7100050788		3M™ Particulate Respirator, FFP2, Valved, 882						
7100101091		3M™ Particulate Respirator, FFP2, Valved, 8822		Each				
7100081543	8825+	3M™ Particulate Respirator, FFP2, Valved, 8825+		Each				
7100020181		3M™ Particulate Respirator, FFP3 NR D, Valved, 8132						
7100057145	8833	3M™ Particulate Respirator, FFP3, Valved, 8833		Each				
7100081542	8835+	3M™ Particulate Respirator, FFP3, Valved, 8835+		Each				
7100091323	8833SP	3M™ Particulate Respirator, Valved, FFP3, 8833						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Respiratory Protection

## Full Face Respirators

### 3M™ Reusable Full Facepiece Respirators 6000 Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000002037		3M™ Reusable Full Face Mask, Large, 6900						
7100015052	6900	3M™ Reusable Full Face Mask, Large, 6900		Each				
7100211352		3M™ Reusable Full Face Mask, Large, 6900						
7000002030		3M™ Reusable Full Face Mask, Medium, 6800						
7100015051	6800	3M™ Reusable Full Face Mask, Medium, 6800		Each				
7100211632		3M™ Reusable Full Face Mask, Medium, 6800						
7000002029		3M™ Reusable Full Face Mask, Small, 6700						
7100015974	6700	3M™ Reusable Full Face Mask, Small, 6700		Each				
7100211631		3M™ Reusable Full Face Mask, Small, 6700						

## Half Mask Respirators

### 3M™ Reusable Half Mask Respirator Kits 7500 Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000104178	7503	3M™ Reusable Half Face Mask, Large, 7503		Each				
7000104177	7502	3M™ Reusable Half Face Mask, Medium, 7502		Each				
7000104176	7501	3M™ Reusable Half Face Mask, Small, 7501		Each				

### 3M™ Reusable Half Mask Respirator Kits 6000 Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000112017		3M™ Reusable Half Face Mask Respirator Kit, 6200						
7000146849	6300	3M™ Reusable Half Face Mask, Large, 6300		Each				
7000146847	6200	3M™ Reusable Half Face Mask, Medium, 6200		Each				
7000146845	6100	3M™ Reusable Half Face Mask, Small, 6100		Each				
7000061552		3M™ Reusable Half Mask Respirator Kit, A2P3 R Filter, Medium Mask, 6223M		Each				

### 3M™ Maintenance Free Reusable Half Mask 4000+ Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100113098	4251+	3M™ Maintenance Free Half Mask, FFA1P2 R D Filters, 4251+						
7100113101	4255+	3M™ Maintenance Free Half Mask, FFA2P3 R D Filters, 4255+						
7100113102	4277+	3M™ Maintenance Free Half Mask, FFABE1P3 R D Filters, 4277+						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Respiratory Protection

## 3M™ Maintenance Free Reusable Half Mask 4000+ Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100113103	4279+	3M™ Maintenance Free Half Mask, FFABEK1P3 R D Filters, 4279+						

## 3M™ Secure Click™ Reusable Half Mask HF-800 Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100172004	HF-803	3M™ Secure Click™ Half Mask Reusable Respirator, Large, HF-803						
7100172003	HF-802	3M™ Secure Click™ Half Mask Reusable Respirator, Medium, HF-802						
7100171979	HF-801	3M™ Secure Click™ Half Mask Reusable Respirator, Small, HF-801						
7100172005	HF-803SD	3M™ Secure Click™ Half Mask Reusable Respirator, Speaking Diaphragm, Large, HF-803SD						
7100171980	HF-802SD	3M™ Secure Click™ Half Mask Reusable Respirator, Speaking Diaphragm, Medium, HF-802SD						
7100172006	HF-801SD	3M™ Secure Click™ Half Mask Reusable Respirator, Speaking Diaphragm, Small, HF-801SD						

## 3M™ Reusable Respirator Starter Kits

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100049926	6783	3M™ Respirator Starter Kit, A2P2 R Filter, Large Half Mask, 06783						

## Reusable Respirator Parts & Accessories

### 3M™ Reusable Respirator Filter Cases & Holders

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100184498	D701	3M™ Secure Click™ Filter Retainer, D701						

### 3M™ Reusable Respirator Face Shield & Lens Covers

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100188168		3M™ Reusable Respirator Full Facepiece Faceshield Cover 6800						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Respiratory Protection

## 3M™ Reusable Respirator PreFilter Retainers

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100066103	3M501	3M™ Filter Retainer, 501		Each				

## Hoods & Headgear

### 3M™ Versaflo™ Integrated Suspension Head Cover, S-Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000000142	S-133L	3M™ Versaflo™ S-Series Head Cover, Large, S-133L		Each				

### 3M™ Versaflo™ Faceshield, M-200 Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100140471	M-206	3M™ Versaflo™ Faceshield with Comfort Face Seal M-206		Each				
7100256071	M-207	3M™ Versaflo™ Faceshield with Flame Resistant Poly Face Seal M-207		Each				

## Powered Air Respirator Systems

### 3M™ Versaflo™ Intrinsicly Safe Powered Air Respirator Starter Kits, TR-800 Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100169180		3M™ Versaflo™ Intrinsicly Safe Powered Air Turbo Starter Kit, TR-819E						

### 3M™ Versaflo™ Powered Air Respirator Starter Kits, TR-600 Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100053532		3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619E						
7100065913	TR-619UK	3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619UK						

# Respiratory Protection

## Powered Air Cartridges & Filters

### 3M™ Versaflo™ Powered Air Respirator Filters, TR-600 & TR-800 Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100020998	TR-6310E	3M™ Versaflo™ A2P Filter, TR-6310E						

### 3M™ Powered Air Respirator Prefilters

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100236853		3M™ Prefilter and Prefilter Holder SS-6601						
7100236854		3M™ Prefilter SS-6600						
7100237884		3M™ Prefilter Holder SS-6602						

## Supplied Air Respirator Systems

### 3M™ Supplied Air Respirator System, S200+ Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000144500	6972	3M™ Supplied Air System, 06972						

## Powered & Supplied Air Parts & Accessories

### 3M™ Versaflo™ Supplied Air System, V-Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100005806	V-500E	3M™ Versaflo™ Supplied Air Regulator V-500E		Each				



# Eye Protection

# Eye Protection

## Safety Glasses

### 3M™ SecureFit™ Safety Glasses 400 Series

3M™ SecureFit™ Safety Glasses 400 Series features a lightweight design with a rimless polycarbonate lens, 3M™ Pressure Diffusion Temple Technology, wide flexible temple arms, and soft, adjustable nose pads.



- Comfortable 3M™ SecureFit™ Safety Glasses range with soft adjustable nose and soft temple ends to improve comfort and fit
- 3M's innovative SecureFit™ Pressure Diffusion Temple technology design features slotted ribs that provide comfortable pressure equalization. The temples flex and self-adjust to the size of wearer's head.
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties (available on selected models)

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100148082	SF405SGAF-BLA	3M™ SecureFit™ 400 Safety Glasses, Black/Brown frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Brown Lens, SF405SGAF-BLA-EU, 20/Case	20 per case					
7100148075	SF406SGAF-BLA	3M™ SecureFit™ 400 Safety Glasses, Black/Brown frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Orange Lens, SF406SGAF-BLA-EU, 20/Case	20 per case					
7100078986	SF403AF	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch / Anti-Fog, Amber Lens, SF403AS/AF-EU, 20/Case	20 per case	Each				
7100078989	SF401AF	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch / Anti-Fog, Clear Lens, SF401AS/AF-EU, 20/Case	20 per case	Each				
7100078987	SF402AF	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch / Anti-Fog, Grey Lens, SF402AS/AF-EU, 20/Case	20 per case	Each				
7100078880	SF408AS	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch, Blue Mirror Lens, SF408AS-EU, 20/Case	20 per case	Each				
7100078988	SF410AS	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch, Indoor/Outdoor Mirror Lens, SF410AS-EU, 20/Case	20 per case	Each				
7100148074	SF401SGAF-BLU	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-BLU-EU, 20/Case	20 per case					
7100148052	SF402SGAF-BLU	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Grey Lens, SF402SGAF-BLU-EU, 20/Case	20 per case					
7100148072	SF407SGAF-BLU	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Indoor/Outdoor Grey Lens, SF407SGAF-BLU-EU, 20/Case	20 per case					
7100148073	SF401SGAF-BLU-F	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey frame, Foam, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-BLU-F-EU, 20/Case	20 per case					
7100148026	SF401SGAF-RED	3M™ SecureFit™ 400 Safety Glasses, Red/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-RED-EU, 20/Case	20 per case					
7100148081	SF403SGAF-YEL	3M™ SecureFit™ 400 Safety Glasses, Yellow/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Amber Lens, SF403SGAF-YEL-EU, 20/Case	20 per case					

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Eye Protection

## 3M™ SecureFit™ Safety Glasses 200 Series

3M™ SecureFit™ 200 Series are lightweight safety glasses with 3M™ Pressure Diffusion Temple Technology. Our glasses feature a wraparound design that's secure and comfortable. They are available in various lens tints.



- Economical lightweight (18 gram) 3M™ SecureFit™ Safety Glasses range
- 3M's innovative SecureFit™ Pressure Diffusion Temple technology design features slotted ribs that provide comfortable pressure equalization. The temples flex and self-adjust to the size of wearer's head
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties (available on selected models)

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100112008	SF203AF	3M™ SecureFit™ 200 Safety Glasses, Anti-Scratch / Anti-Fog, Amber Lens, SF203AS/AF-EU, 20/Case	20 per Case	Each				
7100111990	SF201AF	3M™ SecureFit™ 200 Safety Glasses, Anti-Scratch / Anti-Fog, Clear Lens, SF201AS/AF-EU, 20/Case	20 per Case	Each				
7100112010	SF202AF	3M™ SecureFit™ 200 Safety Glasses, Anti-Scratch / Anti-Fog, Grey Lens, SF202AS/AF-EU, 20/Case	20 per Case	Each				
7100112180	SF201AS	3M™ SecureFit™ 200 Safety Glasses, Anti-Scratch, Clear Lens, SF201AS-EU, 20/Case	20 per Case	Each				
7100185279	SF201SGAF-BLU	3M™ SecureFit™ 200 Safety Glasses, Blue frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF201SGAF-BLU-EU, 20/Case	20 per Case	Each				
7000062787		3M™ SecureFit™ Safety Glasses, Anti-Scratch / Anti-Fog, Clear Lens, SF201AS/AF-EU, 20/Case	20 per Case	Each				

## 3M™ Solus™ Safety Glasses 1000 Series

3M™ Solus™ Safety Glasses 1000 Series feature a strong polycarbonate lens in a slim, stylish frame. Our safety glasses have 3M™ Scotchgard™ Anti-Fog / Anti-Scratch Coating, and can be configured in different ways because of the headband and gasket options. They are available in various lens tints.

- Sporty, low profile 3M™ Solus™ Safety Glasses range which can be easily swapped with headband and/or gaskets to suit the application
- Soft nose and soft temple ends to improve comfort, fit and style
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100078883	S1202S	3M™ Solus™ 1000 Safety Glasses Green/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Grey Lens, S1202SGAF-EU, 20/Case	20 per case					
7100243970		3M™ Solus™ 1000 Safety Glasses, Blue / Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear lens, TPE Gasket and Neoprene Strap, S1101NSGAF-TSKT-EU, 20/Case						
7100244049		3M™ Solus™ 1000 Safety Glasses, Blue / Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Indoor / Outdoor Light Grey lens, S1107SGAF-EU, 20/Case						
7100080187	S1103S	3M™ Solus™ 1000 Safety Glasses, Blue/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Amber Lens, S1103SGAF-EU, 20/Case	20 per case					
7100080184	S1101SKT	3M™ Solus™ 1000 Safety Glasses, Blue/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, Foam Gasket and Strap, S1101SGAFKT-EU, 20/Case	20 per case					
7100080258	S1101S	3M™ Solus™ 1000 Safety Glasses, Blue/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, S1101SGAF-EU, 20/Case	20 per case					

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Eye Protection

## 3M™ Solus™ Safety Glasses 1000 Series

3M™ Solus™ Safety Glasses 1000 Series feature a strong polycarbonate lens in a slim, stylish frame. Our safety glasses have 3M™ Scotchgard™ Anti-Fog / Anti-Scratch Coating, and can be configured in different ways because of the headband and gasket options. They are available in various lens tints.

- Sporty, low profile 3M™ Solus™ Safety Glasses range which can be easily swapped with headband and/or gaskets to suit the application
- Soft nose and soft temple ends to improve comfort, fit and style
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100080185	S1102S	3M™ Solus™ 1000 Safety Glasses, Blue/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Grey Lens, S1102SGAF-EU, 20/Case	20 per case					
7100244066		3M™ Solus™ 1000 Safety Glasses, Green / Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear lens, TPE Gasket and Strap, S1201SGAF-TSKT-EU, 20/Case						
7100244063		3M™ Solus™ 1000 Safety Glasses, Green / Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Indoor / Outdoor Light Grey lens, S1207SGAF-EU, 20/Case						
7100080186	S1203S	3M™ Solus™ 1000 Safety Glasses, Green/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Amber Lens, S1203SGAF-EU, 20/Case	20 per case					
7100078881	S1201SKT	3M™ Solus™ 1000 Safety Glasses, Green/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, Foam Gasket and Strap, S1201SGAFKT-EU, 20/Case	20 per case					
7100078882	S1201S	3M™ Solus™ 1000 Safety Glasses, Green/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, S1201SGAF-EU, 20/Case	20 per case					

## Safety Goggles

### 3M™ GoggleGear™ Safety Goggles 2890 Series

3M™ GoggleGear™ Safety Goggles 2890 Series are high-wrap safety goggles available with a superior anti-scratch and anti-fog coatings for increased durability and vision. Our goggles feature a modern, slim design and a wide, nylon elastic strap for easy adjustability.



- Large profile 3M™ GoggleGear™ Safety Goggles range, with enough space to fit over most prescription glasses
- Polycarbonate lens options available for impact resistance and acetate lens options available for improved chemical resistance
- Indirect ventilation versions available to protect against liquid droplets and large dust particles and sealed ventilation versions available to protect against small dust particles and gas protection

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000032481	2890A	3M™ Safety Goggles 2890 Series, Indirect Vented, Anti-Fog, Clear Acetate Lens, 2890A, 10/Case	10 per case	Each				
7000032480		3M™ Safety Goggles 2890 Series, Indirect Vented, Anti-Scratch / Anti-Fog, Clear Polycarbonate Lens, 2890, 10/Case	10 per case	Each				
7100146292		3M™ Safety Goggles 2890 Series, Indirect Vented, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, 2891-SGAF, 10/Case	10 per case					

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Eye Protection

## 3M™ GoggleGear™ Safety Goggles 2890 Series

3M™ GoggleGear™ Safety Goggles 2890 Series are high-wrap safety goggles available with a superior anti-scratch and anti-fog coatings for increased durability and vision. Our goggles feature a modern, slim design and a wide, nylon elastic strap for easy adjustability.



- Large profile 3M™ GoggleGear™ Safety Goggles range, with enough space to fit over most prescription glasses
- Polycarbonate lens options available for impact resistance and acetate lens options available for improved chemical resistance
- Indirect ventilation versions available to protect against liquid droplets and large dust particles and sealed ventilation versions available to protect against small dust particles and gas protection

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000032483	2890SAS	3M™ Safety Goggles 2890 Series, Sealed, Anti-Fog, Clear Acetate Lens, 2890SA, 10/Case	10 per case	Each				
7000061924		3M™ Safety Goggles 2890 Series, Sealed, Anti-Scratch / Anti-Fog, Clear Polycarbonate Lens, 2890S, 10/Case	10 per case	Each				
7100010431	2895S	3M™ Safety Goggles 2890 Series, Sealed, Anti-Scratch / Anti-Fog, Welding Shade 5.0, 2895S, 10/Case	10 per case	Each				
7100146291		3M™ Safety Goggles 2890 Series, Sealed, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, 2891S-SGAF, 10/Case	10 per case					

## 3M™ GoggleGear™ Safety Goggles 500 Series

3M™ Goggle Gear™ Safety Goggles 500 Series provides superior anti-fog protection in a modern slim-line and lightweight design.



- Small profile 3M™ GoggleGear™ Safety Goggles range with a lightweight design for all-day comfort and indirect airflow to help against fogging
- Premium spherical curved lens design for optimal horizontal and vertical field of vision
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100074368	GG501S	3M™ Goggle Gear™ 500 Safety Goggles, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), GG501SGAF-EU, 10/Case	10 per Case					
7100185290	GG502SGAF	3M™ Goggle Gear™ 500 Safety Goggles, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Grey Lens, GG502SGAF-EU, 10/Case	10 per Case					
7100185182	GG550SGAF	3M™ Goggle Gear™ 500 Safety Goggles, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), IR5 Grey Lens, GG550SGAF-EU, 10/Case	10 per Case					
7100185183	GG501NSGAF-BLU	3M™ Goggle Gear™ 500 Safety Goggles, neoprene headband, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, GG501NSGAF-EU, 10/Case	10 per Case					





# Hearing Protection

# Hearing Protection

## Earplugs

### 3M™ Earplugs 1100 Series

The 3M™ 1100 Earplugs are disposable foam earplugs designed for insertion into the ear canal to help reduce exposure to hazardous levels of noise up to 37 dB.



- Reduces noise levels up to 37 dB
- Tapered design provides a good fit on a wide range of ear canal sizes
- Soft hypoallergenic foam softens with body temperature once inserted for comfortable extended wear

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100100638	1110	3M™ Earplugs, 37 dB, Corded, 500 Pairs / Box, 1110	500 Per Pack	500 Pairs / Box				
7000103721	1100B	3M™ Earplugs, 37 dB, Refill Bottle, Uncorded, 500 Pairs/Box, 1100D	500 Per Pack	500 Pairs / Box				
7100100263	1100R	3M™ Earplugs, 37 dB, Top Up Bag, Uncorded, 2000 Pairs/Box, 1100R	2000 Per Pack	2000 Pairs / Box				
7100100637	1100	3M™ Earplugs, 37 dB, Uncorded, 200 Pairs/Box, 1100	200 Per Pack	200 Pairs / Box				

### 3M™ 1310 Banded Earplugs

3M™ E-A-R™ 1310 Banded Earplugs are designed with a patented headband with flexing capability that adjusts to the movements of your jaw and head, for a comfortable and secure fit with constant low pressure in the ear. Our blue robust acetal plastic band is made to fit behind the head or under the chin, making it ideal for wearers exposed to intermittent noise.



- Reduces noise levels up to 26 dB
- Flexible band design helps maintain a constant pressure, at a comfortable level, irrespective of head size
- Innovative flexible band for optimum fit and superior comfort

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100089592	1310	3M™ E-A-R™ Banded Earplugs, 26 dB, 10/Box, 1310		10 / Box				
7100100262	1311	3M™ E-A-R™ Replacement Pods, 26 dB, 20 Pairs/Box, 1311	100 Per Pack	20 Pairs / Box				

### 3M™ Earplugs 1200 Series

The 3M™ Earplugs 1200 Series are reusable and designed for insertion into the ear canal to help reduce exposure to hazardous levels of noise up to 25 dB.

- Reduces noise levels up to 25dB
- Triple flange design for optimum fit for most ear canal sizes
- Made from soft and durable material for optimum comfort

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100109118	1271	3M™ Earplugs, 25 dB, Corded, 25 Pairs/Pack, 1271		20 Pairs / Box				
7100109117	3M1261N	3M™ Earplugs, 25 dB, Uncorded, 250 Pairs/Box, 1261						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Hearing Protection

## Earmuffs

### 3M™ PELTOR™ X4 Earmuffs

3M™ PELTOR™ X4 Earmuffs are our lightweight and slim hearing protectors with innovative foam earcup inserts and spacers to help boost attenuation and protect against low frequencies up to 33 dB. They feature an electrically insulated, twin headband that decreases heat build-up on top of the head.

- Reduces noise levels up to 33 dB
- Wide flat headband is electrically insulated making the earmuffs electrically resistant or ,dielectric‘
- Colour-coding makes it easy to identify the level of protection being worn



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000103994	X4P3	3M™ PELTOR™ Earmuffs, 32 dB, Hi-Viz, Helmet Mounted, X4P3	10 Per Pack	Each				
7100095551	X4P5	3M™ PELTOR™ Earmuffs, 32 dB, Hi-Viz, Helmet Mounted, X4P5	10 Per Pack	Each				
7100123162	X4B- EU	3M™ PELTOR™ Earmuffs, 32 dB, Hi-Viz, Neckband, X4B						
7100097444	X4P5-OR	3M™ PELTOR™ Earmuffs, 32 dB, Orange, Helmet Mounted, X4P5E-OR	10 Per Pack					
7000103993	X4A	3M™ PELTOR™ Earmuffs, 33 dB, Hi-Viz, Headband, X4A	10 Per Pack	Each				

### 3M™ PELTOR™ X3 Earmuffs

3M™ PELTOR™ X3 Earmuffs feature an electrically insulated, twin headband that decreases heat build-up on top of the head. Utilising a specially designed spacer they offer noise reduction up to 33 dB without the weight and bulk.

- Reduces noise levels up to 33 dB
- Wide flat headband is electrically insulated, making the earmuffs electrically resistant or ,dielectric‘
- Colour-coding makes it easy to identify the level of protection being worn



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100095553	X3P5	3M™ PELTOR™ Earmuffs, 32 dB, Red, Helmet Mounted, X3P5	10 Per Pack	Each				
7100123160	X3B- EU	3M™ PELTOR™ Earmuffs, 32 dB, Red, Neckband, X3B						
7000103991	X3A	3M™ PELTOR™ Earmuffs, 33 dB, Red, Headband, X3A	10 Per Pack	Each				

### 3M™ PELTOR™ X2 Earmuffs

3M™ PELTOR™ X2 Earmuffs are our innovative hearing protectors with a modern slim cup design. They feature an electrically insulated, twin headband that decreases heat build-up on top of the head, and offer noise reduction up to 31 dB.

- Reduces noise levels up to 31 dB
- Wide flat headband is electrically insulated making the earmuffs electrically resistant or ,dielectric‘
- Colour-coding makes it easy to identify the level of protection being worn



Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000103990	X2P3	3M™ PELTOR™ Earmuffs, 30 dB, Yellow, Helmet Mounted, X2P3	10 Per Pack	Each				

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Hearing Protection

## 3M™ PELTOR™ X2 Earmuffs

3M™ PELTOR™ X2 Earmuffs are our innovative hearing protectors with a modern slim cup design. They feature an electrically insulated, twin headband that decreases heat build-up on top of the head, and offer noise reduction up to 31 dB.



- Reduces noise levels up to 31 dB
- Wide flat headband is electrically insulated making the earmuffs electrically resistant or ,dielectric‘
- Colour-coding makes it easy to identify the level of protection being worn

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100095525		3M™ PELTOR™ Earmuffs, 30 dB, Yellow, Helmet Mounted, X2P5E	10 Per Pack	Each				
7100123157	X2B- EU	3M™ PELTOR™ Earmuffs, 30 dB, Yellow, Neckband, X2B						
7000103989	X2A	3M™ PELTOR™ Earmuffs, 31 dB, Yellow, Headband, X2A	10 Per Pack	Each				

## 3M™ PELTOR™ X1 Earmuffs

3M™ PELTOR™ X1 Earmuffs are our lightweight hearing protectors with comfortable, soft ear cushions. They feature an electrically insulated, twin headband that decreases heat build-up on top of the head, and offer noise reduction up to 27 dB.



- Reduces noise levels up to 27 dB
- Wide flat headband is electrically insulated making the earmuffs electrically resistant or ,dielectric‘
- Colour-coding makes it easy to identify the level of protection being worn

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000103988	X1P3	3M™ PELTOR™ Earmuffs, 26 dB, Green, Helmet Mounted, X1P3	10 Per Pack	Each				
7100095526	X1P5	3M™ PELTOR™ Earmuffs, 26 dB, Green, Helmet Mounted, X1P5E	10 Per Pack	Each				
7100123139	X1B- EU	3M™ PELTOR™ Earmuffs, 26 dB, Green, Neckband, X1B						
7100097443	X1P5-OR	3M™ PELTOR™ Earmuffs, 26 dB, Orange, Helmet Mounted, X1P5E-OR						
7000103987	X1A	3M™ PELTOR™ Earmuffs, 27 dB, Green, Headband, X1A	10 Per Pack	Each				

## 3M™ PELTOR™ Optime™ I Earmuffs

3M™ PELTOR™ Optime™ I Earmuffs are our innovative, lightweight hearing protectors that reduce noise levels up to 28 dB. They feature a low-profile design that makes them easy to combine with other safety equipment and have soft, wide comfortable cushions that reduce pressure around the ears.



- Reduces noise levels up to 28 dB
- Low-profile design combines easily with other safety equipment
- Sealing rings filled with a unique combination of liquid and foam

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000038206	H510PEGB	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Hi-Viz, Helmet Mounted, H510P3E-469-GB	1 Per Pack	Each				
7000107753	H510BGB	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, High-vis, Neckband, H510B-471-GB	1 Per Pack	Each				

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit



# Hearing Protection

## 3M™ PELTOR™ Optime™ I Earmuffs

3M™ PELTOR™ Optime™ I Earmuffs are our innovative, lightweight hearing protectors that reduce noise levels up to 28 dB. They feature a low-profile design that makes them easy to combine with other safety equipment and have soft, wide comfortable cushions that reduce pressure around the ears.



- Reduces noise levels up to 28 dB
- Low-profile design combines easily with other safety equipment
- Sealing rings filled with a unique combination of liquid and foam

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000104001		3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Orange, Helmet Mounted, H510P3E-OR	1 Per Pack					
7000089454		3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, 60/Case, H510P3E-900-GU						
7000107744	H510PAGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3A-405-GU	1 Per Pack	Each				
7000043332	H510P3AF	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3AF-405-GU	1 Per Pack	Each				
7000107745	H510PBGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3B-405-GU	1 Per Pack	Each				
7000107746		3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3BB-405-GU	1 Per Pack	Each				
7000039617	H510PEGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3E-405-GU	1 Per Pack	Each				
7000107747	H510EAGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3EA-405-GU	1 Per Pack	Each				
7000107748		3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3EB-405-GU	1 Per Pack	Each				
7000107749		3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3F-405-GU	1 Per Pack	Each				
7000107750	H510PGGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3G-405-GU	1 Per Pack	Each				
7000107751	H510PHGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3H-405-GU	1 Per Pack	Each				
7000107752	H510PKGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Helmet Mounted, H510P3K-405-GU	1 Per Pack	Each				
7000039618	H510BGU	3M™ PELTOR™ Optime™ I Earmuffs, 26 dB, Yellow, Neckband, H510B-403-GU	1 Per Pack	Each				
7000103737	H510AGB	3M™ PELTOR™ Optime™ I Earmuffs, 27 dB, Hi-Viz, Headband, H510A-470-GB	1 Per Pack	Each				
7000103738	H510FGB	3M™ PELTOR™ Optime™ I Earmuffs, 28 dB, Hi-Viz, Foldable, H510F-459-GB	1 Per Pack	Each				
7000038205	H510FGU	3M™ PELTOR™ Optime™ I Earmuffs, 28 dB, Yellow, Foldable, H510F-404-GU	1 Per Pack	Each				

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Hearing Protection

## 3M™ PELTOR™ Optime™ II Earmuffs

3M™ PELTOR™ Optime™ II Earmuffs are our innovative hearing protectors for use in loud, demanding environments including airports and construction sites, reducing noise levels up to 31 dB. These earmuffs feature sealing rings filled with a unique combination of liquid and foam providing agreeable comfort even in long-term use and improving incidence of wear and compliance.



- Reduces noise levels up to 31 dB
- Sealing rings filled with a unique combination of liquid and foam
- Large space inside the cups helps minimise heat and moisture build-up

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000107760	H520PAGQ	3M™ PELTOR™ Optime™ II Earmuffs, 30 dB, Green, Helmet Mounted, H520P3A-410-GQ	1 Per Pack	Each				
7000043333	H520P3AF	3M™ PELTOR™ Optime™ II Earmuffs, 30 dB, Green, Helmet Mounted, H520P3AF-410-GQ	1 Per Pack	Each				
7000107761	H520PBGQ	3M™ PELTOR™ Optime™ II Earmuffs, 30 dB, Green, Helmet Mounted, H520P3B-410-GQ	1 Per Pack	Each				
7000039621	H520PEGQ	3M™ PELTOR™ Optime™ II Earmuffs, 30 dB, Green, Helmet Mounted, H520P3E-410-GQ	1 Per Pack	Each				
7000107763	H520EGQ1	3M™ PELTOR™ Optime™ II Earmuffs, 30 dB, Green, Helmet Mounted, H520P3E-410-GQ-01	1 Per Pack	Each				
7000107764	H520EAGQ	3M™ PELTOR™ Optime™ II Earmuffs, 30 dB, Green, Helmet Mounted, H520P3EA-410-GQ	1 Per Pack	Each				
7000107765		3M™ PELTOR™ Optime™ II Earmuffs, 30 dB, Green, Helmet Mounted, H520P3EB-410-GQ	1 Per Pack	Each				
7000107766	H520PFGQ	3M™ PELTOR™ Optime™ II Earmuffs, 30 dB, Green, Helmet Mounted, H520P3F-410-GQ	1 Per Pack	Each				
7100006656	H520PGGQ	3M™ PELTOR™ Optime™ II Earmuffs, 30 dB, Green, Helmet Mounted, H520P3G-410-GQ	1 Per Pack	Each				
7000107767	H520PHGQ	3M™ PELTOR™ Optime™ II Earmuffs, 30 dB, Green, Helmet Mounted, H520P3H-410-GQ	1 Per Pack	Each				
7000038210	H520PEGB	3M™ PELTOR™ Optime™ II Earmuffs, 30 dB, Hi-Viz, Helmet Mounted, H520P3E-467-GB	1 Per Pack	Each				
7000038208	H520FGQ	3M™ PELTOR™ Optime™ II Earmuffs, 31 dB, Green, Foldable, H520F-409-GQ	1 Per Pack	Each				
7000039619	H520AGQ	3M™ PELTOR™ Optime™ II Earmuffs, 31 dB, Green, Headband, H520A-407-GQ	1 Per Pack	Each				
7000039620	H520BGQ	3M™ PELTOR™ Optime™ II Earmuffs, 31 dB, Green, Neckband, H520B-408-GQ	1 Per Pack	Each				
7000038209	H520FGB	3M™ PELTOR™ Optime™ II Earmuffs, 31 dB, Hi-Viz, Foldable, H520F-460-GB	1 Per Pack	Each				
7000038207	H520AGB	3M™ PELTOR™ Optime™ II Earmuffs, 31 dB, Hi-Viz, Headband, H520A-472-GB	1 Per Pack	Each				

## 3M™ PELTOR™ Optime™ III Earmuffs

3M™ PELTOR™ Optime™ III Earmuffs are our high performance hearing protectors for use in extremely loud environments, reducing noise levels by up to 35 dB. They have a double casing that minimises resonance and comfortable soft, wide cushions to decrease pressure around the ears. Available in headband, neckband, helmet attached and Hi-Viz green models.



- Reduces noise levels up to 35 dB
- Double casing technology minimises resonance effect
- Large space inside the cups helps minimise heat and moisture build-up

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit

# Hearing Protection

## 3M™ PELTOR™ Optime™ III Earmuffs

3M™ PELTOR™ Optime™ III Earmuffs are our high performance hearing protectors for use in extremely loud environments, reducing noise levels by up to 35 dB. They have a double casing that minimises resonance and comfortable soft, wide cushions to decrease pressure around the ears. Available in headband, neckband, helmet attached and Hi-Viz green models.



- Reduces noise levels up to 35 dB
- Double casing technology minimises resonance effect
- Large space inside the cups helps minimise heat and moisture build-up

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000038211	H540AGB	3M™ PELTOR™ Optime™ III Ear Muffs, 35 dB, Hi-Viz, Headband, H540A-461-GB	1 Per Pack	Each				
7000043334	H540P3AF	3M™ PELTOR™ Optime™ III Earmuffs, 34 dB, Black/Red, Helmet Mounted, H540P3AF-413-SV	1 Per Pack	Each				
7000039624	H540PESV	3M™ PELTOR™ Optime™ III Earmuffs, 34 dB, Black/Red, Helmet Mounted, H540P3E-413-SV	1 Per Pack	Each				
7000107769		3M™ PELTOR™ Optime™ III Earmuffs, 34 dB, Black/Red, Helmet Mounted, H540P3EA-413-SV	1 Per Pack	Each				
7000107770	H540PHSV	3M™ PELTOR™ Optime™ III Earmuffs, 34 dB, Black/Red, Helmet Mounted, H540P3H-413-SV	1 Per Pack	Each				
7000038212	H540PEGB	3M™ PELTOR™ Optime™ III Earmuffs, 34 dB, Hi-Viz, Helmet Mounted, H540P3E-475-GB	1 Per Pack	Each				
7000039622	H540ASV	3M™ PELTOR™ Optime™ III Earmuffs, 35 dB, Black/Red, Headband, H540A-411-SV	1 Per Pack	Each				
7000039623	H540BSV	3M™ PELTOR™ Optime™ III Earmuffs, 35 dB, Black/Red, Neckband, H540B-412-SV	1 Per Pack	Each				
7000107772	H540BGB	3M™ PELTOR™ Optime™ III Earmuffs, 35 dB, Hi-Viz, Neckband, H540B-474-GB	1 Per Pack	Each				

## Over-ear Headsets

### 3M™ PELTOR™ WS™ ALERT™ X Headsets

3M™ PELTOR™ WS™ ALERT™ X Headset is a Bluetooth® headset with noise-cancelling boom microphone that connects to your mobile phone for hands free calls and streaming in noisy environments. The headset has a level-dependent function for ambient listening and it synchs to a mobile app so users can easily set-up and adjust the headset

- Attenuating hearing protector comes in two models: headband or a safety helmet attachment
- Bluetooth® technology for connection to an external Bluetooth® device allows for hands-free talking and streaming
- Noise-cancelling boom microphone for clear speech transmission in noisy environments

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100256658		3M™ PELTOR™ WS™ ALERT™ X Headset, Bright Yellow Cups, Hard Hat Attached, Compatible with Mobile App, MRX21P3E4WS6						
7100257811		3M™ PELTOR™ WS™ ALERT™ X Headset, Bright Yellow Cups, Headband, Compatible with Mobile App, MRX21A4WS6						

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
SU = Selling Unit





# Head & Face Protection

# Head & Face Protection

## Hard Hats

### 3M™ Headgear Combinations G500 Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000104156		3M™ Headgear Combination, Forestry, Orange, G500-OR, 10 ea/Case						
7000103790		3M™ Headgear Combination, Forestry, Orange, G500V5CH510-OR, 12 ea/Case	12	Each				
7000103820		3M™ Headgear Combination, Forestry, Orange, G500V5JH510-OR, 10 ea/Case	12	Each				
7000038216	G500-GU	3M™ Headgear Combination, Industry, Yellow, G500-GU, 10 ea/Case	10	Each				
7100029146		3M™ Headgear Combination, Industry, Yellow, G500V5F11H51-GU, 10 ea/Case	12					

MOQ = Minimum Order Quantity, MSU = Minimum Saleable Unit  
 SU = Selling Unit





# Welding Safety

## Welding Helmets

### 3M™ Speedglas™ Welding Helmets 100 Series

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100166702	751620	3M™ Speedglas™ Welding Helmet 100 Trojan Warrior, with 100V filter, 751620		Assembly				
7100166682		3M™ Speedglas™ Welding Helmet 100, Black, with passive filter, 751101		Each				
7100166734		3M™ Speedglas™ Welding Helmet 100, Motor, with 3M™ Speedglas™ 100V filter , 752920						
7100166735		3M™ Speedglas™ Welding Helmet 100, Skull, with 3M™ Speedglas™ 100V filter, 752820						
7100259107		3M™ Speedglas™ Welding Helmet 100 751114, with Welding Filter 3M™ Speedglas™ 100B, 1 Each/Case						
7100166705	751120	3M™ Speedglas™ Welding Helmet 100, Black, with 3M™ Speedglas™ 100v filter, 75 11 20		Each				
7100166681		3M™ Speedglas™ Welding Helmet 100, Black, without Welding Filter, 751100		Each				
7100166706	752520	3M™ Speedglas™ Welding Helmet 100, Ice Hot, with 3M™ Speedglas™ 100v filter, 752520		Each				
7100166712		3M™ Speedglas™ Welding Helmet 100, Lorch, with 3M™ Speedglas™ 100v filter, 759402						
7100166690		3M™ Speedglas™ Welding Helmet 100, Merkle, with 3M™ Speedglas™ 100v filter, 759421						
7100166689	752420	3M™ Speedglas™ Welding Helmet 100, Razor Dragon, with 3M™ Speedglas™ 100v filter, 752420		Each				
7100166727		3M™ Speedglas™ Welding Helmet 100, TÜV with 3M™ Speedglas™ 100v filter, 759406						
7100166692	783120	3M™ Speedglas™ Welding Helmet 100, with safety helmet and 3M™ Speedglas™ 100v filter, 783120		Each				
7100166688	752220	3M™ Speedglas™ Welding Helmet 100V Xterminator		Assembly				



# Apparel & Workwear

# Apparel & Workwear

## Coveralls

### 3M™ Reusable Paintshop Coverall 50425

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7000034319	50425L	3M™ Reusable Coverall 50425, L		Bag				
7000034318	50425M	3M™ Reusable Coverall 50425, M		Bag				

### 3M™ Protective Coverall 4540

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100036529	4540W2XL	3M™ Protective Coverall 4540+, 2XL		Each				
7100041597	4540W3XL	3M™ Protective Coverall 4540+, 3XL		Each				
7100041420	4540W4XL	3M™ Protective Coverall 4540+, 4XL		Each				
7100040416	4540WL	3M™ Protective Coverall 4540+, L		Each				
7100040087	4540WM	3M™ Protective Coverall 4540+, M		Pack				
7100040415	4540WS	3M™ Protective Coverall 4540+, S		Each				
7100040086	4540WXL	3M™ Protective Coverall 4540+, XL		Each				

### 3M™ Paintshop Coverall 51850

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100146912	51850XXL	3M™ Paintshop Coverall 51850, 2XL						
7100146911	51850L	3M™ Paintshop Coverall 51850, L						
7100146913	51850M	3M™ Paintshop Coverall 51850, M						
7100146914	51850XL	3M™ Paintshop Coverall 51850, XL						

### 3M™ Reusable Paintshop Coverall 51851

Material ID	Part Number	Product	MOQ	Order Unit	MSU	SU	Price per Unit	Price per MOQ
7100147722	51851XXL	3M™ Reusable Coverall 51851, 2XL						
7100147721	51851L	3M™ Reusable Coverall 51851, L						
7100147723	51851M	3M™ Reusable Coverall 51851, M						
7100147724	51851XL	3M™ Reusable Coverall 51851, XL						

# Product Index

Part Number	Page
00164	20
00165	20
00168	20
00169	20
00171	20
00174	20
00358	85
00692	17
00694	17
00696	17
00953	22
01053	22
01647	17
01649	17
01967	44
01970	44
01971	43
01972	43
01973	43
01974	43
01975	43
01976	43
01977	43
01978	43
01979	43
01980	43
01981	43
01982	43
01986	43
01987	43
01988	43
01989	43
01991	32
02034	45
02045	45
02048	45
02049	45
02556	39
02558	39
02559	39
02560	39
02561	39
02562	39
02563	39
02564	39
02565	39
02600	33
02601	33
02631	39
02636	39
03020	81
03416	40
03417	40
03418	40
03545	41
03549	41
03551	41
03552	41

Part Number	Page
03553	41
03555	41
03574	41
03577	41
03579	41
03583	41
03585	41
03587	41
03589	41
03591	41
03631	41
03633	41
03636	41
03637	41
03639	41
03808	33
03809	33
03810	33
04394	38
04395	38
04396	38
04397	38
04398	38
04400	38
04493	38
04494	38
04533	38
04545	38
04748	82
04903	79, 81
04904	82
04908	85
05096	93
05098	93
05170	55
05171	55
05172	55
05173	55
05174	63
05175	54
05187	38
05275	38
05276	38
05277	38
05278	38
05279	38
05281	38
05282	38
05283	38
05423	93
05539	57
05540	57
05600	25
05601	25
05684	50
05704	142
05705	142
05710	58

Part Number	Page
05713	142
05717	53
05717M	53
05731	38
05733	141
05737	140
05738	140
05740	51
05741	51
05742	51
05744	51
05752	58, 142
05768	55
05771	56
05774	56
05777	56
05791	54
05792	54
05887	83
05888	82
05900	83
05901	83
05916	159
05917TF	75
05967	147, 148
05968	148
05969	148
05970	148
05971	148
06057	147
06058	147
06059	147
06060	147
06281	160
06282	160
06283	160
06284	160
06287	158
06290	160
06291	160
06298	158
06304	154
06309	154
06310	154
06311	154
06313	154
06314	159
06340	157
06345	159
06347	159
06348	159
06349	159
06354	156
06355	156
06357	157
06358	157
06396	81, 82
06525	157

Part Number	Page
06526	157
06528	157
06529	157
066293	157
06750	155
06751	155
06752	155
06753	155
06754	155
06780	148
06800	158
06839	150
06847	150
06851	150
06856	150
07333	70
07524	31
07652	57
07813	148
07838	147
07893	154
07895	154
07897	154
07898	154
07899	154
08006	79
08007	79
08011	79
08012	78
08013	77
08014	77
08021	88
08025	88
08069	161
08080	71
08090	71
08115	70, 87
08116	70
08117	76
08122	70
08155	88
08158	98
08159	98
08190	76
08193	84
08198	84
08365	72
08401	74
08463	94
08475	80
08476	80
08509	86
08537	73, 74
08540	76
08563	94
08568	80
08571	76
08573	80



# Product Index

Part Number	Page
08578	81
08603	86
08604	87
08605	77
08609	87
08610	80
08611	80
08612	80
08613	86
08616	86
08629	86
08631	102
08665	73
08684	72, 73
08689	73
08694	72
08782	73
08783	73
08787	73
08788	73
08789	72
08793	72
08800	94
08801	78
08803	95
08804	119
08824	94
08825	94
08826	94
08827	94
08828	94
08829	94
08840	95
08851	74
08852	96
08855	72
08861	99
08868	98
08871	98
08872	98
08873	98
08874	98
08875	98
08877	99
08879	98
08881	99
08882	99
08888	98, 102
08901	96
08909	97
08911	96
08919	96
08929	96
08984	102
08987	119
08988	84
08991	79
08992	76

Part Number	Page
08993	78
08996	120
08997	120
09035E	105
09308	138
09374	134
09375	136
09376	137
09377	137
09378	141
09550	140
09552	56
09553	56
09650	97, 143
09651	97, 143
09660	104
09678	158
09930	78
09973	158
1100	176
1100B	176
1100R	176
1110	176
1271	176
127858	154
1310	176
1311	176
16000	125
16001	126
16015	126
16017	126
16023	126
16024	125
16025	124
16026	125
16032	126
16033	126
16034	126
16035	126
16036	126
16037	126
16038	126
16039	126
16042	126
16043	126
16044	126
16046	126
16053	126
16105	126
16106	126
16112	125
16114	125
16115	126
16119	126
16121	128
16122	126
16124	128
16152	128

Part Number	Page
16156	128
16160	128
16164	129
16166	128
16219	125
16298	125
16299	125
16312	125
16352	128
16360	128
16364	129
16398	120
16432	129
16550	120
16551	121
16552	121
16555	121
16556	121
16571	118
16573	118
16577	117
16578	116
16587	116
16609	117
16611	117
16612	117
16614	117
16740	125
16742	126
16743	127
16752	125
16754	127
16757	127
20382	85
20427	52
20458	124
20480	124
20573A	124
20587	124
20677	124
20730	124
25115	48
26000	122
26001	123
26005	123
26017	124
26022	124
26023	123
26024	122
26026	122
26030	122
26032	123
26033	123
26035	123
26036	123
26038	123
26039	123
26044	124

Part Number	Page
26046	124
26102	124
26105	124
26112	122
26114	122
26115	123
26119	124
26121	122
26122	123
26124	122
26199	123
26200	123
26204	123
26205	123
26312	122
26334	156
26336	156
26338	156
26340	156
26614	117
26618	117
26620	117
26710	124
26712	113
26713	113
26714	113
26716	113
26718	113
26720	113
26740	122
26752	122
26778	112
26811	113
26814	113
26818	113
26832	112
26833	114
26834	115
26835	115
26837	115
26838	116
26839	114
26840	114
26878	112
28729	54
2890A	172
2890SAS	173
2895S	173
30344E	139
30367	24
30368	24
30369	24
30370	24
30371	24
30639	42
30666	24
30667	24
30668	24



# Product Index

Part Number	Page
30670	24
30671	24
30804	26
30806	26
31180	93
31366	16
31367	16
31368	16
31369	16
31471	16
31472	16
31473	16
31474	16
31641	13
31642	13
31643	13
31644	13
31645	13
31646	13
31647	13
31650	14
31651	14
31652	14
31653	14
31654	14
31655	14
31656	14
31665	13
31666	14
31667	14
31668	14
31669	14
31670	14
31671	14
31679	13
31680	13
31681	13
31682	13
31683	13
31684	13
31685	13
33033	139
33034	139
33035	139
33039	135
33040	135
33042	139
33271	58, 143
33279	142
33377	29
33379	29
33380	29
33389	29
33391	29
33392	29
33395	29
33407	29
33409	29

Part Number	Page
33410	29
33431	29
33437	50
33439	50
33440	50
33443	50
33445	50
33446	50
33449	50
33451	50
33452	50
33455	31
33456	31
33460	31
33467	31
33470	30
33471	30
33472	30
33538	27
33539	27
33540	27
33541	27
33542	27
33543	27
33544	27
33545	27
33546	27
33547	27
33548	27
33549	27
33550	26
33551	27
33552	27
33553	27
33554	27
33573	59
33575	59
33577	61, 62
33579	59
33581	59
33583	60
33584	60
33585	60
33586	60
33588	60
33623	61
33627	61
33628	61
33629	61
33645	63
33646	63
33647	65
33648	63
33652	65
33653	64
33654	64
33759	62
33765	64

Part Number	Page
33766	61
33889	46
33892	46
33895	46
33898	46
33909	51
34240	83
34337	46
34339	46
34340	46
34341	46
34342	46
34343	46
34349	57
34417	23
34419	23
34420	23
34421	23
34422	23
34423	23
34550	34
34551	34
34552	34
34553	34
34554	34
34555	34
34556	34
34560	34
34561	33
34562	33
34563	33
34564	33
34565	33
34566	34
34567	104
34568	103
34572	34
34573	34
34574	34
34575	34
34576	34
34577	34
34578	34
34780	24
34781	24
34782	24
34783	24
34784	24
34785	24
34800	23
34801	23
34802	23
34803	23
34804	23
34805	23
35109	48
35110	48
35111	48

Part Number	Page
35112	48
35113	48
35114	48
35116	48
35123	51
35124	48
35887	83
36102E	134
36106E	135
36110E	138
36113E	139
36420	15
36421	15
36422	15
36423	15
36424	15
36425	15
36426	15
36435	15
36436	15
36437	15
36438	15
36439	15
36440	15
36441	15
36449	14
36450	14
36451	15
36452	15
36453	15
36454	14
36455	15
36462	35
36463	35
36464	35
36465	35
36466	35
36467	35
36468	35
36470	35
36471	35
36472	35
36473	35
36474	35
36475	35
36476	35
36851	149
36852	149
36856	150
36862	150
36863	149
36865	149
36866	149
37455	92, 93
38070	102
3M1261N	176
3M501	167
4251+	165

# Product Index

Part Number	Page
4255+	165
4277+	165
4279+	166
4540W2XL	188
4540W3XL	188
4540W4XL	188
4540WL	188
4540WM	188
4540WS	188
4540WXL	188
50018	138
50080	18
50081	18
50083	18
50085	18
50086	18
50087	18
50088	18
50193	53
50293	148
50318	86
50319	86
50330	42
50331	42
50333	42
50335	43
50337	42
50338	42
50339	42
50340	42
50341	26
50367	105
50371	105
50383	136
50388	141
50389	141
50391	53
50392	53
50393	53
50394	53
50396	56
50397	56
50400	103
50401	104
50402	119
50403	119
50404	119
50405	119
50406	118
50407	119
50408	118
50409	118
50410	95
50411	118
50412	118
50413	26
50414	26
50415	26

Part Number	Page
50416	97, 143
50421	157
50425L	188
50425M	188
50432	40
50443	19
50445	19
50446	19
50447	19
50448	19
50449	19
50451	19
50453	19
50454	19
50455	19
50457	141
50458	127
50474	53
50475	53
50480	126
50486	103
50487	140
50488	141
50489	104
50499	140
50534	22
50535	21
50536	141
50539	53
50540	53
50541	53
50542	53
50543	53
50544	56
50545	56
50547	56
50548	56
50549	119
50550	118
50578	127
50588	151
50600	77
50601	84
50602	100
50603	100
50604	77
50661	75
50677	127
50681	86
50708	141
50716	18
50717	18
50719	18
50721	18
50723	18
50725	18
50726	18
50728	58

Part Number	Page
50729	58
50730	127
50731	151
5073A	127
50740	72
50742	56
50743	42
50774	54
50781	55
50800	105
50801	105
50802	105
50803	105
50804	105
50874	140
50875	140
50878	140
50879	140
50880	141
50884	33
50887	33
50913	22
50962	140
50977	155
50978	155
50979	155
50980	155
50981	155
50982	155
50983	155
50988	147
50989	147
51002	90
51003	90
51004	90
51005	91
51009	92
51019	22
51020	22
51040	22
51041	22
51053	22
51054	22
51055	22
51057	22
51061	147
51072	91
51073	91
51074	92
51075	91
51076	91
51077	92
51078	91
51079	91
51080	92
51081	100
51087	25
51089	25

Part Number	Page
51090	25
51091	25
51092	25
51095	21
51097	21
51098	21
51099	22
51122	53
51123	53
51124	53
51125	53
51126	56
51127	56
51130	26
51131	26
51137	25
51138	25
51139	25
51140	25
51141	25
51142	25
51150	25
51154	24
51155	24
51156	24
51157	24
51158	24
51211	92
51212	93
51215	62
51218	42
51240	57
51241	42
51242	42
51243	42
51244	42
51245	42
51246	42
51257	23
51263	23
51264	23
51265	23
51266	23
51287	154
51304	22
51362	97, 143
51369	16
51370	16
51371	20
51373	20
51374	20
51375	20
51376	20
51377	21
51379	21
51381	21
51382	21
51383	21

# Product Index

Part Number	Page
51386	35
51387	35
51388	35
51389	35
51390	36
51391	36
51393	36
51395	36
51399	37
51400	37
51401	37
51402	37
51403	37
51404	37
51406	37
51408	37
51411	36
51412	36
51413	36
51414	36
51415	36
51416	36
51418	36
51418K	62
51419	60
51420	32
51421	16
51422	17
51423	17
51424	17
51426	17
51428	17
51583	24
51585	24
51588	36
51589	36
51590	36
51591	36
51592	36
51596	42
51599	36
51600	36
51601	36
51602	36
51603	36
51610	16
51611	16
51612	16
51613	16
51614	16
51615	16
51616	16
51617	16
51626	15
51627	15
51629	15
51630	15
51631	16

Part Number	Page
51654	19
51656	19
51657	19
51658	19
51659	19
51660	19
51661	20
51662	20
51663	20
51664	20
51665	20
51666	20
51677	136
51815	134
51818	134
51819	156
51820	156
51821	156
51822	156
51823	156
51850L	188
51850M	188
51850XL	188
51850XXL	188
51851L	188
51851M	188
51851XL	188
51851XXL	188
51871	147
51875	85
52022	36
52023	36
52025	37
52026	16
52027	16
52028	16
53024	37
542037	164
542075	164
55045	82
55047	71
55535	97, 143
58000	95
58001	95
58003	95
58012	75
58015	86
58115	70
60053	44
60054	44
60055	44
60056	44
60057	44
60058	44
60060	44
60063	44
60477	18
60479	18

Part Number	Page
60481	18
60483	18
60485	18
60487	18
60539	47
60540	47
60542	47
60544	47
60546	47
60547	47
60548	47
60549	47
60713	45
60715	45
60717	45
60718	45
60719	45
60720	45
6100	165
61001	37
61002	37
61003	37
61004	37
61005	37
61007	37
61028	38
61029	38
61030	37
61031	37
61032	37
61034	37
61035	37
61036	37
61072	39, 40
61073	40
61074	40
61075	40
61076	40
61077	40
61078	40
61079	40
61080	39
61081	39
61082	39
61083	39
61112	40
61114	40
61116	40
61118	40
61123	39
61124	39
61125	39
6200	165
6300	165
6700	165
6783	166
6800	165
6900	165

Part Number	Page
6972	168
7501	165
7502	165
7503	165
751120	186
751620	186
752220	186
752420	186
752520	186
783120	186
80110	147
80307	151
80345	137
80347	103
80349	135
80350	17
80351	17
80352	17
80353	17
80354	17
80355	18
80357	18
80358	18
80359	19
80360	19
80361	19
80363	19
80364	19
80365	19
80366	19
83497	52
83978	52
8710	164
8812	164
8825+	164
8833	164
8833SP	164
8835+	164
8851WK	96
9312+	164
9330+	164
9330+ BULK	164
9914	164
9922	164
9926	164
D701	166
empty productattribute	
28, 30, 31, 32, 47, 48, 49,	
104, 116, 160, 164, 165, 166,	
167, 168, 171, 172, 173, 178,	
179, 180, 181, 184, 186	
G500-GU	184
GG501NSGAF-BLU	173
GG501S	173
GG502SGAF	173
GG550SGAF	173
H510AGB	179
H510BGB	178
H510BGU	179

# Product Index

Part Number	Page
H510EAGU	179
H510FGB	179
H510FGU	179
H510P3AF	179
H510PAGU	179
H510PBGU	179
H510PEGB	178
H510PEGU	179
H510PGGU	179
H510PHGU	179
H510PKGU	179
H520AGB	180
H520AGQ	180
H520BGQ	180
H520EAGQ	180
H520EGQ1	180
H520FGB	180
H520FGQ	180
H520P3AF	180
H520PAGQ	180
H520PBGQ	180
H520PEGB	180
H520PEGQ	180
H520PFGQ	180
H520PGGQ	180
H520PHGQ	180
H540AGB	181
H540ASV	181
H540BGB	181
H540BSV	181
H540P3AF	181
H540PEGB	181
H540PESV	181
H540PHSV	181
HF-801	166
HF-801SD	166
HF-802	166
HF-802SD	166
HF-803	166
HF-803SD	166
M-206	167
M-207	167
S-133L	167
S1101S	171
S1101SKT	171
S1102S	172
S1103S	171
S1201S	172
S1201SKT	172
S1202S	171
S1203S	172
SF201AF	171
SF201AS	171
SF201SGAF-BLU	171
SF202AF	171
SF203AF	171
SF401AF	170
SF401SGAF-BLU	170

Part Number	Page
SF401SGAF-BLU-F	170
SF401SGAF-RED	170
SF402AF	170
SF402SGAF-BLU	170
SF403AF	170
SF403SGAF-YEL	170
SF405SGAF-BLA	170
SF406SGAF-BLA	170
SF407SGAF-BLU	170
SF408AS	170
SF410AS	170
TR-619UK	167
TR-6310E	168
V-500E	168
X1A	178
X1B- EU	178
X1P3	178
X1P5	178
X1P5-OR	178
X2A	178
X2B- EU	178
X2P3	177
X3A	177
X3B- EU	177
X3P5	177
X4A	177
X4B- EU	177
X4P3	177
X4P5	177
X4P5-OR	177
xxx	158

# 3M Local Contact Addresses



## 3M Deutschland GmbH

Autoreparatur-Systeme  
Carl-Schurz-Straße 1  
41453 Neuss  
Deutschland  
Tel: +49 2131 88 19 265  
3m-autoreparatur.de@mmm.com  
www.3M.de/autoreparatur



## 3M Österreich GmbH

Autoreparatur-Systeme  
Kranichberggasse 4  
1120 Wien  
Österreich  
Tel: +43 1417 00 52  
autoreparatur-at@mmm.com  
www.3maustria.at/autoreparatur



## 3M (Schweiz) GmbH / 3M (Suisse) S.à r.l.

Autoreparatur-Systeme  
Eggstrasse 91  
8803 Rüschlikon  
Schweiz / Suisse  
Tel: +41 4350 896 58  
3M.PAS.ch@mmm.com  
www.3mschweiz.ch/autoreparatur  
www.3msuisse.ch/autocarroserie



## 3M Belgium bvba / sprl

Automotive Aftermarket  
Hermeslaan, 7  
1831 Diegem  
Belgique  
Tel: (+32) 2808 17 91  
3M.CDC.bnl@mmm.com  
www.3m.be/fr/autocarrosérie  
www.3m.be/autoreparatie



## 3M Nederland B.V.

Automotive Aftermarket  
Molengraaffsingel 29, 2629 JD Delft  
Nederland  
Tel: (+31) 1580 80 217  
3M.CDC.bnl@mmm.com  
www.3m.nl/autoreparatie



## 3M Sanayi ve Ticaret As

Barbaros Mah., Mor Sümbül Sok.  
No:7/3F, 27-51  
Nidakule Ataşehir Güney  
34746 Ataşehir  
İstanbul  
Turkey  
www.3m.com/tr/cilauygulama



## 3M España, S.L.

Calle Juan Ignacio Luca de Tena, 19-25  
28027 Madrid  
www.3m.com.es/3M/es\_ES/  
empresa-es/contactar



## 3M France

1 Parvis de l'Innovation  
CS 20203  
95006 Cergy-Pontoise  
France  
Tel : +33 (0)1 30 31 61 61  
3M.contact.fr@mmm.com  
www.3M.com/fr/repauto



## 3M Italia srl

Divisione Prodotti Autocarrozzeria  
Via Norberto Bobbio 21  
20096 Pioltello MI  
Italia  
Tel. 02 7035.1  
3mitaly@mmm.com  
www.3mautocarrozzeria.it



## 3M United Kingdom plc

Automotive Aftermarket  
3M Centre, Cain Road,  
Bracknell, RG12 8HT  
England  
Phone: +44 (0)161 237 6391  
aadukenquiries@mmm.com  
www.3Mbodyshop.co.uk



## 3M Ireland Limited

Automotive Aftermarket  
The Iveagh Building  
Carrickmines Park  
Carrickmines, Dublin 18  
Ireland  
Tel: +353 12160301  
aadukenquiries@mmm.com  
www.3Mbodyshop.co.uk



## 3M Gulf Limited

Dubai Internet City  
Building No. 11, 3rd Floor  
U.A.E.



## 3M Svenska AB

Bileftermarknad  
Herrjärva torg 4  
170 67 Solna  
Svenska  
Tel: 08-922100  
aadukenquiries@mmm.com  
www.3M.se/bileftermarknad



## 3M Norge AS, Auto

Tærudgata 16  
2004 Lillestrøm  
Norge  
aadukenquiries@mmm.com  
www.3m.no/auto



## Denmark, 3M a/s,

Automotive Aftermarket  
Hannemanns Allé 53  
2300 København S  
Denmark  
aadukenquiries@mmm.com  
www.3MAuto.dk



## Finland, Suomen 3M Oy

Autotuotteet  
Keilaniementie 1  
02151 Espoo  
Tel: 09 5252 1  
aadukenquiries@mmm.com  
www.3M.fi/autotuotteet



## 3M Poland

Al. Katowicka 117  
Kajetany  
05-830 Nadarzyn  
Polska  
Telefon: +48 22 739 60 00  
www.3m.pl/kontakt



## 3M Russia

Automotive Aftermarket  
ComCity Business Park,  
Kievskoe Highway, 22nd km, 6, bld. 1,  
Moscow, 108811  
Tel: +7 495 784 74 74  
www.3mrussia.ru/aad



## 3M Česko, spol. s r.o.

V Parku 2343/24  
148 00 Praha 4



## 3M Slovensko s.r.o

Polus Tower 2, Vajnorska 100/B  
831 04 Bratislava



## 3M Hungária Kft

Neumann János u. 1/E  
1117 Budapest

For more AAD Contact details go to:  
[www.3m.com/collisionrepair](http://www.3m.com/collisionrepair)





